

Pure Freude
an Wasser



CATALOGUE 2017

GROHE

TABLE OF CONTENTS

Our Brand			8
AquaSymphony			16
Survey of contents			34
Bath fittings	GROHE Digital	Veris F-digital	01
		Allure F-digital	02
	SmartControl	SmartControl mixers	03
	Fittings	Veris	04
		Allure Brilliant	05
		Allure	06
		Atrio	07
		Grandera	08
		Quadra	09
		Lineare New	10
		Lineare	11
		Eurocube Joy	12
		Eurocube	13
		Europlus	14
		Essence	15
		Eurodisc Joy	16
		Eurodisc Cosmopolitan	17
		Concetto	18
		Eurostyle Cosmopolitan	19
		Eurostyle	20
		Eurosmart Cosmopolitan	21
		Eurosmart	22
		BauEdge	23
		BauLoop	24
		BauFlow	25
		GROHE SilkMove ES	26
	Two Handle fittings	Costa L	27
	Universal	Universal tap	28

GROHE

TABLE OF CONTENTS

	Bath sets	Talentofill	29	
	Accessories	Selection Cube	30	
		Essentials	31	
		Essentials Cube	32	
		BauCosmopolitan	33	
		Essentials Authentic	34	
Thermostats		Grohtherm SmartControl	35	
		Grohtherm F	36	
		Grohtherm 3000 Cosmopolitan	37	
		Grohtherm 2000	38	
		Grohtherm Cube	39	
		Grohtherm 1000 Cosmopolitan M	40	
		Grohtherm 1000	41	
		Grohtherm 800	42	
		Grohtherm Micro	43	
Concealed solutions		GROHE Rapido T	44	
		GROHE Rapido E	45	
		GROHE Rapido C/concealed valves	46	
Showers	GROHE Digital	F-digital Deluxe	47	
	Aquatunes	Aquatunes	48	
	Shower Systems		Rainshower System SmartControl	49
			Rainshower System	50
			Euphoria XXL System	51
			Euphoria System	52
			New Tempesta System	53
			Retro-fit shower system	54
			Shower system accessories	55
	Headshowers	Head and side showers	56	
	Showers		Sena	57
			Rainshower	58
			Power&Soul	59

GROHE

TABLE OF CONTENTS

		Movario	60	
		Relexa	61	
		Euphoria	62	
		New Tempesta	63	
		Tempesta trigger sprays	64	
		Shower hoses	65	
		Shower accessories	66	
Kitchen fittings	Water systems	GROHE Blue Professional	67	
		GROHE Blue Home	68	
		GROHE Blue Pure	69	
		GROHE Blue accessories	70	
		GROHE Red	71	
		Premium lines	K7	72
			Foot Control	73
			Minta / Minta Touch	74
			Zedra / Zedra Touch	75
			K4	76
			Essence	77
			Eurocube	78
		Competence lines	Parkfield	79
			Europlus	80
			Eurodisc Cosmopolitan	81
			Eurodisc	82
			Concetto	83
			Eurostyle Cosmopolitan	84
			Eurosmart Cosmopolitan	85
	Eurosmart		86	
	Euroeco / Euroeco Special		87	
	Costa		88	
	BauEdge		89	
	BauLoop	90		

GROHE

TABLE OF CONTENTS

		Soap dispensers	91		
Special fittings	Electronic fittings	Allure E	92		
		Essence E	93		
		Essence E	94		
		Eurocube E	95		
		Bluetooth monitoring	96		
		Europlus E	97		
		Eurosmart Cosmopolitan E	98		
		Euroeco Cosmopolitan E	99		
		Special thermostats	Grohtherm Ergomix	100	
			Grohtherm Special	101	
			Grohtherm 2000 Special	102	
			Automatic 2000	103	
			Grohtherm XL	104	
		Single-lever mixer	Euroeco Special	105	
			Euroeco Single Sequential	106	
Self-closing fittings	Eurodisc SE	107			
	Eurosmart Cosmopolitan T	108			
	Euroeco Cosmopolitan T	109			
	Contromix	110			
Shower toilet	Shower toilet	GROHE Sensia IGS	111		
		GROHE Sensia Arena	112		
Installation Systems	Rapid SL	Rapid SL for WC	113		
		Rapid SL for urinal	114		
		Rapid SL for wash basin and bidet	115		
		Rapid SL for the disabled	116		
		Rapid SL free-standing installation	117		
		Rapid SL fitting supports	118		
		Rapid SL accessories	119		
		Uniset	Uniset frames and accessories	120	
		Flushing systems	WC	Flushing cisterns	121

GROHE

TABLE OF CONTENTS

		Accessories for flushing cisterns	122
		WC flush valves	123
		Electronic actuations for WC	124
	Urinal	Electronic actuations for urinal	125
		Urinal flush valves	126
Actuations	WC	Wall plates for WC	127
		GROHE Fresh	128
		Wall plates for WC flush valves	129
	Urinal	Wall plates for urinal	130
Connections and Security		Angle valves	131
		WAS valves	132
		Safety systems	133
Spare parts		Spare parts and accessories	134



GROHE

QUALITY GERMAN PERFECTIONISM INSPIRES ULTIMATE CUSTOMER CONFIDENCE.

We strive for an excellence that goes way beyond the surface of our products. In fact, from design to production and customer service we aim for nothing less than perfection at every stage. Our history of great German engineering, rigorous internal tests and numerous external certification processes are what gives our customers complete confidence in a name they can trust.

MADE IN
GERMANY





TECHNOLOGY MASTERING WATER THROUGH TECHNOLOGY.

In our relentless search for technological innovation we work to integrate the latest digital advances, creating smart solutions that enhance our customers' enjoyment of water. Our in-house experts – the Masters of Technology – harness the power of water to enhance the experience of our customers every day – the moment of truth, for our products and brand.



GROHE
SilkMove



GROHE
StarLight



GROHE
CoolTouch



GROHE
TurboStat



GROHE
DreamSpray



GROHE
FeatherControl




GROHE
Zero



GROHE Rainshower SmartControl

DESIGN SIGNATURE ELEMENTS STYLED TO PERFECTION.

An empathetic and intuitive design language offers us the opportunity to create products that feel as if they were designed just for you. This unique GROHE DNA that is both ergonomic and visually distinctive has earned us numerous design awards: world class references are testimony to our world-wide recognition.



Recognised with over 200 international design awards.



SUSTAINABILITY ENSURING WATER ENJOYMENT FOR GENERATIONS TO COME.

Water is as essential as the air that we breathe, one more reason why we are so passionate about it. To be able to offer "Pure Freude an Wasser", not just to today's consumer but for generations to come, we offer sustainable product solutions like GROHE EcoJoy and GROHE SilkMove ES, and we demonstrate through our Sustainability Report and Sustainability accolades that we have made a serious corporate commitment to protecting the planet.





**INTRODUCING:
THE BREATHTAKING
AQUASYMPHONY
BY GROHE.**






EXPLORE
THE MOST INSPIRING
PLACES THROUGHOUT
THE WORLD. WITH
AQUASYMPHONY
BY GROHE.





EXPRESSIVE.
LIKE THE PLAY OF
COLOURS IN THE NIGHT
SKIES OF TROMVIK.





EXCLUSIVE.
LIKE THE UPLIFTING
SOUND IN SYDNEY'S
OPERA HOUSE.






EXTRAORDINARY.
LIKE THE RAINBOW
SPRAY OF ICELAND'S
SKÓGAFOSS WATERFALL.






**INVITATION TO
PARADISE.**
INSPIRED BY THE
MOST ENTHRALLING
PLACES ON EARTH.



HANDCRAFTED BY GROHE. DESIGNED, ENGINEERED AND MANUFACTURED IN GERMANY.

GROHE has a long heritage of creating high-end showers – made in Lahr, Germany to the very highest of standards. AquaSymphony is the culmination of these many years of shower knowledge and expertise. When craftsmanship meets innovation a masterpiece is created. Each AquaSymphony is specially hand crafted to give you something beyond compare: Your own unique shower experience






INGENIOUS: A TOTAL WATER EXPERIENCE AT YOUR FINGERTIPS.

Compose your own water music. With AquaSymphony you can create your perfect shower moment. The intelligent control systems let you select and adjust a different shower experience for every day, to be completely in tune with your wishes. Choose your favourite!

GROHTHERM F CONFIGURATION

34 634 001, 2 x 35 500 000, 35 031 000, 35 034 000, 2 x 35 028 000



GROHTHERM SMARTCONTROL CONFIGURATION

3 x 29 126 000, 3 x 35 600 000, 26 370 000, 27 698 000, 28 143 000



new

SPRAYS

- | | | |
|-------------|-------------|---------------|
| ① Waterfall | ④ Pure | ⑦ Drizzle |
| ② Rain | ⑤ Rain | ⑧ AquaCurtain |
| ③ Bokoma | ⑥ Waterfall | ⑨ Handshower |

For detailed information please see our GROHE F-digital Deluxe Planning & Installation Guide or our installation video https://www.youtube.com/watch?v=_TMnd6Orvgw.





Rain Sprays



AquaCurtain



Waterfall XL Sprays



Drizzle Sprays



Pure Spray



Bokoma Sprays

Pure Freude
an Wasser



CATALOGUE **2017**

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
07			13 280 001	18.06	96.00	19 369 000	04.06	525.00
07 182 L00	134.09	34.00	13 281 001	18.06	128.00	19 373 000	04.06	1,346.00
12			13 299 000	05.07	295.00	19 380 000	06.06	552.00
12 001 000	134.05	17.00	13 301 000	05.06	1,403.00	19 381 000	21.04	194.00
12 004 000	134.05	28.00	13 303 000	13.07	114.00	19 382 000	21.06	141.00
12 011 000	134.06	118.00	13 304 000	13.07	128.00	19 383 000	21.06	129.00
12 013 000	134.05	28.00	13 315 000	02.05	342.00	19 384 000	06.09	128.00
12 015 000	134.06	30.00	13 317 000	06.08	693.00	19 386 000	06.05	656.00
12 030 000	134.06	55.00	13 319 000	05.07	753.00	19 388 000	04.04	672.00
12 050 000	134.05	37.00	13 335 000	02.05	252.00	19 392 000	07.13	498.00
12 051 000	101.05, 134.05	51.00	13 341 000	08.08	222.00	19 394 000	07.12	498.00
12 124 000	104.04	114.00	13 341 IGO	08.08	289.00	19 395 000	07.13	541.00
12 407 000	103.02, 107.03	71.00	13 378 000	101.03	86.00	19 396 000	07.08	481.00
12 408 000	103.03, 134.06	224.00	13 380 000	101.03	97.00	19 398 000	07.08	481.00
12 411 000	104.02, 134.05	164.00	13 460 000	102.03	160.00	19 399 000	07.08	541.00
12 417 000	104.02	120.00	13 461 000	102.03	187.00	19 408 001	15.07	192.00
12 419 000	103.02	32.00	13 462 000	102.03	207.00	19 408 DC1	15.07	249.00
12 420 000	104.02	130.00	14			19 409 000	11.04	239.00
12 424 000	104.02	116.00	14 014 000	55.02	48.00	19 409 001	10.04	208.00
12 426 000	104.02	121.00	14 047 000	55.02	43.00	19 409 DC1	10.04	270.00
12 428 000	104.03	138.00	14 048 000	03.04, 35.08	122.00	19 416 000	102.03	342.00
12 430 000	104.03	157.00	14 053 00M	03.03, 35.08	41.00	19 417 000	102.04	391.00
12 432 000	104.03	187.00	14 055 000	03.03, 29.03	131.00	19 418 000	102.04	308.00
12 433 000	134.04	47.00	14 116 00M	134.10	48.00	19 444 000	04.08	127.00
12 434 000	104.03	250.00	18			19 446 000	06.07	628.00
12 436 000	104.03	170.00	18 349 000	21.05	30.00	19 448 000	04.07	251.00
12 444 000	104.03	216.00	18 383 002	19.05, 84.03	33.00	19 450 002	22.06	122.00
12 448 000	104.03	359.50	18 391 001	18.05	35.00	19 451 002	22.06	109.00
12 465 000	134.05	62.00	18 541 000	13.05	29.00	19 455 000	09.05	209.00
12 482 000	134.05	145.00	18 608 001	38.06	42.00	19 456 000	09.05	205.00
12 901 00M	134.06	12.00	18 651 000	08.05	124.00	19 459 001	07.05	396.00
13			18 700 000	39.05	39.00	19 463 001	07.05	330.00
13 005 000	134.07	33.00	19			19 467 000	16.05, 37.03	336.00
13 017 000	134.07	43.00	19 025 000	29.03	54.00	19 467 LS0	16.05, 37.03	402.00
13 028 000	134.07	33.00	19 069 000	07.14	109.00	19 468 000	16.05, 37.04	397.00
13 034 000	134.07	34.00	19 088 000	07.09	104.00	19 468 DC0	37.04	540.00
13 051 000	134.07	34.00	19 133 000	07.09	152.00	19 468 LS0	16.05, 37.04	525.00
13 052 000	134.07	33.00	19 134 000	07.09	152.00	19 469 000	37.04	278.00
13 070 000	134.08	37.00	19 243 001	38.05	43.00	19 470 000	37.06	65.00
13 071 000	91.02, 134.07	31.00	19 243 001	38.05	43.00	19 479 000	09.04	283.00
13 072 000	134.07	31.00	19 285 001	15.09	156.00	19 506 002	19.05	166.00
13 073 000	134.07	36.00	19 285 DC1	15.09	202.00	19 506 003	20.08	137.00
13 076 000	134.07	30.00	19 286 001	15.08	137.00	19 506 LS3	20.08	177.00
13 077 000	134.08	41.00	19 286 DC1	15.08	186.00	19 507 002	19.05	156.00
13 080 000	100.03	131.00	19 287 001	07.03	443.00	19 507 003	20.07	124.00
13 084 000	134.07	33.00	19 296 000	11.05	193.00	19 507 LS3	20.07	162.00
13 137 000	100.03	139.00	19 296 001	10.06	165.00	19 536 002	14.05	177.00
13 138 000	100.03	166.00	19 296 DC1	10.06	215.00	19 537 002	14.05	166.00
13 139 000	07.08, 07.14	219.00	19 297 000	11.05	205.00	19 548 002	16.05, 17.06	159.00
13 216 001	07.06	1,180.00	19 297 001	10.06	174.00	19 548 LS2	16.05, 17.06	205.00
13 218 000	06.08	1,312.00	19 297 DC1	10.06	226.00	19 549 002	16.04, 17.06	149.00
13 242 000	04.07	258.00	19 309 000	06.05	614.00	19 549 LS2	16.04, 17.06	186.00
13 245 000	04.07	1,344.00	19 315 000	06.06	423.00	19 567 000	37.03	504.00
13 261 000	21.07	93.00	19 316 000	06.07	1,179.00	19 568 000	37.03	446.00
13 262 000	21.07	107.00	19 317 000	06.06	391.00	19 571 002	19.04	217.00
13 264 000	06.08	250.00	19 334 000	06.09	128.00	19 571 003	20.05	209.00
13 268 000	102.03	219.00	19 342 000	04.04	616.00	19 571 LS3	20.05	272.00
13 269 000	102.03	228.00	19 344 000	04.05	403.00	19 573 002	17.05	194.00
13 270 000	102.03	240.00	19 345 001	18.05	156.00	19 575 001	18.04	187.00
13 271 000	102.03	328.00	19 346 001	18.06	160.00	19 576 001	18.06	663.00
13 276 002	19.06	99.00	19 346 001	18.06	160.00	19 577 000	11.06	808.00
13 277 002	19.06	122.00	19 352 001	38.05	232.00	19 577 001	10.06	711.00
13 278 002	17.07	93.00	19 354 001	38.04	253.00	19 577 DC1	10.06	805.00
13 279 002	17.07	110.00	19 355 001	38.04	281.00	19 578 001	15.09	692.00
			19 364 000	04.06	628.00	19 578 DC1	15.09	897.00
			19 367 000	04.05	392.00	19 579 000	09.06	822.00
						19 590 000	06.08	188.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)		
19 781 000	05.04	638.00	20			22 048 00M	131.02	57.00		
19 783 000	05.04	715.00		20 008 000	07.11	658.00	22 049 000	131.02	7.00	
19 785 000	05.05	462.00		20 009 000	07.07	621.00	22 051 000	131.02	7.50	
19 787 000	05.06	1,403.00		20 143 000	06.04	697.00	22 939 000	131.03	23.00	
19 789 000	05.05	421.00		20 164 000	07.11	527.00	23			
19 791 000	05.05	687.00		20 169 000	07.07	527.00		23 029 000	05.03	552.00
19 792 000	05.05	791.00		20 180 000	04.03	693.00		23 033 000	05.03	552.00
19 796 000	05.07	182.00		20 181 000	04.04	616.00		23 037 002	19.03	124.00
19 798 000	05.07	253.00		20 187 000	21.04	202.00		23 043 002	19.03	177.00
19 806 001	27.03	43.00		20 188 000	06.04	697.00		23 048 002	19.06	739.00
19 808 001	27.03	26.00		20 189 000	06.04	614.00		23 049 002	17.03	155.00
19 887 000	05.06	608.00		20 190 000	06.04	614.00		23 054 002	17.04	194.00
19 895 000	13.04	251.00		20 192 000	06.04	656.00		23 055 002	17.04	217.00
19 896 000	12.05, 13.06	194.00		20 193 000	06.04	656.00		23 058 003	51.04	665.00
19 897 000	13.06	945.00		20 195 000	04.04	659.00		23 061 001	52.06	513.00
19 898 000	12.05, 13.05	176.00		20 201 000	28.02	99.00		23 064 000	04.03	508.00
19 910 000	13.07, 39.04	48.00		20 202 000	28.02	107.00		23 065 000	04.03	508.00
19 918 000	07.03	499.00		20 203 000	28.02	87.00		23 076 000	06.03	469.00
19 919 000	08.07	1,095.00		20 205 000	28.02	86.00		23 105 000	09.03	218.00
19 919 IGO	08.07	1,423.00		20 208 002	19.04	253.00		23 106 000	11.03	219.00
19 920 000	08.06	319.00	20 216 001	18.04	254.00	23 106 001		10.03	182.00	
19 920 IGO	08.06	415.00	20 296 001	15.07	244.00	23 106 DC1		10.03	237.00	
19 929 000	08.04	399.00	20 299 001	15.07	269.00	23 109 000		05.03	686.00	
19 929 IGO	08.04	519.00	20 301 000	14.04	300.00	23 112 000		05.03	686.00	
19 930 000	08.04	440.00	20 304 000	11.04	336.00	23 114 000	05.03	849.00		
19 930 IGO	08.04	573.00	20 304 001	10.04	268.00	23 117 000	05.04	626.00		
19 932 000	08.05	291.00	20 306 000	09.04	336.00	23 119 000	05.06	2,471.00		
19 932 IGO	08.05	379.00	20 342 000	05.03	642.00	23 124 002	22.03	151.00		
19 934 000	08.06	402.00	20 344 000	05.03	766.00	23 125 000	21.03	173.00		
19 934 IGO	08.06	523.00	20 346 000	05.04	700.00	23 127 000	13.03	202.00		
19 936 000	08.07	1,025.00	20 348 000	05.04	744.00	23 127 00E	13.03	202.00		
19 936 IGO	08.07	1,332.00	20 351 000	13.04	290.00	23 132 000	13.03	197.00		
19 937 000	08.06	430.00	20 387 000	07.11	530.00	23 132 00E	13.03	197.00		
19 937 IGO	08.06	559.00	20 389 000	08.04	519.00	23 135 000	13.03	231.00		
19 941 000	08.07	360.00	20 389 IGO	08.04	673.00	23 135 00E	13.03	231.00		
19 941 IGO	08.07	468.00	20 414 000	08.04	388.00	23 138 000	13.04	202.00		
19 942 000	08.08	139.00	20 414 IGO	08.04	504.00	23 140 000	13.05	267.00		
19 942 IGO	08.08	181.00	20 415 000	08.04	430.00	23 141 000	13.05	322.00		
19 944 000	08.09	100.00	20 415 IGO	08.04	559.00	23 145 000	13.05	230.00		
19 944 IGO	08.09	130.00	20 417 000	08.03	468.00	23 147 001	51.04	1,050.00		
19 948 000	08.06	430.00	20 417 IGO	08.03	608.00	23 200 000	05.04, 13.04	222.00		
19 948 IGO	08.06	559.00	20 421 000	23.03	59.00	23 296 000	11.03	270.00		
19 952 000	29.02	163.00	20 422 000	24.03	59.00	23 296 001	10.03	239.00		
19 954 000	29.02	17.00	20 575 000	25.02	44.00	23 296 DC1	10.03	311.00		
19 958 000	12.05, 39.03	317.00	21			23 297 000	09.03	288.00		
19 959 000	12.05, 39.03	291.00		21 019 000	07.11	443.00	23 303 000	08.03	333.00	
19 961 000	12.06, 39.04	277.00		21 022 000	07.07	443.00	23 303 IGO	08.03	432.00	
19 965 000	11.06	655.00		21 044 000	07.11	651.00	23 310 000	08.03	333.00	
19 965 001	10.06	575.00		21 107 000	08.03	399.00	23 310 IGO	08.03	432.00	
19 966 000	13.06	699.00		21 107 IGO	08.03	519.00	23 313 000	08.03	440.00	
19 967 001	15.07	206.00		21 337 001	27.02	83.00	23 313 IGO	08.03	573.00	
19 967 DC1	15.07	280.00		21 390 001	27.02	173.00	23 315 000	08.05	374.00	
19 968 000	16.03	211.00		22			23 315 IGO	08.05	487.00	
19 968 LSO	16.03	275.00			22 012 000	13.08	44.00	23 316 000	08.05	388.00
19 969 000	16.03	223.00	22 017 00M		131.03	49.00	23 316 IGO	08.05	504.00	
19 969 LSO	16.03	289.00	22 018 000		131.03	5.00	23 317 000	08.05	485.00	
19 970 002	22.06	49.00	22 018 00M		131.03	46.00	23 317 IGO	08.05	630.00	
19 972 002	22.06	49.00	22 023 000		131.03	6.50	23 318 000	08.08	1,554.00	
19 974 002	17.05	205.00	22 023 00M		131.03	57.00	23 318 IGO	08.08	2,019.00	
19 976 001	15.09	485.00	22 035 000		132.02	23.00	23 319 000	08.04	211.00	
19 981 000	41.05	41.00	22 036 000		132.02	27.00	23 322 001	22.04	104.00	
19 984 000	41.03	223.00	22 037 000		131.02	7.00	23 324 001	22.04	98.00	
19 985 000	41.03	250.00	22 039 000	131.02	8.00	23 325 000	21.04	120.00		
19 986 000	41.04	250.00	22 047 00M	131.03	50.00	23 327 000	21.04	114.00		
19 997 000	12.04	248.00				23 328 000	23.03	75.00		
19 998 000	12.04	261.00				23 330 000	23.03	70.00		

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
23 331 000	23.04	75.00	23 589 001	15.05	142.00	26		
23 332 000	23.04	70.00	23 589 DC1	15.05	194.00	26 003 000	07.12	496.00
23 333 000	23.04	75.00	23 590 001	15.05	137.00	26 037 000	08.10	103.00
23 334 000	23.04	93.00	23 590 DC1	15.05	187.00	26 037 IG0	08.10	141.00
23 335 000	24.03	75.00	23 654 000	12.03	219.00	26 038 000	08.11	213.00
23 336 000	24.03	71.00	23 656 000	12.03	214.00	26 038 IG0	08.11	292.00
23 337 000	24.03	71.00	23 657 000	12.03	230.00	26 042 000	56.10	207.00
23 338 000	24.04	75.00	23 658 000	12.03	225.00	26 052 000	56.06	349.00
23 340 000	24.04	75.00	23 661 000	12.03	303.00	26 053 000	56.06	349.00
23 341 000	24.04	93.00	23 664 000	12.04	236.00	26 053 LSO	56.06	454.00
23 374 003	20.03, 26.03	111.00	23 665 000	12.04	270.00	26 054 000	06.10, 56.05	495.00
23 374 LS3	20.03, 26.03	144.00	23 666 000	12.04	332.00	26 055 000	06.10, 56.05	489.00
23 377 00E	26.03	104.00	23 667 000	12.06	1,378.00	26 056 000	56.03	482.00
23 379 001	26.02	142.00	23 672 000	13.07	1,381.00	26 057 000	56.03	482.00
23 384 20E	26.02	155.00	23 707 003	20.03	106.00	26 058 000	04.09, 56.04	435.00
23 385 10E	26.02	129.00	23 707 LS3	20.03	138.00	26 059 000	04.09, 56.04	435.00
23 387 20E	26.03	124.00	23 709 003	20.03, 26.03	106.00	26 059 LSO	04.09, 56.04	586.00
23 390 00E	26.02	202.00	23 709 LS3	20.03, 26.03	138.00	26 060 000	56.05	435.00
23 392 00E	26.02	197.00	23 715 003	20.04	101.00	26 061 000	56.05	435.00
23 393 10E	26.04	104.00	23 718 003	20.04	165.00	26 062 000	56.06	349.00
23 395 10E	26.04	98.00	23 718 LS3	20.04	215.00	26 063 000	56.06	349.00
23 396 00E	26.04	120.00	23 719 003	20.04	206.00	26 064 000	56.05	495.00
23 403 000	06.03	691.00	23 719 LS3	20.04	266.00	26 065 000	06.10, 56.05	452.00
23 404 000	09.04	310.00	23 720 003	20.05	106.00	26 066 000	56.03	482.00
23 405 000	11.04	310.00	23 720 LS3	20.05	138.00	26 066 DC0	56.03	700.00
23 405 001	10.04	255.00	23 722 003	20.06	117.00	26 067 000	56.03	482.00
23 405 DC1	10.04	332.00	23 722 LS3	20.06	152.00	26 067 DC0	56.03	700.00
23 406 000	13.04	283.00	23 726 003	20.06	144.00	26 068 000	04.09, 56.04	435.00
23 409 000	13.06	617.00	23 726 LS3	20.06	186.00	26 069 000	04.09, 56.04	435.00
23 425 000	16.03	182.00	23 729 003	20.07	166.00	26 070 000	56.05	435.00
23 425 LSO	16.03	236.00	23 739 001	18.03	*	26 071 000	56.05	435.00
23 427 000	16.03	193.00	23 741 001	15.10	1,954.00	26 072 000	56.07	188.00
23 427 LSO	16.03	251.00	23 741 DC1	15.10	*	26 073 000	56.07	224.00
23 428 000	16.03	278.00	23 751 000	25.02	61.00	26 075 000	51.02	799.00
23 428 LSO	16.03	362.00	23 752 000	25.02	59.00	26 075 DC0	51.02	1,171.00
23 429 000	12.04, 16.04	223.00	23 753 000	25.02	88.00	26 082 001	63.03	21.00
23 430 000	16.04	205.00	23 754 000	25.02	61.00	26 083 001	63.04	60.00
23 430 LSO	16.04	266.00	23 755 000	25.03	63.00	26 087 000	51.02	1,214.00
23 431 000	16.04	278.00	23 756 000	25.03	76.00	26 088 000	56.07	59.00
23 431 LSO	16.04	362.00	23 758 000	23.03	77.00	26 089 000	56.08	62.00
23 432 000	17.04	266.00	23 759 000	23.03	77.00	26 090 000	56.08	65.00
23 433 000	21.03	277.00	23 760 000	23.04	88.00	26 115 DGO	58.08	75.00
23 441 000	09.03	251.00	23 762 000	24.03	77.00	26 115 DPO	58.08	75.00
23 442 000	09.04	278.00	23 763 000	24.03	88.00	26 115 DU0	58.08	75.00
23 443 000	11.03	251.00	23 764 000	24.03	104.00	26 115 TY0	58.08	75.00
23 444 000	11.04	278.00	23 788 002	22.03	73.00	26 115 YF0	58.08	75.00
23 444 001	10.04	225.00	23 789 002	22.04	73.00	26 115 YR0	58.08	75.00
23 444 DC1	10.04	293.00	23 790 001	26.02	171.00	26 145 000	56.22	80.00
23 445 000	13.03	214.00	23 791 001	10.03	171.00	26 146 000	56.22	80.00
23 446 000	13.03	209.00	23 791 DC1	10.03	222.00	26 146 LSO	56.22	103.00
23 447 000	13.04	263.00	23 792 001	10.07	1,323.00	26 161 000	63.06	23.00
23 448 002	17.03	174.00	23 792 DC1	10.07	1,645.00	26 164 000	63.09	33.00
23 449 002	17.04	170.00	24			26 170 000	04.08, 56.03	484.00
23 450 001	18.03	154.00	24 026 000	07.07	443.00	26 170 LSO	04.09, 56.04	590.00
23 462 001	15.05	175.00	24 027 000	07.12	443.00	26 171 000	56.05	376.00
23 462 DC1	15.05	227.00	24 036 000	16.04	193.00	26 171 LSO	56.06	507.00
23 463 001	15.06	162.00	24 036 LSO	16.04	251.00	26 172 000	56.06	242.00
23 491 001	15.10	1,192.00	25			26 172 LSO	56.07	296.00
23 491 DC1	15.10	1,417.00	25 010 000	07.12	614.00	26 174 000	59.04	168.00
23 537 002	22.04	145.00	25 044 000	07.13	1,864.00	26 174 LSO	59.04	186.00
23 541 001	15.06	188.00	25 183 000	21.07	435.00	26 186 000	52.02	627.00
23 569 003	20.04	174.00	25 450 001	27.02	121.00	26 187 000	51.03	734.00
23 569 LS3	20.04	226.00	25 460 001	27.02	152.00	26 190 000	54.02	575.00
23 570 003	20.04	217.00				26 223 000	53.02	608.00
23 570 LS3	20.04	281.00				26 227 000	52.05	734.00
23 571 000	07.04, 09.04	222.00				26 240 000	52.06	*
23 588 000	22.03	113.00						

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
26 241 000	52.03	*	27 074 DC0	66.03	56.00	27 378 000	58.08	162.00
26 243 000	52.05	*	27 074 LSO	66.03	41.00	27 379 000	58.08	175.00
26 250 000	49.02	1,423.00	27 075 000	66.03	32.00	27 381 000	58.09	113.00
26 250 LSO	49.02	1,233.00	27 076 000	66.06	49.00	27 383 000	58.09	95.00
26 254 000	56.02	560.00	27 123 000	61.04	119.00	27 400 000	62.06	46.00
26 254 LSO	56.02	512.00	27 127 000	58.04	107.00	27 400 DC0	62.06	62.00
26 255 000	56.02	1,252.00	27 128 000	56.14	148.00	27 402 001	58.08	194.00
26 256 000	56.03	1,252.00	27 134 000	56.13	115.00	27 406 000	56.24	47.00
26 257 000	56.03	459.00	27 136 001	66.07	150.00	27 420 001	52.03	612.00
26 259 000	56.04	430.00	27 137 000	65.03	32.00	27 421 001	52.08	469.00
26 260 000	37.05	1,127.00	27 139 000	58.04	244.00	27 443 000	58.04	87.00
26 261 000	37.06	1,027.00	27 141 000	61.04	239.00	27 443 001	58.04	113.00
26 262 000	37.05	902.00	27 151 000	66.05	94.00	27 444 000	58.05	87.00
26 264 001	49.05, 56.02	92.00	27 174 001	50.02	1,217.00	27 444 001	58.05	113.00
26 268 LVO	48.02	133.00	27 175 000	50.05	941.00	27 446 000	58.05	87.00
26 273 000	52.02	647.00	27 180 000	55.02	39.00	27 446 001	58.05	113.00
26 314 000	51.04	*	27 184 000	04.10	128.00	27 447 000	58.05	87.00
26 320 000	52.07	*	27 185 000	04.10	128.00	27 447 001	58.05	113.00
26 323 L00	48.02	21.00	27 188 000	66.03	98.00	27 448 000	58.05	87.00
26 324 L00	48.02	60.00	27 190 000	66.06	112.00	27 448 001	58.05	113.00
26 330 001	27.02	85.00	27 193 000	56.11	1,586.00	27 449 000	58.06	87.00
26 334 000	64.03, 65.02	23.00	27 220 000	62.02	40.00	27 449 001	58.06	113.00
26 335 000	64.03, 65.02	23.00	27 221 000	62.02	56.00	27 467 000	56.10	568.00
26 346 000	64.03, 65.02	26.00	27 222 000	62.02	56.00	27 469 000	50.03	1,082.00
26 352 000	64.02	30.00	27 225 001	62.04	99.00	27 470 000	04.10, 56.11	430.00
26 353 000	64.02	33.00	27 226 001	62.04	107.00	27 470 LSO	56.12	573.00
26 354 000	64.02	37.00	27 226 DC1	62.04	163.00	27 471 000	04.10, 56.11	430.00
26 355 ILO	64.02	25.00	27 227 001	62.04	107.00	27 472 000	04.08, 50.02	1,082.00
26 356 ILO	64.03	29.00	27 230 001	62.03	89.00	27 473 000	52.06	523.00
26 357 000	64.03	65.00	27 231 001	62.03	107.00	27 475 000	52.05	665.00
26 358 000	64.03	101.00	27 232 001	62.02	105.00	27 477 000	56.12	480.00
26 361 000	49.03	1,205.00	27 238 000	62.02	43.00	27 478 000	56.12	480.00
26 361 LSO	49.03	1,117.00	27 239 000	62.02	62.00	27 479 000	06.10, 56.12	465.00
26 362 LNO	55.03	26.00	27 239 LSO	62.02	49.00	27 480 000	06.10, 56.12	465.00
26 363 000	51.03	658.00	27 242 001	62.03	89.00	27 484 000	56.23	61.00
26 366 000	56.19	42.00	27 243 001	62.03	105.00	27 485 000	56.23	52.00
26 370 000	66.06	36.00	27 243 LSO	62.03	84.00	27 488 000	56.23	75.00
26 373 001	47.02, 56.08	18,442.00	27 251 000	56.10	107.00	27 491 000	56.18	127.00
26 374 000	47.06	979.00	27 253 000	56.11	166.00	27 492 000	56.18	127.00
26 376 001	47.02, 56.09	1,752.00	27 265 000	62.02	29.00	27 499 000	62.05, 66.08	45.00
26 381 000	53.03	225.00	27 266 001	62.03	82.00	27 500 000	66.08	48.00
26 385 000	49.06, 66.09	13.50	27 267 001	62.04	87.00	27 512 001	64.02	18.00
26 404 000	62.06	62.00	27 271 000	56.10	430.00	27 513 001	64.02	32.00
26 405 000	62.08	80.00	27 272 000	58.10	108.00	27 514 001	64.03	64.00
26 406 000	63.10	43.00	27 273 001	58.10	233.00	27 519 000	66.08	49.00
26 418 000	52.04	468.00	27 274 000	58.11	108.00	27 520 000	66.08	53.00
26 443 000	49.04	1,233.00	27 276 000	58.04	79.00	27 521 000	66.08	49.00
26 443 LSO	49.04	1,233.00	27 277 001	58.08	194.00	27 522 000	66.08	50.00
26 446 000	49.05	1,117.00	27 283 000	58.04	108.00	27 523 000	66.08	43.00
26 446 LSO	49.05	1,117.00	27 285 000	56.10	430.00	27 524 000	66.08	47.00
26 449 000	35.09, 49.06	114.00	27 286 000	56.09	1,815.00	27 529 000	58.09	162.00
26 450 000	56.02	442.00	27 287 000	56.11	541.00	27 530 000	56.16	432.00
26 450 LSO	56.02	442.00	27 296 001	52.03	612.00	27 531 000	66.05	120.00
27			27 297 001	52.08	469.00	27 532 000	04.10	215.00
27 032 001	50.04	941.00	27 304 000	66.11	67.00	27 571 001	63.03	25.00
27 055 000	66.02	42.00	27 339 000	58.10	162.00	27 571 10E	63.03	25.00
27 056 000	66.03	28.00	27 354 000	62.05	51.00	27 572 001	63.03	32.00
27 057 000	66.06	49.00	27 355 000	62.04	94.00	27 573 001	63.03	42.00
27 057 DC0	66.06	61.00	27 367 000	62.06	46.00	27 574 001	63.03	32.00
27 057 LSO	66.06	61.00	27 368 000	62.06	162.00	27 575 001	63.03	42.00
27 058 000	50.05	821.00	27 369 000	62.06	74.00	27 576 001	63.04	75.00
27 062 000	56.16	196.00	27 370 000	56.14	154.00	27 577 001	63.03	82.00
27 065 000	56.17	157.00	27 373 000	56.14	154.00	27 578 001	63.05	58.00
27 066 000	56.17	125.00	27 374 000	50.03	1,252.00	27 579 001	63.05	65.00
27 067 000	56.17	125.00	27 375 000	58.07	61.00	27 580 001	63.04	73.00
27 074 000	66.03	32.00	27 376 000	58.10	61.00	27 584 001	63.05	48.00
			27 377 000	58.07	61.00	27 588 001	63.05	44.00

GROHE

SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
27 591 000	56.18	59.00	27 742 000	59.07	128.00	27 982 IGO	08.10, 56.24	111.00
27 594 000	66.04	12.00	27 746 000	59.03	221.00	27 986 000	08.10, 56.23	92.00
27 595 000	66.02	18.00	27 750 000	59.06	202.00	27 986 IGO	08.10, 56.23	119.00
27 596 000	62.05, 66.10	6.00	27 755 000	59.03	184.00	27 993 000	08.10	141.00
27 597 000	63.06	23.00	27 759 000	59.06	176.00	27 993 IGO	08.10	182.00
27 597 00E	63.06	23.00	27 764 LSO	56.15	158.00			
27 598 000	63.08	53.00	27 765 000	56.14	142.00	28		
27 598 00E	63.08	53.00	27 767 000	56.15	129.00	28 002 000	56.20	184.00
27 600 000	63.07	67.00	27 784 000	59.07, 66.07	97.00	28 020 L01	64.02	13.00
27 601 00E	63.09	38.00	27 785 000	59.07, 66.07	102.00	28 025 000	65.02	52.00
27 606 000	56.18	54.00	27 786 001	63.05	65.00	28 034 000	57.02	131.00
27 608 000	63.02	46.00	27 787 001	63.04	73.00	28 089 000	56.21	173.00
27 609 000	63.02	89.00	27 794 000	63.08	59.00	28 105 000	65.02	25.00
27 610 000	56.19	54.00	27 795 000	63.07	65.00	28 140 000	65.02	31.00
27 615 000	52.03	612.00	27 799 000	63.09	32.00	28 142 000	65.02	33.00
27 617 000	55.03	*	27 803 00E	63.09	35.00	28 143 000	65.02	33.00
27 618 000	36.02	693.00	27 805 000	63.02	62.00	28 143 KSO	65.02	64.00
27 619 000	36.02	604.00	27 812 IL1	64.02	26.00	28 145 000	65.02	48.00
27 621 000	36.03	302.00	27 838 000	59.04	122.00	28 146 000	65.03	50.00
27 623 000	36.02	231.00	27 839 000	59.07	102.00	28 150 000	65.03	17.00
27 625 000	36.02	589.00	27 841 000	62.09, 66.08	190.00	28 151 000	65.03	17.00
27 628 000	58.06	87.00	27 845 000	62.09, 66.09	1.00	28 151 L00	65.03	43.00
27 629 000	58.06	113.00	27 849 000	63.09	42.00	28 154 000	65.03	20.00
27 630 000	58.06	87.00	27 852 000	63.06	18.00	28 155 000	65.03	27.00
27 632 000	58.06	113.00	27 853 000	63.08	45.00	28 158 000	65.03	35.00
27 633 000	58.06	87.00	27 861 000	04.09, 56.11	601.00	28 190 000	56.20	121.00
27 634 000	58.06	113.00	27 863 000	06.10, 56.12	649.00	28 232 000	56.18, 62.06	87.00
27 635 000	58.07	87.00	27 865 000	47.03, 56.09	4,355.00	28 261 001	63.06	29.00
27 636 000	58.07	113.00	27 869 000	56.08	71.00	28 286 000	56.21	98.00
27 637 000	58.07	87.00	27 870 000	56.07	64.00	28 308 000	56.16, 57.02	191.00
27 638 000	58.07	113.00	27 884 001	62.07	87.00	28 341 000	57.02	131.00
27 639 000	58.07	87.00	27 888 000	62.07	87.00	28 347 000	57.02	531.00
27 640 000	58.07	113.00	27 889 000	62.07	120.00	28 348 000	57.02	221.00
27 641 000	50.04	1,082.00	27 890 000	62.07	238.00	28 361 000	56.22	95.00
27 644 000	63.08	59.00	27 891 000	62.07	230.00	28 362 000	65.03	22.00
27 645 000	63.07	65.00	27 892 000	62.09, 66.08	181.00	28 362 DCO	65.03	41.00
27 661 000	59.02	100.00	27 911 000	52.07	523.00	28 364 000	65.03	25.00
27 663 LSO	59.02	122.00	27 922 000	53.02	508.00	28 368 000	56.13	356.00
27 664 000	59.02	113.00	27 923 000	63.06	18.00	28 368 00E	56.13	356.00
27 668 000	59.02	122.00	27 924 000	63.08	45.00	28 368 LSO	56.13	389.00
27 671 000	59.06	78.00	27 926 000	63.07	61.00	28 369 000	56.13	347.00
27 671 LSO	59.06	69.00	27 927 000	63.07	67.00	28 373 000	56.13	314.00
27 672 DRO	59.05	97.00	27 928 001	63.04	67.00	28 384 000	56.22	166.00
27 672 HFO	59.05	97.00	27 929 001	63.04	75.00	28 388 000	65.03	30.00
27 672 MWO	59.05	97.00	27 930 000	66.05	186.00	28 388 DCO	65.03	52.00
27 672 PVO	59.05	97.00	27 932 000	52.04	612.00	28 389 000	66.11	71.00
27 672 TNO	59.05	97.00	27 933 000	55.03	85.00	28 393 000	60.02	158.00
27 672 XHO	59.05	97.00	27 934 000	47.05	3,030.00	28 404 000	56.20	15.00
27 673 000	59.05	88.00	27 936 000	62.08	196.00	28 409 000	65.03	31.00
27 673 LSO	59.05	77.00	27 938 001	56.10	2,956.00	28 410 000	65.03	33.00
27 675 000	59.05	102.00	27 939 001	56.09	2,956.00	28 413 000	65.03	37.00
27 693 000	66.04	25.00	27 961 000	59.02	128.00	28 417 000	65.02	48.00
27 696 000	52.08	647.00	27 962 000	59.05	104.00	28 419 001	63.06	29.00
27 698 000	62.08	44.00	27 964 000	51.03	665.00	28 421 001	63.06	38.00
27 699 000	62.08	44.00	27 966 000	50.02	1,082.00	28 429 000	56.24	51.00
27 700 000	62.08	206.00	27 967 000	50.04	941.00	28 436 001	63.07	74.00
27 702 000	62.09	79.00	27 968 000	50.03	1,082.00	28 497 000	56.23	62.00
27 703 000	62.09	79.00	27 969 000	08.11	79.00	28 513 000	56.16, 60.02	196.00
27 704 000	66.06	28.00	27 969 IGO	08.11	102.00	28 517 000	56.16, 60.02	145.00
27 705 000	56.18	142.00	27 970 000	08.11	118.00	28 529 000	56.24, 60.02	139.00
27 706 000	66.03	31.00	27 970 IGO	08.11	154.00	28 541 000	56.24	79.00
27 707 000	66.06	48.00	27 974 000	08.10, 56.14	403.00	28 545 000	56.20	110.00
27 709 000	56.23	103.00	27 974 IGO	08.10, 56.14	524.00	28 549 000	58.11, 60.02	47.00
27 711 000	56.23	88.00	27 976 000	08.10	403.00	28 576 000	56.22	75.00
27 734 000	59.03	201.00	27 978 000	08.10, 56.24	72.00	28 578 001	63.06	38.00
27 738 000	59.06	187.00	27 978 IGO	08.10, 56.24	88.00	28 581 000	57.02	453.00
27 741 000	59.03	150.00	27 982 000	08.10, 56.24	81.00	28 587 000	66.08	159.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
28 593 001	63.07	74.00	29 081 000	24.04	128.00	30 193 DC0	85.02	151.00
28 605 000	66.04	15.00	29 094 000	101.04	224.00	30 195 000	85.02	195.00
28 622 000	66.04	15.00	29 095 000	101.04	228.00	30 208 000	105.02	235.00
28 623 000	66.02	27.00	29 096 000	101.04	184.00	30 215 000	79.02	326.00
28 626 000	66.07	30.00	29 097 003	20.05	198.00	30 215 DC0	79.02	424.00
28 628 000	66.07	30.00	29 097 LS3	20.05	258.00	30 219 001	75.02	699.00
28 636 000	66.07	36.00	29 098 003	20.07	119.00	30 219 DC1	75.02	915.00
28 671 000	66.07	29.00	29 098 LS3	20.07	*	30 221 002	84.02	138.00
28 678 000	66.07	51.00	29 099 003	20.08	131.00	30 260 002	86.03	109.00
28 679 000	66.07	50.00	29 099 LS3	20.08	170.00	30 269 000	77.02	239.00
28 690 000	57.02, 66.03	102.00	29 112 000	25.03	105.00	30 269 DC0	77.02	323.00
28 724 000	56.23	62.00	29 113 000	25.03	117.00	30 270 000	77.02	314.00
28 724 L50	56.23	71.00	29 118 000	35.05	411.00	30 270 DC0	77.02	415.00
28 755 000	58.02	117.00	29 119 000	35.05	447.00	30 273 001	83.03	261.00
28 756 000	58.02	115.00	29 120 000	35.05	532.00	30 273 DC1	83.03	354.00
28 762 001	58.02	236.00	29 121 000	35.06	483.00	30 274 000	74.03	309.00
28 763 001	58.02	236.00	29 122 000	35.06	295.00	30 274 DC0	74.03	400.00
28 764 000	58.03	94.00	29 123 000	35.02	411.00	30 294 000	77.02	391.00
28 765 000	58.03	107.00	29 124 000	35.02	447.00	30 294 DC0	77.02	507.00
28 767 001	58.03	194.00	29 125 000	35.02	532.00	30 305 000	86.02	151.00
28 769 001	58.03	212.00	29 126 000	35.03, 47.03	483.00	30 305 DC0	86.02	198.00
28 770 001	58.03	214.00	29 127 000	35.03	295.00	30 309 000	73.02	326.00
28 778 000	56.12	585.00	29 144 000	03.02	353.00	30 311 000	73.02	625.00
28 785 000	66.11	17.00	29 145 000	03.03	390.00	30 311 DC0	73.02	714.00
28 785 L00	66.11	23.00	29 146 000	03.03	426.00	30 312 000	73.02	963.00
28 789 001	63.08	65.00	29 147 000	03.02	353.00	30 312 DC0	73.02	1,155.00
28 793 000	61.02	75.00	29 148 000	03.02	390.00	30 321 DG0	77.02	*
28 796 000	61.02	119.00	29 149 000	03.02	426.00	30 321 DP0	77.02	*
28 797 001	66.07	113.00	29 150 L50	35.06	529.00	30 321 DU0	77.02	*
28 817 000	66.11	18.00	29 151 L50	35.07	566.00	30 321 GE0	77.02	*
28 819 001	66.07	126.00	29 152 L50	35.07	373.00	30 321 HG0	77.02	96.00
28 831 001	61.03	209.00	29 153 L50	35.03	529.00	30 321 MW0	77.02	92.00
28 874 000	66.11, 101.05	50.00	29 156 L50	35.04	566.00	30 321 TY0	77.02	*
28 910 000	134.08	52.00	29 157 L50	35.04	602.00	30 321 XC0	77.02	92.00
28 910 L00	134.08	152.00	29 158 L50	35.04	373.00	30 321 YF0	77.02	*
28 912 000	134.10	214.00	29 707 000	07.09	259.00	30 321 YR0	77.02	*
28 920 000	134.10	38.00	29 708 000	07.09, 08.08	268.00	30 484 001	27.03, 88.02	51.00
28 939 000	29.03	75.00	29 800 000	06.09, 07.09	24.00	31		
28 941 001	61.02	239.00	29 801 000	06.09, 07.10	23.00	31 122 002	81.02	244.00
28 942 001	61.02	188.00	29 802 000	06.09, 07.09	43.00	31 124 002	84.02	198.00
28 943 000	29.03	84.00	29 803 000	06.09, 07.10	38.00	31 126 002	84.02	215.00
28 946 000	134.10	44.00	29 804 000	06.09, 07.10	41.00	31 128 001	83.03	196.00
28 947 000	134.09	28.00	29 805 000	06.09, 07.09	63.00	31 128 DC1	83.03	254.00
28 948 000	56.20	213.00	29 811 000	06.09, 07.14	26.00	31 129 001	83.03	238.00
28 961 000	134.09	38.00	29 813 000	37.06, 46.05	34.00	31 129 DC1	83.03	310.00
28 964 001	61.02	220.00	29 904 L50	35.07	602.00	31 153 002	84.03	315.00
28 982 000	56.22	130.00	30			31 159 002	84.03	295.00
28 988 000	66.12, 101.05	57.00	30 026 000	75.03	307.00	31 161 000	85.03	218.00
28 990 000	29.02	161.00	30 026 SD0	75.03	469.00	31 170 000	85.03	234.00
28 991 000	29.02	145.00	30 079 000	71.02	1,524.00	31 187 001	88.02	96.00
28 993 000	29.02	54.00	30 079 DC0	71.02	1,911.00	31 203 000	75.03	491.00
28 995 000	29.02	237.00	30 080 000	71.04	1,476.00	31 209 001	83.03	337.00
29			30 080 DC0	71.04	1,660.00	31 210 001	83.04	307.00
29 007 000	29.03, 44.04	162.00	30 083 000	71.02	1,476.00	31 255 000	78.02	235.00
29 008 000	29.03, 45.04	76.00	30 083 DC0	71.02	1,660.00	31 255 DC0	78.02	307.00
29 025 000	04.04, 05.04	224.00	30 085 000	71.04	1,183.00	31 299 001	69.02	702.00
29 032 000	04.08, 06.10	31.00	30 085 DC0	71.04	1,319.00	31 299 DC1	69.02	829.00
29 033 000	04.08, 05.07	252.00	30 145 000	71.03	1,476.00	31 301 001	69.03	661.00
29 037 000	04.06, 05.06	709.00	30 145 DC0	71.03	1,660.00	31 301 DC1	69.03	722.00
29 069 000	47.03	131.00	30 147 000	71.05	1,183.00	31 302 001	67.03	2,326.00
29 072 000	47.04	233.00	30 147 DC0	71.05	1,319.00	31 302 DC1	67.03	2,426.00
29 073 000	47.04	233.00	30 156 000	71.03	1,774.00	31 323 001	67.02	2,527.00
29 074 000	47.05	359.00	30 156 DC0	71.03	1,911.00	31 323 DC1	67.02	2,653.00
29 078 000	23.04	117.00	30 157 000	71.05	1,476.00	31 324 001	67.02	2,527.00
29 079 000	23.05	128.00	30 157 DC0	71.05	1,660.00	31 324 DC1	67.02	2,653.00
29 080 000	24.04	117.00	30 193 000	85.02	115.00	31 344 001	69.03	1,064.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
31 344 DC1	69.03	1,189.00	32 191 000	04.03	802.00	32 763 000	105.02	113.00
31 345 002	69.02	857.00	32 193 000	04.04	379.00	32 765 000	105.02	226.00
31 345 DC2	69.02	982.00	32 195 000	04.05	867.00	32 766 000	105.02	235.00
31 346 001	67.03	2,601.00	32 196 000	04.05	1,066.00	32 767 000	105.03	250.00
31 346 DC1	67.03	2,720.00	32 197 000	04.05	746.00	32 768 000	105.03	264.00
31 347 002	67.03	2,516.00	32 204 001	18.03	133.00	32 770 000	105.03	221.00
31 347 DC2	67.03	2,639.00	32 204 10E	18.03	133.00	32 771 000	105.03	285.00
31 358 001	74.02	573.00	32 208 001	18.04	133.00	32 773 000	105.03	269.00
31 358 DC1	74.02	744.00	32 210 001	18.05	133.00	32 774 000	105.04	296.00
31 360 001	74.02	560.00	32 211 001	18.05	160.00	32 775 000	105.03	309.00
31 360 DC1	74.02	727.00	32 212 001	18.05	196.00	32 776 000	105.02	233.00
31 367 000	89.02	97.00	32 222 001	04.07	1,985.00	32 778 000	105.03	234.00
31 368 000	90.02	97.00	32 224 002	86.03	133.00	32 779 000	105.03	269.00
31 375 000	74.02	235.00	32 240 10E	18.03	129.00	32 780 000	105.04	119.00
31 375 DC0	74.02	277.00	32 249 000	06.03	835.00	32 781 000	105.04	149.00
31 379 000	72.02	668.00	32 257 001	82.02	288.00	32 783 000	105.04	140.00
31 379 DC0	72.02	868.00	32 257 002	81.02	257.00	32 784 000	105.04	118.00
31 391 002	86.04	133.00	32 259 002	81.02	205.00	32 786 000	87.02	146.00
31 395 000	78.02	590.00	32 294 001	75.02	437.00	32 787 000	87.02	146.00
31 395 DC0	78.02	768.00	32 294 SD1	75.02	633.00	32 788 000	106.02	212.00
31 454 000	68.02	1,795.00	32 296 000	75.02	363.00	32 789 000	106.02	208.00
31 454 DC0	68.02	2,099.00	32 296 SD0	75.02	554.00	32 790 000	106.02	287.00
31 455 000	68.02	1,795.00	32 321 000	74.03	265.00	32 792 000	106.02	360.00
31 455 DC0	68.02	2,099.00	32 321 DC0	74.03	347.00	32 793 000	106.02	375.00
31 456 000	68.02	1,795.00	32 322 000	74.04	265.00	32 795 000	106.02	357.00
31 456 DC0	68.02	2,099.00	32 322 DC0	74.04	347.00	32 824 000	21.03	99.00
31 478 000	86.03	114.00	32 467 002	22.04	85.00	32 825 000	21.03	104.00
31 481 000	85.02	224.00	32 468 003	20.03	102.00	32 825 00E	21.03	104.00
31 482 002	84.02	232.00	32 468 20E	19.03	116.00	32 826 000	06.06	911.00
31 483 001	83.02	240.00	32 469 20E	17.03	148.00	32 830 000	21.04	154.00
31 483 DC1	83.02	307.00	32 482 002	86.03	133.00	32 831 000	21.05	125.00
31 491 000	83.02	318.00	32 488 000	74.04	219.00	32 832 000	21.06	159.00
31 491 DC0	83.02	429.00	32 488 DC0	74.04	263.00	32 837 000	21.05	104.00
31 498 000	68.03	1,732.00	32 553 000	75.02	411.00	32 839 000	21.05	104.00
31 498 DC0	68.03	1,996.00	32 553 SD0	75.02	595.00	32 842 000	85.02	125.00
31 509 002	86.04	114.00	32 612 002	14.03	182.00	32 843 000	85.02	154.00
31 831 001	88.02	83.00	32 612 00E	14.03	182.00	32 843 00E	85.02	153.00
32			32 618 002	14.04	249.00	32 846 000	06.05	740.00
32 042 001	07.03	443.00	32 628 001	15.06	192.00	32 847 000	21.06	226.00
32 067 000	74.04	263.00	32 628 DC1	15.06	249.00	32 870 000	105.04	15.00
32 067 DC0	74.04	324.00	32 629 001	18.04	194.00	32 871 000	105.04	22.00
32 108 001	07.04	443.00	32 631 000	09.03	223.00	32 898 001	15.05	142.00
32 109 000	11.03	223.00	32 631 00E	09.03	223.00	32 901 001	15.06	260.00
32 109 001	10.03	171.00	32 632 000	09.03	223.00	32 901 DC1	15.06	337.00
32 109 DC1	10.03	222.00	32 635 000	04.04	221.00	32 917 000	74.03	219.00
32 114 000	11.03	223.00	32 636 000	09.04	223.00	32 917 DC0	74.03	269.00
32 114 001	10.03	182.00	32 637 000	09.05	223.00	32 918 000	74.03	260.00
32 114 DC1	10.03	237.00	32 638 000	09.05	280.00	32 918 00E	74.03	263.00
32 115 000	11.03	223.00	32 639 000	09.05	352.00	32 918 DC0	74.03	347.00
32 129 001	07.03	443.00	32 647 001	07.03	620.00	32 926 002	26.04	90.00
32 130 001	07.03	620.00	32 650 001	07.04	472.00	32 929 002	22.04	90.00
32 134 001	07.04	443.00	32 652 001	07.04	614.00	32 935 001	15.07	142.00
32 135 002	07.05	1,858.00	32 653 002	07.05	1,788.00	32 935 DC1	15.07	209.00
32 146 000	06.03	469.00	32 659 001	83.04	171.00	32 941 002	80.02	230.00
32 147 000	06.05	401.00	32 659 DC1	83.04	223.00	32 942 002	80.02	314.00
32 154 002	26.04	85.00	32 661 001	83.02	196.00	32 950 000	72.02	694.00
32 168 000	74.02	260.00	32 661 DC1	83.02	240.00	32 950 DC0	72.02	902.00
32 168 DC0	74.02	324.00	32 663 001	83.02	238.00	33		
32 175 000	72.02	630.00	32 663 DC1	83.02	306.00	33 155 002	14.03	249.00
32 175 DC0	72.02	863.00	32 667 001	83.04	164.00	33 156 002	14.03	182.00
32 176 000	72.02	712.00	32 706 000	06.04, 07.07	221.00	33 163 002	14.03	182.00
32 176 DC0	72.02	926.00	32 750 000	87.02	94.00	33 188 002	22.03	85.00
32 183 000	04.03	379.00	32 752 000	87.02	94.00	33 190 002	17.03	155.00
32 184 000	04.03	602.00	32 754 001	06.07	2,084.00	33 190 20E	17.03	155.00
32 186 000	04.03	379.00	32 757 000	06.03	401.00	33 202 002	86.02	114.00
32 187 000	04.03	602.00	32 760 000	06.03	762.00	33 202 DC2	86.02	131.00
			32 762 000	105.02	113.00			

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
33 241 002	14.04	182.00	34 021 000	100.03	913.00	35 087 000	104.02	1,205.00
33 244 002	17.05	155.00	34 065 002	40.02	247.00	35 500 000	04.06, 05.05	231.00
33 249 001	69.02	702.00	34 065 DC2	40.02	291.00	35 501 000	04.05, 05.05	97.00
33 249 DC1	69.02	829.00	34 143 003	41.02	217.00	35 600 000	03.03, 35.07	64.00
33 265 002	22.03	90.00	34 151 003	41.03	255.00	36		
33 281 002	86.02	109.00	34 155 003	41.02	277.00	36 014 000	107.03	180.00
33 281 20E	86.02	109.00	34 169 001	38.02	286.00	36 015 001	97.02	589.00
33 281 DC2	86.02	131.00	34 174 001	38.03	339.00	36 016 001	97.02	539.00
33 300 002	22.05	113.00	34 176 001	38.03	495.00	36 078 000	01.05, 02.05	112.00
33 302 002	22.05	143.00	34 195 001	38.04	339.00	36 088 000	94.03	632.00
33 312 002	81.02	346.00	34 202 000	102.02	443.00	36 091 000	94.03	662.00
33 339 000	06.07	766.00	34 203 000	102.03	391.00	36 092 000	94.02	602.00
33 390 002	17.06	194.00	34 205 000	102.02	391.00	36 093 000	94.02	602.00
33 395 002	17.06	231.00	34 215 002	40.02	290.00	36 094 000	94.02	662.00
33 412 002	22.05	121.00	34 256 003	41.03	259.00	36 095 000	92.02	955.00
33 490 002	86.02	158.00	34 274 000	37.02	432.00	36 097 000	92.03	1,000.00
33 547 002	14.05	278.00	34 275 000	37.02	586.00	36 098 000	92.02	832.00
33 552 002	19.03	124.00	34 276 000	37.02	497.00	36 109 000	110.02	467.00
33 552 20E	19.03	124.00	34 281 001	38.04	465.00	36 121 000	110.02	528.00
33 553 002	14.05	221.00	34 283 001	38.05	822.00	36 122 000	110.02	230.00
33 555 002	22.05	94.00	34 286 002	40.02	319.00	36 133 000	134.08	21.00
33 558 003	20.03	111.00	34 294 001	15.05	137.00	36 207 001	97.02	519.00
33 558 LS3	20.03	144.00	34 321 002	40.02	322.00	36 208 001	97.02	476.00
33 565 002	19.04	124.00	34 361 000	103.02	630.00	36 209 000	92.04, 107.03	112.00
33 565 003	20.05	111.00	34 364 000	103.02	640.00	36 210 000	107.03	56.00
33 565 LS3	20.05	144.00	34 365 000	103.02	581.00	36 233 000	107.02	616.00
33 569 002	17.05	155.00	34 399 000	37.06	812.00	36 234 000	92.02	955.00
33 577 002	14.04	182.00	34 408 000	37.05	1,031.00	36 235 000	92.03	1,142.00
33 590 002	19.04	124.00	34 427 000	102.02	331.00	36 236 001	97.02	567.00
33 590 003	20.06	122.00	34 464 001	38.02	375.00	36 239 001	97.03	1,235.00
33 590 LS3	20.06	159.00	34 469 001	38.02	323.00	36 240 001	97.03	1,183.00
33 591 002	19.05	162.00	34 482 001	38.03	473.00	36 244 000	107.02	1,048.00
33 591 003	20.06	151.00	34 487 000	43.02	155.00	36 247 000	107.03	973.00
33 591 LS3	20.06	196.00	34 488 000	39.02	344.00	36 249 000	107.02	578.00
33 592 002	19.05	196.00	34 491 000	39.02	381.00	36 252 000	94.03	924.00
33 592 003	20.07	174.00	34 497 000	39.03	451.00	36 264 000	92.03, 94.03	307.00
33 624 001	15.08	203.00	34 502 000	39.02	471.00	36 264 001	93.03, 95.02	160.00
33 624 DC1	15.08	263.00	34 506 000	39.04	1,085.00	36 265 000	109.02	122.00
33 628 001	15.08	243.00	34 550 000	41.02	222.00	36 266 000	109.02	94.00
33 636 001	15.08	165.00	34 558 000	42.02	177.00	36 267 000	109.02	88.00
33 636 DC1	15.08	222.00	34 565 000	42.03	216.00	36 268 000	109.02	94.00
33 769 000	06.05	238.00	34 566 000	42.03	219.00	36 269 000	99.02	290.00
33 770 002	81.02	206.00	34 567 000	42.02	230.00	36 271 000	99.02	255.00
33 772 002	81.03	210.00	34 571 000	37.05	1,076.00	36 273 000	99.03	355.00
33 782 000	76.02	476.00	34 572 000	37.04	1,154.00	36 274 000	99.03	314.00
33 786 000	76.02	448.00	34 573 000	41.04	361.00	36 277 000	01.03	1,120.00
33 848 000	11.04	223.00	34 575 000	41.05	452.00	36 278 000	01.03	1,150.00
33 848 001	10.05	200.00	34 576 000	42.02	223.00	36 289 000	01.03, 02.03	1,365.00
33 848 DC1	10.05	260.00	34 582 000	41.04	604.00	36 292 000	01.04, 02.04	1,105.00
33 849 000	11.05	280.00	34 614 000	41.04	658.00	36 295 000	01.04, 02.04	1,365.00
33 849 001	10.05	262.00	34 627 000	37.04	1,318.00	36 309 000	01.04, 02.04	259.00
33 849 DC1	10.05	338.00	34 630 000	37.05	1,248.00	36 315 000	98.05	444.00
33 850 000	11.05	353.00	34 631 000	38.05	863.00	36 316 000	109.02	39.00
33 850 001	10.05	305.00	34 634 001	47.02	2,213.00	36 317 000	108.02	265.00
33 865 000	11.05	223.00	34 665 000	101.02	367.00	36 318 000	108.02	288.00
33 865 001	10.05	205.00	34 666 000	101.03	325.00	36 319 000	108.02	475.00
33 865 DC1	10.05	264.00	34 667 000	101.02	293.00	36 320 000	108.02	415.00
33 930 002	80.02	230.00	34 671 000	101.03	373.00	36 321 000	108.02	298.00
33 933 002	80.02	314.00	34 681 000	101.02	327.00	36 322 000	108.02	111.00
33 975 002	84.02	181.00	34 713 000	35.08	698.00	36 325 001	98.02	416.00
33 977 002	84.03	133.00	34 714 000	35.09	651.00	36 327 001	98.02	340.00
33 982 002	84.03	165.00	35			36 330 001	98.03	340.00
34			35 028 000	06.09, 08.09	128.00	36 331 001	98.02	353.00
34 018 000	100.02	913.00	35 031 000	36.02, 46.04	369.00	36 332 000	98.04	798.00
34 019 000	100.02	913.00	35 034 000	36.03	203.00	36 333 000	98.04	784.00
34 020 000	100.02	913.00	35 085 000	104.02	1,088.00	36 334 SD0	98.04	415.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
36 335 SD0	98.04	400.00	37 336 001	125.03	513.00	38 562 001	119.03	93.00
36 336 000	96.05, 98.05	297.00	37 337 001	125.03	513.00	38 563 000	119.03	9.00
36 337 000	96.05, 98.04	105.00	37 338 000	96.08, 125.04	124.00	38 564 000	127.07	71.00
36 338 000	93.03, 95.03	89.00	37 339 000	126.02	117.00	38 564 SH0	127.07	63.00
36 339 000	96.06, 98.05	193.00	37 342 000	126.02	141.00	38 565 000	127.07	66.00
36 342 000	02.03	1,051.00	37 346 000	126.02	91.00	38 565 SH0	127.07	63.00
36 343 000	02.03	1,119.00	37 347 000	123.02	206.00	38 573 000	127.07	71.00
36 356 000	01.05, 02.06	151.00	37 349 000	123.02	225.00	38 573 P00	127.07	71.00
36 359 000	47.04	1,220.00	37 355 SH0	121.02	85.00	38 573 SH0	127.07	63.00
36 360 000	47.04	1,046.00	37 419 000	124.02	776.00	38 574 000	127.07	71.00
36 362 000	47.05	3,030.00	37 419 SD0	124.02	776.00	38 581 001	117.03	447.00
36 367 000	47.07	277.00	37 421 000	125.02	441.00	38 584 001	117.02	394.00
36 371 000	47.07	602.00	37 427 000	125.02	320.00	38 586 001	117.02	580.00
36 384 000	99.02	595.00	37 428 000	125.02	307.00	38 587 000	117.03	463.00
36 386 001	98.03	784.00	37 503 000	96.07	785.00	38 625 001	115.03, 116.04	272.00
36 387 000	97.03	954.00	37 504 000	96.08	967.00	38 629 000	119.02	50.00
36 397 000	47.06	1,423.00	37 505 SD0	96.08	785.00	38 630 001	119.02	62.00
36 407 001	92.04, 93.04	289.00	37 535 000	127.02	63.00	38 636 001	119.02	72.00
36 409 000	96.04	541.00	37 535 DC0	127.02	86.00	38 643 001	120.02	192.00
36 410 000	96.05	621.00	37 535 P00	127.02	63.00	38 652 000	44.04, 45.04	119.00
36 411 000	96.03	815.00	37 535 SH0	127.02	52.00	38 661 000	121.02	152.00
36 412 000	96.06	703.00	37 547 000	129.02	51.00	38 672 SD0	127.07	117.00
36 413 000	96.03	658.00	37 547 P00	129.02	65.00	38 675 001	113.08, 116.02	333.00
36 414 000	96.04	894.00	37 547 SH0	129.02	63.00	38 698 SD1	124.02	577.00
36 415 000	96.07	589.00	37 576 000	120.03	137.00	38 699 001	124.02	567.00
36 416 000	96.07	567.00	37 578 001	120.04	186.00	38 714 000	122.04, 127.08	17.00
36 421 000	98.03	372.00	37 601 000	127.02	77.00	38 722 001	113.05	261.00
36 422 000	98.02	375.00	37 601 DC0	127.02	104.00	38 723 001	120.02	188.00
36 441 000	95.02	639.00	37 601 P00	127.02	77.00	38 732 000	127.05	70.00
36 442 000	95.02	718.00	37 601 SH0	127.02	63.00	38 732 BR0	127.05	114.00
36 444 000	93.02	536.00	37 624 000	127.02	77.00	38 732 P00	127.05	55.00
36 445 000	93.02	513.00	37 624 DC0	127.02	104.00	38 732 SD0	127.05	148.00
36 446 000	93.02	479.00	37 624 P00	127.02	77.00	38 732 SH0	127.05	59.00
36 447 000	93.03	680.00	37 624 SH0	127.02	63.00	38 733 000	119.03	27.00
37			37 751 001	125.04	442.00	38 735 000	122.02	52.00
37 036 000	126.02	17.00	37 998 000	118.02	96.00	38 736 000	122.02	39.00
37 037 000	126.02	20.00	38			38 748 001	92.03, 94.04	510.00
37 038 000	126.03	22.00	38 251 000	123.03	54.00	38 748 002	93.03, 95.03	422.00
37 039 000	126.03	23.00	38 393 SD1	124.02	577.00	38 750 001	113.03	311.00
37 040 000	126.03	25.00	38 415 001	120.03	275.00	38 759 SD0	116.03, 124.03	809.00
37 042 000	126.03	16.00	38 422 000	121.02	189.00	38 765 000	127.03	59.00
37 043 000	126.03	33.00	38 437 000	118.02	104.00	38 765 P00	127.03	66.00
37 044 000	126.02	16.00	38 445 SD0	129.02	98.00	38 765 SH0	127.03	59.00
37 048 000	123.04	394.00	38 505 000	127.06	62.00	38 766 000	127.03	171.00
37 059 000	124.05, 127.07	170.00	38 505 P00	127.06	71.00	38 772 001	113.05	302.00
37 060 000	124.05, 127.08	105.00	38 506 000	127.06	71.00	38 775 001	113.03	322.00
37 063 000	129.02	34.00	38 506 P00	127.06	71.00	38 776 SD0	127.05	150.00
37 063 SH0	129.02	48.00	38 506 SH0	127.06	65.00	38 778 000	124.03	652.00
37 069 000	129.02	159.00	38 517 001	114.02	207.00	38 779 000	119.03	98.00
37 095 000	122.02	30.00	38 519 001	113.11	385.00	38 784 000	130.02	111.00
37 102 SH0	123.04	24.00	38 525 001	113.10	294.00	38 784 P00	130.02	111.00
37 105 K00	122.03	29.00	38 526 000	113.10	316.00	38 784 SD0	130.02	172.00
37 131 000	119.04, 122.04	12.00	38 528 001	113.06	234.00	38 784 SH0	130.02	108.00
37 132 000	123.02	17.00	38 539 001	113.06	215.00	38 785 000	120.03	220.00
37 139 000	123.02	92.00	38 541 000	115.04, 116.04	137.00	38 786 001	114.02	268.00
37 141 000	123.02	87.00	38 543 000	115.05	270.00	38 787 000	125.04, 126.04	99.00
37 153 000	123.04	252.00	38 544 000	115.04	258.00	38 796 000	128.02	67.00
37 157 000	123.04	220.00	38 545 000	115.04	291.00	38 804 000	130.02	111.00
37 220 001	119.03	20.00	38 546 000	115.03	129.00	38 804 SH0	130.02	108.00
37 304 000	120.04	38.00	38 548 001	117.03, 118.02	117.00	38 805 000	128.02	125.00
37 311 K00	122.03	26.00	38 550 000	119.03	73.00	38 808 000	130.03	97.00
37 321 001	125.03	514.00	38 553 001	115.04	244.00	38 808 P00	130.03	102.00
37 321 SD1	125.03	514.00	38 554 001	115.02	139.00	38 808 SH0	130.03	95.00
37 321 SH1	125.03	514.00	38 557 001	115.02	106.00	38 809 000	127.03	560.00
37 324 001	125.04	514.00	38 558 00M	113.11, 114.02	21.00	38 813 001	113.04	310.00
37 324 SD1	125.04	514.00	38 559 001	116.04	182.00	38 821 000	127.05	229.00
						38 827 000	113.02	365.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
38 844 000	127.05	66.00	40 284 000	06.12	69.00	40 460 001	33.02	20.00
38 844 P00	127.05	66.00	40 304 000	07.15	132.00	40 461 001	33.03	14.00
38 844 SH0	127.05	58.00	40 305 000	07.15	147.00	40 462 001	33.03	118.00
38 845 KSO	127.04	229.00	40 306 000	07.15	250.00	40 463 001	33.03	37.00
38 845 LSO	127.04	229.00	40 307 000	07.15	161.00	40 479 000	01.05	88.00
38 845 MF0	127.04	229.00	40 308 000	07.15	220.00	40 493 000	05.08	319.00
38 846 KSO	130.02	291.00	40 309 000	07.15	288.00	40 494 000	05.08	532.00
38 846 LSO	130.02	291.00	40 312 000	07.16	118.00	40 496 000	05.08	262.00
38 846 MF0	130.02	291.00	40 313 000	07.16	222.00	40 497 000	05.08	283.00
38 847 KI0	127.03	95.00	40 314 000	07.16	369.00	40 498 000	05.09	128.00
38 847 LI0	127.03	95.00	40 339 000	06.11	157.00	40 499 000	05.09	560.00
38 847 XG0	127.03	95.00	40 340 000	06.12	266.00	40 500 000	05.09	452.00
38 849 HP0	127.04	207.00	40 341 000	06.11	234.00	40 503 000	05.08	371.00
38 849 HR0	127.04	207.00	40 342 000	06.11	234.00	40 504 000	05.08	391.00
38 857 000	130.03	111.00	40 363 000	06.11	266.00	40 507 001	32.04	43.00
38 857 P00	130.03	111.00	40 364 001	31.04	17.00	40 508 001	32.02	39.00
38 857 SH0	130.03	102.00	40 364 DC1	31.04	18.00	40 509 001	32.03	56.00
38 858 000	127.05	66.00	40 365 001	31.03	30.00	40 510 001	32.03	54.00
38 858 P00	127.05	66.00	40 365 DC1	31.03	33.00	40 511 001	32.03	22.00
38 858 SH0	127.05	58.00	40 366 001	31.03	47.00	40 512 001	32.03	196.00
38 859 XG0	127.05	97.00	40 366 DC1	31.03	52.00	40 513 001	32.04	79.00
38 861 000	127.06	69.00	40 367 001	31.05	39.00	40 514 001	32.04	81.00
38 862 000	127.06	63.00	40 367 DC1	31.05	43.00	40 535 000	91.02	57.00
38 862 P00	127.06	63.00	40 368 001	31.02, 32.02	8.00	40 535 DCO	91.02	75.00
38 862 SD0	127.06	117.00	40 369 001	31.02	30.00	40 536 000	91.02	52.00
38 862 SH0	127.06	56.00	40 369 DC1	31.02	33.00	40 536 DCO	91.02	70.00
38 863 000	121.02	106.00	40 371 001	31.03	53.00	40 537 000	91.02	66.00
38 896 000	126.04	57.00	40 371 DC1	31.03	58.00	40 547 001	70.02	100.00
38 897 000	113.07	327.00	40 372 001	31.02, 32.02	8.00	40 548 000	02.05	123.00
38 915 KSO	127.03	872.00	40 374 001	31.06	49.00	40 553 000	91.02	73.00
38 915 LSO	127.03	872.00	40 374 DC1	31.06	54.00	40 553 DCO	91.02	102.00
38 916 OA0	127.04	279.00	40 376 000	04.11	143.00	40 564 000	134.10	245.00
38 929 000	113.04	279.00	40 377 000	04.12	207.00	40 565 000	134.09	77.00
38 934 SD0	116.03, 124.04	526.00	40 378 000	04.11	80.00	40 585 001	33.02	23.00
38 957 000	127.04	99.00	40 379 000	04.11	176.00	40 623 001	32.04	38.00
38 958 000	127.04	89.00	40 380 000	04.12	285.00	40 624 001	32.03	76.00
38 994 000	113.09	307.00	40 381 000	04.11	284.00	40 625 000	08.13	189.00
38 995 000	113.09	384.00	40 385 001	31.06	26.00	40 625 IGO	08.13	246.00
39			40 385 DC1	31.06	33.00	40 626 000	08.12	181.00
39 002 000	113.07	324.00	40 386 001	31.03	59.00	40 626 IGO	08.12	234.00
39 052 000	115.02	159.00	40 386 DC1	31.03	66.00	40 627 000	08.12	235.00
39 111 LD0	111.02	5,007.00	40 389 000	04.11	61.00	40 627 IGO	08.12	306.00
39 111 LK0	111.02	5,007.00	40 390 000	04.11	65.00	40 628 000	08.12	222.00
39 111 LP0	111.02	5,007.00	40 391 000	04.11	65.00	40 628 IGO	08.12	289.00
39 111 SH0	111.02	4,789.00	40 392 000	31.06, 32.04	34.00	40 629 000	08.12	250.00
39 112 001	111.03, 112.03	251.00	40 393 000	31.06, 32.04	27.00	40 629 IGO	08.12	324.00
39 140 000	116.02	611.00	40 394 001	31.02, 32.02	25.00	40 630 000	08.12	153.00
39 141 000	116.03, 124.03	551.00	40 404 001	70.02	86.00	40 630 IGO	08.12	198.00
39 142 000	116.03, 124.03	221.00	40 405 000	70.02	64.00	40 631 000	08.13	73.00
39 354 SH0	112.02	2,736.00	40 407 001	31.06	94.00	40 631 IGO	08.13	94.00
39 367 000	125.05	593.00	40 407 DC1	31.06	104.00	40 632 000	08.13	263.00
39 368 000	125.05	593.00	40 412 001	70.02	233.00	40 632 IGO	08.13	343.00
39 369 000	125.06	788.00	40 421 001	31.04	47.00	40 633 000	08.13	169.00
39 374 KSO	113.02	723.00	40 421 DC1	31.04	52.00	40 633 IGO	08.13	219.00
39 374 LSO	113.02	723.00	40 422 000	70.03	136.00	40 652 001	34.02	28.00
39 376 000	114.02	272.00	40 430 001	70.02	176.00	40 653 001	34.02	44.00
39 383 000	96.05	86.00	40 434 001	70.03	83.00	40 654 001	34.03	76.00
40			40 437 000	70.02	63.00	40 655 001	34.02	28.00
40 179 000	07.15	160.00	40 438 001	71.05	379.00	40 656 001	34.03	16.00
40 206 000	06.12, 07.16	52.00	40 444 001	31.02	38.00	40 657 001	34.03	33.00
40 207 000	06.12, 07.16	29.00	40 444 DC1	31.02	42.00	40 658 001	34.03	46.00
40 254 000	06.11, 07.15	74.00	40 447 001	31.03	39.00	40 659 001	34.03	46.00
40 256 000	06.11, 07.15	49.00	40 447 DC1	31.03	42.00	40 660 001	34.03	148.00
40 278 000	06.11	123.00	40 448 001	31.02	54.00	40 661 000	08.12	399.00
40 279 000	06.12	157.00	40 448 DC1	31.02	60.00	40 661 IGO	08.12	504.00
			40 457 001	33.03	29.00	40 663 001	33.03	63.00
			40 459 001	33.02	33.00	40 664 001	33.03	50.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
40 688 001	31.03	43.00	41 050 000	132.03	47.00	47		
40 688 DC1	31.03	48.00	41 070 000	132.02	29.00	47 010 000	134.03	182.00
40 689 001	31.05	35.00	41 073 000	132.02	26.00	47 019 000	134.03	360.00
40 689 DC1	31.05	39.00	41 091 000	132.03	32.00	47 175 000	134.03	122.00
40 691 001	70.03	110.00	41 125 000	133.02	17.00	47 217 000	134.03	89.00
40 694 000	70.03	49.00	41 126 000	133.02	29.00	47 310 000	134.03	160.00
40 710 000	02.05	82.00	41 130 000	132.04	36.00	47 364 000	134.04	80.00
40 754 001	32.03	48.00	41 154 000	132.03	36.00	47 439 000	134.03	92.00
40 755 001	32.02	49.00	41 190 000	132.03	32.00	47 450 000	134.02	96.00
40 756 001	32.02	63.00	41 230 000	133.02	31.00	47 483 000	134.03	57.00
40 757 001	32.04	131.00	41 231 000	133.02	25.00	47 533 000	43.02	38.00
40 766 000	30.02	71.00	41 263 000	131.04	20.00	47 569 000	104.03	367.00
40 767 000	30.03	133.00	41 270 000	133.02	31.00	47 727 000	01.05, 02.06	26.00
40 768 000	30.02	199.00	41 275 000	133.02	36.00	47 780 000	44.04	142.00
40 775 001	31.06	92.00	42			47 781 000	44.04	156.00
40 775 DC1	31.06	103.00	42 133 000	107.04	173.00	47 837 000	47.07	73.00
40 776 001	31.06	119.00	42 229 000	134.10	131.00	47 838 000	47.08	73.00
40 776 DC1	31.06	132.00	42 233 000	122.03	13.00	47 867 000	47.08	73.00
40 777 001	32.04	115.00	42 233 000	122.03	13.00	47 868 000	47.08	73.00
40 778 001	32.05	163.00	42 253 000	122.02	50.00	47 877 000	47.08	73.00
40 781 000	30.03	108.00	42 320 000	122.02	39.00	47 910 000	47.08	61.00
40 782 000	30.03	37.00	42 327 000	113.12, 122.03	15.00	47 994 000	101.04	5.80
40 782 000	30.02	33.00	42 333 000	113.11, 122.04	18.00	48		
40 784 000	30.03	50.00	42 429 000	47.06	105.00	48 021 000	134.11	7.00
40 793 001	31.05	63.00	42 429 000	47.06	105.00	48 051 000	62.05, 66.09	6.00
40 794 001	31.05	76.00	42 774 000	122.03	52.00	48 053 000	55.02	90.00
40 794 DC1	31.05	90.00	42 946 000	122.04	21.00	48 054 000	55.02	69.00
40 795 001	31.04	93.00	43			48 166 000	134.11	15.00
40 795 DC1	31.04	111.00	43 040 000	126.04	22.00	48 189 000	134.08	17.00
40 796 001	31.04	108.00	43 486 000	122.02	20.00	48 190 000	134.08	17.00
40 796 DC1	31.04	129.00	43 617 000	119.04, 124.03	83.00	48 191 000	134.08	17.00
40 797 001	31.05	196.00	43 908 000	122.03	17.00	48 349 000	49.06	84.00
40 799 001	31.05	50.00	43 977 000	124.05, 127.07	203.00	48 350 000	49.06	102.00
40 799 DC1	31.05	60.00	45			49		
40 800 001	31.04	148.00	45 058 000	103.03	38.00	49 003 000	35.08	176.00
40 800 DC1	31.04	176.00	45 202 000	46.05, 134.04	9.00	64		
40 802 001	31.04	76.00	45 203 000	46.05, 134.04	17.00	64 508 001	70.03	44.00
40 802 DC1	31.04	90.00	45 304 000	66.11	33.00	65		
40 804 000	30.03	373.00	45 342 000	134.04	27.00	65 790 000	01.05, 02.05	58.00
40 805 000	30.02	62.00	45 346 000	134.04	32.00	65 808 000	134.09	48.00
40 806 000	30.02	41.00	45 388 000	04.06, 05.06	101.00			
40 807 000	30.03	208.00	45 473 000	07.13	757.00			
40 808 000	30.04	183.00	45 562 000	84.04	31.00			
40 809 000	30.04	146.00	45 885 000	134.04	44.00			
40 824 000	134.09	18.00	45 914 XEO	66.09	12.00			
40 846 001	31.07	125.00	45 937 000	134.11	7.50			
40 847 001	32.05	162.00	45 971 000	65.04	17.00			
40 848 000	70.02	16.00	45 973 000	65.04	18.00			
40 848 SD0	70.02	26.00	45 978 000	134.04	27.00			
40 857 000	30.04	146.00	45 984 001	04.07, 05.07	418.00			
40 865 000	30.02	45.00	45 992 000	65.04	16.00			
40 867 000	30.04	51.00	46					
40 868 000	30.04	40.00	46 048 000	134.02	50.00			
40 870 000	30.04	12.00	46 191 000	45.04	117.00			
40 899 000	111.04, 112.03	34.00	46 308 000	134.02	17.00			
40 911 000	127.02	12.00	46 343 000	45.04	215.00			
41			46 374 000	134.02	45.00			
41 001 000	133.02	13.00	46 375 000	134.02	13.00			
41 007 000	132.04	16.00	46 580 000	134.02	51.00			
41 010 000	132.03	26.00	46 807 000	45.04	120.00			
41 015 000	132.03	38.00	46 808 000	45.04	320.00			
41 020 000	132.04	65.00	46 882 00M	111.03	58.00			
41 022 000	132.04	50.00	46 883 00M	111.03	107.00			
41 030 000	132.02	25.00	46 884 000	111.03	88.00			
41 033 000	132.02	38.00	46 944 000	112.03	188.00			
41 043 000	132.03	43.00						

GROHE
BATH FITTINGS





Contents

GROHE Digital	Veris F-digital	01
	Allure F-digital	02
SmartControl	SmartControl mixers	03
Fittings	Veris	04
	Allure Brilliant	05
	Allure	06
	Atrio	07
	Grandera	08
	Quadra	09
	Lineare New	10
	Lineare	11
	Eurocube Joy	12
	Eurocube	13
	Europlus	14
	Essence	15
	Eurodisc Joy	16
	Eurodisc Cosmopolitan	17
	Concetto	18
	Eurostyle Cosmopolitan	19
	Eurostyle	20
	Eurosmart Cosmopolitan	21
	Eurosmart	22
	BauEdge	23
	BauLoop	24
	BauFlow	25
	GROHE SilkMove ES	26
Two Handle fittings	Costa L	27
Universal	Universal tap	28
Bath sets	Talentofill	29
Accessories	Selection Cube	30
	Essentials	31
	Essentials Cube	32
	BauCosmopolitan	33
	Essentials Authentic	34

GROHE SILKMOVE® ES



The intelligent combination of energy saving and effortless water control.

GROHE SilkMove® ES technology not only offers a unique smoothness of operation, but also encourages responsible management of energy and water. In cold-water mode and positioned mid-lever, the ES technology springs into life. This eliminates opening the faucet in the mixed hot-and-cold water mode, saving energy by avoiding the unnecessary heating of water for daily rituals like cleaning your teeth or washing your hands.

When you need hot water, the wide operating angle of the lever ensures that, by moving it up to 90 degrees left of the mid position, the flow of water is ultra-responsive and precise, giving you total control over temperature and water flow.

GROHE SilkMove® ES technology is a harmonious marriage of design and technology, delivering an enhanced water experience whilst encouraging responsible management of precious resources.



The special ceramic discs and Teflon® technology in GROHE SilkMove® cartridges ensure a lifetime of effortless precision.



Using the mid-lever position for cold water, GROHE SilkMove® ES reduces wastage of hot water, saving precious water and energy.



GROHE SilkMove® guarantees smoothness of operation as on day one – even after 20 years.



Save precious resources and enjoy 100% water comfort.

All GROHE EcoJoy products are systematically designed to save water and energy so that precious resources are conserved. These products, equipped with water-saving technologies, offer the perfect water experience without the need to compromise. Reducing water and energy consumption goes hand in hand with convenience and attractive design. Less water. Perfect flow.



The highly innovative GROHE EcoJoy technology reduces water consumption by up to 50% without compromising on performance.



GROHE is the only manufacturer offering a full-spectrum of water-saving products – for bath, shower and sanitary installation.



GROHE single-lever mixers – On numerous models across all style and price segments, integrated technology automatically reduces water consumption by up to 50% compared to standard rates every time the faucet is turned on, yet still ensures that same perfect flow.



GROHE thermostats – With GROHE thermostats, the desired water temperature is reached within a fraction of a second and reliably maintained for the duration of your shower. No more time and water wasted while fiddling with controls to get the temperature right!



GROHE showers – For your perfect shower experience, a built-in technology effortlessly saves up to 40% of water on selected models, while delivering all the features and performance you would expect from a GROHE shower.



























GROHE sanitary systems – Ecologically sensible: GROHE cisterns use water very sparingly. The start/stop and dual flush systems offer the opportunity of selecting one's preferred economical flush.



GROHE special fittings – Thanks to the electronic control, water only flows through these mixers when needed. Depending on the model, the mixer automatically turns off and saves water when the user removes his hands, for example during soaping, or after a pre-set time.

YOUR FAVORITE DESIGN IN THE RIGHT SIZE.

For years, GROHE offered a wide range of taps & mixers in different designs. Now GROHE offers an additional, comfortable advantage: a choice of size - from XS to XL. To make it easy, all our washbasin mixers are marked with a "size" character that everybody understands. The higher the tap gets, the higher and wider the spout reaches out, the more comfort !

	XS-Size	S-Size	M-Size	L-Size	XL-Size
Allure Brilliant					
Allure					
GROHE Grandera®					
Quadra	 new	 new		 new	 new
Lineare					
Eurocube Joy					
Eurocube					

XS-Size

S-Size

M-Size

L-Size

XL-Size

Europlus



Essence



Eurodisc
Joy



Eurodisc
Cosmopolitan



Concetto



Eurostyle



Eurostyle
Cosmopolitan



Eurosmart
Cosmopolitan



Eurosmart



GROHE VERIS F-DIGITAL



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy



GROHE
DreamSpray



GROHE
Digital

GROHE COMBINATIONS VERIS F-DIGITAL

BATHROOM FAUCETS



Veris F-digital




Veris

THERMOSTATS



Veris F-digital



Veris



Grotherm SmartControl

HEAD SHOWERS & SHOWER SYSTEMS



Rainshower Veris
300 x 150



Rainshower F-Series



Rainshower 360
SmartControl

HAND SHOWERS



GROHE Ondus®



Power&Soul



Rainshower Classic

ACCESSORIES & ACTUATIONS FOR WC



GROHE Ondus®



Selection Cube




Arena Cosmopolitan

GROHE VERIS F-DIGITAL

Ref. No. Colour Price netto (€)

36 277 000 chrome 1,120.00



**Veris F-digital
Digital basin mixer
L-Size**

including digital mixing device
single hole installation

Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED-ring

Digital mixing device

- digital controlled valves
- integrated temperature sensor

Default setting configurable during installation:

- automatic safety shut-off after 60 sec.

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow


swivel spout with SpeedClean mousseur

Push-open waste set 1 1/4"

flexible connection hoses

incl. plug power supply 65 790 000

36 278 000 chrome 1,150.00



**Veris F-digital
Digital basin mixer
S-Size**

including digital mixing device
wall mounted

Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED-ring

Digital mixing device

- digital controlled valves
- integrated temperature sensor

Default setting configurable during installation:

- automatic safety shut-off after 60 sec.

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow


spout with SpeedClean-mousseur

projection 170 mm

Push-open waste set 1 1/4"

incl. plug power supply 65 790 000

36 289 000 chrome 1,365.00



**F-digital
Digital Controller and digital diverter
for bath**

including digital thermostat unit

Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control (temperature adjustable up to max. 46° C)
- Pause function
- Memory function

LED ring incl. warming-up function: visual feedback

when preferred temperature is reached

digital diverter for bath

- Diverter: head-, hand shower and bath spout
- LED-ring

Digital thermostat unit (concealed body)

- warm/cold supplies 1/2"
- 3 outlets 1/2" bath diverter

Default setting configurable during installation:

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

Transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m

GROHE TurboStat digital controlled compact cartridge with wax thermoelement

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

requires:

built-in power supply 36 078 000 or

plug power supply 65 790 000

min. recommended pressure 1.0 bar

energy efficiency class illumination of control unit: not applicable

GROHE VERIS F-DIGITAL

Ref. No.


Colour

Price netto (€)

36 295 000

chrome

1,365.00



F-digital Digital Controller and digital diverter for shower

including digital thermostat unit
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause function
- Memory function

- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

Digital diverter for shower

- Diverter: head-, hand shower and bath spout
- LED-ring

Digital thermostat unit (concealed body)

- warm/cold supplies 1/2"
- 3 outlets 1/2" shower diverter

Default setting configurable during installation:

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

Transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m

GROHE TurboStat digital controlled compact cartridge with wax thermoelement

GROHE StarLight chrome finish


GROHE EcoJoy technology for less water and perfect flow

requires:
built-in power supply 36 078 000 or
plug power supply 65 790 000
min. recommended pressure 1.0 bar
energy efficiency class illumination of control unit: not applicable

36 292 000

chrome

1,105.00



F-digital Digital controller for bath or shower

including digital thermostat unit
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause function
- Memory function

- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

Digital thermostat unit (concealed body)

- 1 outlet 1/2"
- warm/cold supplies 1/2"

Default setting configurable during installation:

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

Transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m

GROHE TurboStat digital controlled compact cartridge with wax thermoelement

GROHE StarLight chrome finish


GROHE EcoJoy technology for less water and perfect flow

requires:
built-in power supply 36 078 000 or
plug power supply 65 790 000
min. recommended pressure 1.0 bar
energy efficiency class illumination of control unit: not applicable

36 309 000

chrome

259.00



F-digital Digital controller Remote controller for bath or shower

additional (optional) multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED-ring

GROHE StarLight chrome finish

energy efficiency class illumination of control unit: not applicable

GROHE VERIS F-DIGITAL

	Ref. No.	Colour	Price netto (€)
 	<p>40 479 000</p> <p>Holder plate for Digital Controller & Digital Diverter Vertical or horizontal installation GROHE StarLight chrome finish</p>	chrome	88.00
 	<p>36 078 000</p> <p>Plug power supply 110-240 V operating voltage 6 V cable length 400 mm</p>	chrome	112.00
	<p>65 790 000</p> <p>Plug power supply 230 V operating voltage 6 V cable length 400 mm</p>	chrome	58.00
 	<p>47 727 000</p> <p>Connection wire 2-pole cable length 3 m</p>	chrome	26.00
 	<p>36 356 000</p> <p>GROHE F-digital Transceiver optional accessory for digital mixing unit</p>	chrome	151.00

GROHE ALLURE F-DIGITAL



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy



GROHE
Digital

GROHE COMBINATIONS ALLURE F-DIGITAL

BATHROOM FAUCETS



Allure F-digital



Allure

THERMOSTATS



Allure F-digital



Allure



Grohtherm F



Grohtherm
SmartControl

HEAD SHOWERS & SHOWER SYSTEMS



F-digital Deluxe



Rainshower Allure 230



Rainshower F-Series



Rainshower F-Series
System 254

HAND SHOWERS



Sena



Power&Soul
Cosmopolitan



Rainshower
Cosmopolitan

ACCESSORIES & ACTUATIONS FOR WC



Allure




Selection Cube



Skate Cosmopolitan

GROHE ALLURE F-DIGITAL


Ref. No. Colour Price netto (€)



36 342 000 **chrome** **1,051.00**

**Allure F-digital
Digital basin mixer
L-Size**


including digital mixing device
single hole installation
Digital Controller - intuitive multifunctional operating unit
- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED-ring
Digital mixing device
- digital controlled valves
- integrated temperature sensor
Default setting configurable during installation:
- automatic safety shut-off after 60 sec.
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
spout with mousseur
Push-open waste set 1 1/4"
flexible connection hoses
incl. plug power supply 65 790 000



36 343 000 **chrome** **1,119.00**

**Allure F-digital
Digital basin mixer
S-Size**

including digital mixing device
wall mounted
Digital Controller - intuitive multifunctional operating unit
- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED-ring
Digital mixing device
- integrated temperature sensor
- digital controlled valves
Default setting configurable during installation:
- automatic safety shut-off after 60 sec.
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
spout with mousseur
projection 167 mm
Push-open waste set 1 1/4"
incl. plug power supply 65 790 000



36 289 000 **chrome** **1,365.00**

**F-digital
Digital Controller and digital diverter
for bath**

including digital thermostat unit
Digital Controller - intuitive multifunctional operating unit
- Wireless technology
- Temperature and flow control
(temperature adjustable up to max. 46° C)
- Pause function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached
digital diverter for bath
- Diverter: head-, hand shower and bath spout
- LED-ring
Digital thermostat unit (concealed body)
- warm/cold supplies 1/2'
- 3 outlets 1/2" bath diverter
Default setting configurable during installation:
- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C
Transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m
GROHE TurboStat digital controlled compact cartridge with wax thermoelement
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
requires:
built-in power supply 36 078 000 or
plug power supply 65 790 000
min. recommended pressure 1.0 bar
energy efficiency class illumination of control unit: not applicable

GROHE ALLURE F-DIGITAL

Ref. No.


Colour

Price netto (€)

36 295 000

chrome

1,365.00



F-digital Digital Controller and digital diverter for shower

including digital thermostat unit
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

Digital diverter for shower

- Diverter: head-, hand shower and bath spout
- LED-ring

Digital thermostat unit (concealed body)

- warm/cold supplies 1/2"
- 3 outlets 1/2" shower diverter

Default setting configurable during installation:

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

Transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m

GROHE TurboStat digital controlled compact cartridge with wax thermoelement

GROHE StarLight chrome finish


GROHE EcoJoy technology for less water and perfect flow

requires:
built-in power supply 36 078 000 or
plug power supply 65 790 000
min. recommended pressure 1.0 bar
energy efficiency class illumination of control unit: not applicable

36 292 000

chrome

1,105.00



F-digital Digital controller for bath or shower

including digital thermostat unit
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

Digital thermostat unit (concealed body)

- 1 outlet 1/2"
- warm/cold supplies 1/2"

Default setting configurable during installation:

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

Transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m

GROHE TurboStat digital controlled compact cartridge with wax thermoelement

GROHE StarLight chrome finish


GROHE EcoJoy technology for less water and perfect flow

requires:
built-in power supply 36 078 000 or
plug power supply 65 790 000
min. recommended pressure 1.0 bar
energy efficiency class illumination of control unit: not applicable

36 309 000

chrome

259.00



F-digital

Digital controller Remote controller for bath or shower












additional (optional) multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED-ring





GROHE StarLight chrome finish

energy efficiency class illumination of control unit: not applicable

GROHE ALLURE F-DIGITAL

	Ref. No.	Colour	Price netto (€)
 	13 315 000	chrome	342.00
<p>Allure F-digital Bath spout projection 210 mm GROHE StarLight chrome finish min. recommended pressure 1.0 bar</p>			
 	13 335 000	chrome	252.00
<p>Allure F-digital Bath spout wall mounted projection 167 mm mousseur GROHE StarLight chrome finish min. recommended pressure 1.0 bar</p>			
 	40 548 000	chrome	123.00
<p>Holder plate for Digital Controller & Digital Diverter Vertical or horizontal installation for combination with 36 289 000 and 36 295 000 GROHE StarLight chrome finish</p>			
 	40 710 000	chrome	82.00
<p>F-digital Allure Holder plate for Digital Controller GROHE StarLight chrome finish</p>			
 	36 078 000	chrome	112.00
<p>Plug power supply 110-240 V operating voltage 6 V cable length 400 mm</p>			
	65 790 000	chrome	58.00
<p>Plug power supply 230 V operating voltage 6 V cable length 400 mm</p>			

GROHE ALLURE F-DIGITAL

	Ref. No.	Colour	Price netto (€)
 	<p>47 727 000 Connection wire 2-pole cable length 3 m</p>	<p>chrome</p>	<p>26.00</p>
 	<p>36 356 000 GROHE F-digital Transceiver optional accessory for digital mixing unit</p>	<p>chrome</p>	<p>151.00</p>

GROHE SMARTCONTROL MIXERS

new




GROHE SMARTCONTROL MIXERS

Ref. No.

Colour

Price netto (€)

new



29 147 000

chrome


353.00

SmartControl

Concealed mixer with one valve

set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable **GROHE StarLight** chrome finish SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow exchangeable symbols cartridge for temperature mixing without roughing-in-set flow performance:
outlet B/C = 27 l/min

new



29 148 000

chrome


390.00

SmartControl

Concealed mixer with 2 valves

set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable **GROHE StarLight** chrome finish SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance:
outlet B = 23 l/min
outlet C = 25 l/min

new



29 149 000

chrome


426.00

SmartControl

Concealed mixer with 3 valves

set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable **GROHE StarLight** chrome finish SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance:
outlet A = 22 l/min
outlet B = 26 l/min
outlet C = 22 l/min

new



29 144 000

chrome






353.00

SmartControl

Concealed mixer with one valve

set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable **GROHE StarLight** chrome finish SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow exchangeable symbols cartridge for temperature mixing without roughing-in-set flow performance:
outlet B/C = 27 l/min

GROHE SMARTCONTROL MIXERS

	Ref. No.	Colour	Price netto (€)
new	29 145 000	chrome	390.00
	<p>SmartControl Concealed mixer with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 23 l/min outlet C = 25 l/min</p>		
new	29 146 000	chrome	426.00
	<p>SmartControl Concealed mixer with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 22 l/min outlet B = 26 l/min outlet C = 22 l/min</p>		
new	35 600 000	chrome	64.00
	<p>GROHE Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixation options for solid walls and dry cladding gasket without set for final installation</p>		
new	14 055 000	chrome	131.00
	<p>Backflow protection combination (DIN-EN1717) fits Grohtherm SmartControl and SmartControl mixer sets for final installation with 2 valves retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use</p>		
new	14 053 00M	chrome	41.00
	<p>Service stops fits Grohtherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox packaging unit: 2 pieces</p>		



GROHE SMARTCONTROL MIXERS

Ref. No.

Colour

Price netto (€)

new



14 048 000

chrome

122.00

Universal extension set

25 mm

fits Grohtherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox

GROHE VERIS



GROHE
SilkMove



GROHE
StarLight



GROHE
CoolTouch



GROHE
TurboStat



GROHE
EcoJoy



GROHE
QuickFix

GROHE COMBINATIONS VERIS

BATHROOM FAUCETS



Veris



Veris F-digital



Veris F-digital

THERMOSTATS



Veris



Grotherm
SmartControl



Veris F-digital

HEAD SHOWERS & SHOWER SYSTEMS



F-digital Deluxe



Rainshower Veris
300 x 150



Rainshower F-Series



Rainshower 360
SmartControl

HAND SHOWERS



GROHE Ondus®



Power&Soul



Rainshower Classic

ACCESSORIES & ACTUATIONS FOR WC



GROHE Ondus®























Selection Cube





Arena Cosmopolitan

GROHE VERIS

	Ref. No.	Colour	Price netto (€)
	<p>32 183 000</p> <p>Veris Single-lever basin mixer 1/2" S-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish SpeedClean mousseur, pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>	chrome	379.00
			
	<p>32 186 000</p> <p>ditto, smooth body</p>	chrome	379.00
	<p>23 064 000</p> <p>Veris Single-lever basin mixer 1/2" M-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>	chrome	508.00
			
	<p>23 065 000</p> <p>ditto, smooth body</p>	chrome	508.00
	<p>32 184 000</p> <p>Veris Single-lever basin mixer 1/2" L-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish SpeedClean mousseur swivel spout, stop limiter pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>	chrome	602.00
			
	<p>32 187 000</p> <p>ditto, smooth body</p>	chrome	602.00
	<p>32 191 000</p> <p>Veris Single-lever basin mixer 1/2" XL-Size single hole installation for free-standing basins GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish rapid installation system SpeedClean mousseur swivel spout pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>	chrome	802.00
			
	<p>20 180 000</p> <p>Veris Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish SpeedClean mousseur swivel spout stop limiter pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5 mm drilling</p>	chrome	693.00
			


	Ref. No.	Colour	Price netto (€)
		20 181 000 Veris Three-hole basin mixer 1/2" S-Size wall mounted set for final installation for 29 025 000 without concealed body valves hot/cold with ceramic headparts 1/2" - 90° GROHE StarLight chrome finish SpeedClean mousseur centre distance 200 mm projection 170 mm	chrome 616.00
	20 195 000 ditto, projection 220 mm	chrome 659.00	
		29 025 000 Two-handle basin mixer concealed body, 1/2" for 3-hole wash-basin mixer wall installation without finishing trim set Installation depth 43 - 85 mm DR-brass installation device	chrome 224.00
		19 342 000 Veris Two-hole basin mixer S-Size wall mounted set for final installation for 32 635 000 without concealed body separate escutcheons Ø 60 mm GROHE StarLight chrome finish SpeedClean mousseur centre distance 110 mm projection 170 mm	chrome 616.00
	19 388 000 ditto, projection 220 mm	chrome 672.00	
		32 635 000 Single-lever mixer 1/2", concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass min. recommended pressure 1.0 bar installation device	chrome 221.00
		32 193 000 Veris Single-lever bidet mixer 1/2" M-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar	chrome 379.00

GROHE VERIS

	Ref. No.	Colour	Price netto (€)
 	32 197 000	chrome	746.00
<p>Veris Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve flat wall installation with covered unions protected against backflow</p>			
 	32 195 000	chrome	867.00
<p>Veris Single-lever bath mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow</p>			
 	32 196 000	chrome	1,066.00
<p>Veris Single-lever bath mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions with shower set GROHE Ondus hand shower 27 184 GROHE Ondus hand shower holder 27 188 shower hose 1500 mm (28 143)</p>			
 	19 367 000	chrome	392.00
<p>Veris Single-lever shower mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>			
	35 501 000	chrome	97.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>			
 	19 344 000	chrome	403.00
<p>Veris Single-lever bath mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>			
	35 501 000	chrome	97.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>			

Ref. No. Colour Price netto (€)


19 369 000 chrome 525.00



Veris
Thermostatic shower mixer
 set for final installation for
 GROHE Rapido T 35 500 000
 without concealed body
GROHE StarLight chrome finish
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
 volume handle with **GROHE EcoButton** (economy
 button with individually adjustable economy stop)
 Carbodur ceramic headparts 1/2", 180°
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon
 metal handles

35 500 000 chrome 231.00
**GROHE Rapido T Universal thermostatic
 mixer for concealed installation**


19 364 000 chrome 628.00



Veris
**Thermostat with integrated 2-way diverter
 for bath or shower with more than one outlet**
 set for final installation for
 GROHE Rapido T 35 500 000
 without concealed body
GROHE StarLight chrome finish
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
 Aquadimmer with multiple function
 shut off and flow control
 diverter for 2 outlets
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon
 metal handles


35 500 000 chrome 231.00
**GROHE Rapido T Universal thermostatic
 mixer for concealed installation**

19 373 000 chrome 1,346.00



Veris
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 OHM operating element,
 diverter bath/shower
 GROHE Ondus hand shower 27 184
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow











29 037 000 chrome 709.00




**4/5-hole bath combination (optional)
 baseframe for installation under tiled surround**
 consisting of:
 base frame
 drainage box with integrated outlet for splash water

45 388 000 chrome 101.00
Supporting legs for baseframe

GROHE VERIS


	Ref. No.	Colour	Price netto (€)
 	32 222 001	chrome	1,985.00
<p>Veris Single-lever bath mixer 1/2" floor-mounted set for final installation for 45 984 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower swivel spout with mousseur and stop limiter projection 295 mm integrated non-return valve in the shower outlet 1/2" with shower holder GROHE Ondus hand shower 27 184 shower hose 1500 mm protected against backflow min. recommended pressure 1.0 bar requires rough-in set 29 038</p>			
 	13 245 000	chrome	1,344.00
<p>Veris Bath spout floor-mounted set for final installation for 45 984 without roughing-in-set GROHE StarLight chrome finish spout with mousseur projection 295 mm Total height 1037 mm max. flow rate 7 gpm at 26.5 l/min</p>			
 	45 984 001	chrome	418.00
<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug acoustic isolation mat gasket fixing material</p>			
 	13 242 000	chrome	258.00
<p>Veris Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 170 mm min. recommended pressure 1.0 bar</p>			
 	19 448 000	chrome	251.00
<p>5-way diverter set for final installation for 29 033 without concealed body bayonet union escutcheon installation depth infinitely adjustable 66 - 113 mm</p>			

Ref. No. Colour Price netto (€)




29 033 000 **chrome** **252.00**

5-way diverter
concealed body
wall installation
with ceramic sealing discs
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass
min. recommended pressure 1.0 bar




19 444 000 **chrome** **127.00**

Concealed valve exposed part
set for final installation for
29 032
installation depth infinitely adjustable
43 - 91 mm
bayonet union escutcheon




29 032 000 **chrome** **31.00**

Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth infinitely adjustable
43 - 91 mm
DR-brass



27 472 000 **chrome** **1,082.00**











Rainshower System Veris 300
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
head shower Rainshower 310 (27 471 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Ondus (27 185 000)
adjustable in height with gliding element (12 140 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermosteement
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar









26 170 000 **chrome** **484.00**

Rainshower Veris 300 x 150
Head shower set 422 mm
consisting of:
metal head shower Rainshower Veris,
spray plate chrome (27 470 000)
Rainshower shower arm 422 mm, escutcheon
chrome (26 146 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
starting at 0.5 bar flow pressure

GROHE VERIS



	Ref. No.	Colour	Price netto (€)
	 <p>26 170 LS0</p> <p>Rainshower Veris 300 x 150 Head shower set 422 mm consisting of: metal head shower Rainshower Veris, spray plate white (27 470 LS0) Rainshower shower arm 422 mm, escutcheon white (26 146 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure</p>	moon white/chrome	590.00
	 <p>26 068 000</p> <p>Rainshower Veris 300 Head shower set 286 mm consisting of: Head shower Rainshower Veris (27 471 000) Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>26 058 000 ditto, with non-restricted flow</p>	chrome	435.00
	 <p>26 069 000</p> <p>Rainshower Veris 300 Head shower set ceiling 142 mm consisting of: Head shower Rainshower Veris (27 471 000) shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>26 059 000 ditto, with non-restricted flow</p>	chrome	435.00
	 <p>26 059 LS0</p> <p>Rainshower Veris 300 Head shower set ceiling 142 mm consisting of: metal head shower Rainshower Veris, spray plate white (27 470 LS0) shower arm Rainshower ceiling 142 mm, escutcheon white (28 724 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater</p>	moon white/chrome	586.00
	 <p>27 861 000</p> <p>Rainshower Veris 300 Ceiling shower 1 spray Rain 300 x 150 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater</p>	chrome	601.00

	Ref. No.	Colour	Price netto (€)
 	27 471 000 Rainshower Veris 300 Head shower 1 spray Rain spray 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	430.00
	27 470 000 ditto, with non-restricted flow	chrome	430.00
 	27 185 000 GROHE Ondus Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system universal mounting system, fitting all standard shower hoses max. flow rate 2.5 gpm at 80 psi (9.5 l/min)	chrome	128.00
	27 184 000 ditto, with non-restricted flow	chrome	128.00
 	27 532 000 GROHE Ondus Stick Shower set 1 spray consisting of: GROHE Ondus hand shower 27 184 metal shower hose 2000 mm hose guide min. recommended pressure 1.0 bar	chrome	215.00

GROHE VERIS ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 376 000 GROHE Ondus Holder for glass, soap dish or soap dispenser without glass, soap dish or soap dispenser	chrome	143.00
 	40 389 000 Soap dispenser	chrome	61.00
 	40 376 000 GROHE Ondus Holder for glass, soap dish or soap dispenser without glass, soap dish or soap dispenser	chrome	143.00
 	40 390 000 Glass	chrome	65.00
 	40 376 000 GROHE Ondus Holder for glass, soap dish or soap dispenser without glass, soap dish or soap dispenser	chrome	143.00
 	40 391 000 Soap dish	chrome	65.00
 	40 379 000 GROHE Ondus Towel ring	chrome	176.00
 	40 381 000 GROHE Ondus Towel rail length 560 mm	chrome	284.00
 	40 378 000 GROHE Ondus Robe hook	chrome	80.00

GROHE VERIS ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	<p>40 377 000 GROHE Ondus Toilet paper holder without cover</p>	<p>chrome</p>	<p>207.00</p>
	<p>40 380 000 GROHE Ondus Toilet brush set wall model satin glass</p>	<p>chrome</p>	<p>285.00</p>

GROHE ALLURE BRILLIANT



GROHE
SilkMove



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy



GROHE
QuickFix

GROHE COMBINATIONS ALLURE BRILLIANT

BATHROOM FAUCETS



Allure Brilliant

THERMOSTATS



Allure Brilliant



Grotherm
SmartControl



Allure F-digital

HEAD SHOWERS & SHOWER SYSTEMS



F-digital Deluxe



Rainshower Allure 230



Rainshower F-Series



Euphoria Cube XXL
System 230

HAND SHOWERS



Euphoria Cube+



Power&Soul
Cosmopolitan

ACCESSORIES & ACTUATIONS FOR WC



Allure Brilliant




Selection Cube



Skate Cosmopolitan

GROHE ALLURE BRILLIANT


Ref. No. Colour Price netto (€)



23 029 000 chrome 552.00

Allure Brilliant
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter, GROHE StarLight chrome finish
GROHE QuickFix installation system
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar


23 033 000 chrome 552.00
ditto, smooth body



23 109 000 chrome 686.00


Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter, GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

23 112 000 chrome 686.00
ditto, smooth body




23 114 000 chrome 849.00

Allure Brilliant
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



20 344 000 chrome 766.00











Allure Brilliant
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar











20 342 000 chrome 642.00

Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar

GROHE ALLURE BRILLIANT


	Ref. No.	Colour	Price netto (€)
		<p>20 346 000</p> <p>Allure Brilliant Three-hole basin mixer 1/2\" S-Size wall mounted without concealed body set for final installation for 29 025 000 valves hot/cold with ceramic headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter projection 161 mm min. recommended pressure 1.0 bar</p>	<p>chrome</p> <p>700.00</p>
	<p>20 348 000</p> <p>ditto, projection 210 mm</p>	<p>chrome</p> <p>744.00</p>	
		<p>29 025 000</p> <p>Two-handle basin mixer concealed body, 1/2\" for 3-hole wash-basin mixer wall installation without finishing trim set Installation depth 43 - 85 mm DR-brass installation device</p>	<p>chrome</p> <p>224.00</p>
		<p>19 781 000</p> <p>Allure Brilliant Two-hole basin mixer S-Size wall mounted without concealed body set for final installation for 23 200 000 GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 161 mm min. recommended pressure 1.0 bar</p>	<p>chrome</p> <p>638.00</p>
	<p>19 783 000</p> <p>ditto, projection 210 mm</p>	<p>chrome</p> <p>715.00</p>	
		<p>23 200 000</p> <p>Single-lever mixer 1/2\", concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>	<p>chrome</p> <p>222.00</p>
		<p>23 117 000</p> <p>Allure Brilliant Single-lever bidet mixer 1/2\" M-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4\" flexible connection hoses</p>	<p>chrome</p> <p>626.00</p>

GROHE ALLURE BRILLIANT

	Ref. No.	Colour	Price netto (€)
 	19 789 000	chrome	421.00
	Allure Brilliant Single-lever shower mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling		
	35 501 000	chrome	97.00
	GROHE Rapido E Universal single-lever mixer for concealed installation		
 	19 785 000	chrome	462.00
	Allure Brilliant Single-lever bath mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling		
	35 501 000	chrome	97.00
	GROHE Rapido E Universal single-lever mixer for concealed installation		
 	19 791 000	chrome	687.00
	Allure Brilliant Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) Carborundum ceramic headparts 1/2", 180° wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles		
	35 500 000	chrome	231.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation		
 	19 792 000	chrome	791.00
	Allure Brilliant Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C Aquadimmer with multiple function - flow control diverter for 2 outlets wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles		
	35 500 000	chrome	231.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation		

GROHE ALLURE BRILLIANT


Ref. No. Colour Price netto (€)



19 887 000 chrome 608.00


Allure Brilliant
Central thermostatic mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
GROHE StarLight chrome finish
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal handles

35 500 000 chrome 231.00
**GROHE Rapido T Universal thermostatic
mixer for concealed installation**



19 787 000 chrome 1,403.00


Allure Brilliant
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
OHM operating element,
bath spout with integrated mousseur
diverter bath/shower
hand shower Euphoria Cube+
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with (29 037 000)



29 037 000 chrome 709.00


**4/5-hole bath combination (optional)
baseframe for installation under tiled surround**
consisting of:
base frame
drainage box with integrated outlet for splash water

45 388 000 chrome 101.00
Supporting legs for baseframe



23 119 000 chrome 2,471.00

Allure Brilliant
Single-lever bath mixer 1/2"
floor-mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube+
metal shower hose 1250 mm
protected against backflow




13 301 000 chrome 1,403.00

Allure Brilliant
Bath spout
floor-mounted
set for final installation for
45 984
without roughing-in-set
GROHE StarLight chrome finish
spout with integrated mousseur
Total height 1070 mm
projection 270 mm


GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)




45 984 001 **chrome** **418.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
acoustic isolation mat
gasket
fixing material




13 319 000 **chrome** **753.00**

Allure Brilliant
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm
min. recommended pressure 1.0 bar




13 299 000 **chrome** **295.00**

Allure Brilliant
Bath spout
wall mounted
GROHE StarLight chrome finish
projection 161 mm
spout with integrated mousseur




19 798 000 **chrome** **253.00**

Allure Brilliant
5-way diverter
set for final installation for 29 033
without concealed body
GROHE StarLight chrome finish
installation depth infinitely adjustable
66 - 113 mm



29 033 000 **chrome** **252.00**

5-way diverter
concealed body
wall installation
with ceramic sealing discs
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass
min. recommended pressure 1.0 bar









19 796 000 **chrome** **182.00**

Allure Brilliant
Concealed valve exposed part
set for final installation for 29 032 000 (preassembled headpart 1/2")
29 068 000 (preassembled ceramic headpart 1/2" - not to be used for the main line shut-off)
GROHE StarLight chrome finish
installation depth infinitely adjustable
43 - 91 mm

GROHE ALLURE BRILLIANT ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 494 000 Allure Brilliant Holder with soap dispenser GROHE StarLight chrome finish	chrome	532.00
 	40 493 000 Allure Brilliant Holder with tumbler GROHE StarLight chrome finish	chrome	319.00
 	40 503 000 Allure Brilliant Shelf with tumbler GROHE StarLight chrome finish	chrome	371.00
 	40 504 000 Allure Brilliant Shelf with soap dish GROHE StarLight chrome finish	chrome	391.00
 	40 496 000 Allure Brilliant Towel bar 2 parts GROHE StarLight chrome finish length 431 mm non swivelling	chrome	262.00
 	40 497 000 Allure Brilliant Towel rail 600 mm GROHE StarLight chrome finish	chrome	283.00

GROHE ALLURE BRILLIANT ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	<p>40 498 000</p> <p>Allure Brilliant Robe hook GROHE StarLight chrome finish</p>	chrome	128.00
 	<p>40 499 000</p> <p>Allure Brilliant Toilet paper holder GROHE StarLight chrome finish</p>	chrome	560.00
 	<p>40 500 000</p> <p>Allure Brilliant Toilet brush set GROHE StarLight chrome finish</p>	chrome	452.00

GROHE ALLURE



GROHE
SilkMove



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy



GROHE
QuickFix Plus



GROHE
DreamSpray

GROHE COMBINATIONS ALLURE

BATHROOM FAUCETS



Allure



Allure F-digital



Allure F-digital

THERMOSTATS



Allure



Grotherm F



Grotherm
Smartcontrol



Allure F-digital

HEAD SHOWERS & SHOWER SYSTEMS



Rainshower Allure 230



Rainshower F-Series



Rainshower F-Series
System 254

HAND SHOWERS



Sena



Power&Soul
Cosmopolitan



Rainshower
Cosmopolitan

ACCESSORIES & ACTUATIONS FOR WC



Allure




Selection Cube



Skate Cosmopolitan


GROHE ALLURE

Ref. No. Colour Price netto (€)



32 757 000 chrome 401.00


Allure
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses



32 146 000 chrome 469.00


Allure
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
U - spout
pop-up waste set 1 1/4"
flexible connection hoses

23 076 000 chrome 469.00
ditto, without pop-up waste set




32 760 000 chrome 762.00

Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
projection 104 mm
min. recommended pressure 1.0 bar




23 403 000 chrome 691.00

Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
GROHE QuickFix Plus installation system
smooth body
projection 180 mm
flexible connection hoses
temperature limiter
min. recommended pressure 1.0 bar




32 249 000 chrome 835.00

Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
U - spout
pop-up waste set 1 1/4"
flexible connection hoses





20 143 000 chrome 697.00

Allure
Three-hole basin mixer 1/2"
M-Size
with metal plate
GROHE StarLight chrome finish
Carbodur ceramic headpart 1/2", 180°
flow limiter 8 l/min.
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar



20 188 000 chrome 697.00


Allure
Three-hole basin mixer 1/2"
M-Size
with lever handles
metal escutcheon
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur
pressure-proof, flexible connection hoses
between spout and side valves
pop-up waste set 1 1/4"



20 190 000 chrome 614.00



Allure
Three-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
set for final installation for 32 706 000
with metal plate
valves hot/cold with Carbodur ceramic
headparts 1/2" - 180
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur, centre distance 200 mm
projection 172 mm,

20 192 000 chrome 656.00
ditto, projection 220 mm



32 706 000 chrome 221.00

Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
installation depth 30 - 75 mm
DR-brass
installation device













20 189 000 chrome 614.00

Allure
Three-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
set for final installation for
29 025 000
with lever handles, with metal plate
GROHE StarLight chrome finish
valves hot/cold with ceramic headparts 1/2" - 90°
flow limiter 8 l/min.
spout with mousseur, centre distance 200 mm
projection 172 mm,


20 193 000 chrome 656.00
ditto, projection 220 mm

GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	29 025 000 Two-handle basin mixer concealed body, 1/2" for 3-hole wash-basin mixer wall installation without finishing trim set Installation depth 43 - 85 mm DR-brass installation device	chrome	224.00
 	19 309 000 Allure Two-hole basin mixer S-Size wall mounted without concealed body set for final installation for 33 769 000 with metal plate GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur, centre distance 110 mm projection 172 mm 19 386 000 ditto, projection 220 mm	chrome	614.00
 	33 769 000 Single-lever mixer 1/2", concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device	chrome	238.00
 	32 147 000 Allure Single-lever bidet mixer 1/2" M-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses	chrome	401.00
 	32 846 000 Allure Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve flat wall installation with covered unions protected against backflow min. recommended pressure 1.0 bar	chrome	740.00


GROHE ALLURE

Ref. No. Colour Price netto (€)



32 826 000 **chrome** **911.00**

Allure
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix system
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
flat wall installation with covered unions
protected against backflow




19 317 000 **chrome** **391.00**

Allure
Single-lever shower mixer
set for final installation for
35 501 000
without concealed body
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
metal escutcheon
covered coupling

35 501 000 **chrome** **97.00**

GROHE Rapido E Universal single-lever mixer for concealed installation




19 315 000 **chrome** **423.00**

Allure
Single-lever bath mixer
set for final installation for
35 501 000
without concealed body
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal escutcheon
covered coupling

35 501 000 **chrome** **97.00**

GROHE Rapido E Universal single-lever mixer for concealed installation




19 380 000 **chrome** **552.00**

Allure
Thermostatic shower mixer
set for final installation for
GROHE Rapido T 35 500 000
GROHE StarLight chrome finish
temperature scale handle with
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)
escutcheon- and shaft-sealing
metal handles
metal escutcheon
covered fixing
Carbodur ceramic headpart 1/2", 180°
without concealed body

35 500 000 **chrome** **231.00**

GROHE Rapido T Universal thermostatic mixer for concealed installation

Ref. No. Colour Price netto (€)




19 446 000 chrome 628.00

Allure
Thermostat with integrated 2-way diverter
for bath or shower with more than one outlet

set for final installation for
GROHE Rapido T 35 500 000
GROHE StarLight chrome finish
temperature scale handle with
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
shut off and flow control
Aquadimmer with multiple function
diverter for 2 outlets
escutcheon- and shaft-sealing
metal handles
metal escutcheon
covered coupling
without concealed body

35 500 000 chrome 231.00


GROHE Rapido T Universal thermostatic
mixer for concealed installation



19 316 000 chrome 1,179.00

Allure
Three-hole single-lever
bath combination

for installation under tiled surround
GROHE StarLight chrome finish
trim set for 33 339
without baseframe
consisting of:
OHM operating element,
bath inlet with automatic diverter
bath/shower
hand shower Sena (28 034 000)
metal shower hose 2000 mm
min. recommended pressure 1.0 bar




33 339 000 chrome 766.00

Three-hole single-lever
bath combination
baseframe for installation under tiled surround

without finishing trim set
consisting of:
mounting plate and base frame
GROHE SilkMove 46 mm cartridge
and spout fixing pre-assembled
flexible connection hoses
connection for shower hose
drainage box with integrated outlet for splash water
protected against backflow

45 388 000 chrome 101.00

Supporting legs for baseframe




32 754 001 chrome 2,084.00

Allure
Single-lever bath mixer 1/2"

floor-mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur and stop limiter
projection 300 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
Sena hand shower
shower hose 1500 mm
protected against backflow
min. recommended pressure 1.0 bar
shower hose 49"


GROHE ALLURE

Ref. No. Colour Price netto (€)




13 218 000 **chrome** **1,312.00**

Allure
Bath spout
floor-mounted
set for final installation for 45 984
without roughing-in-set
GROHE StarLight chrome finish
spout with mousseur
projection 300 mm
Total height 910 mm
min. recommended pressure 1.0 bar




45 984 001 **chrome** **418.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
acoustic isolation mat
gasket
fixing material




13 317 000 **chrome** **693.00**

Allure
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm
min. recommended pressure 1.0 bar



13 264 000 **chrome** **250.00**













Allure
Bath spout 3/4"
wall mounted
GROHE StarLight chrome finish
projection 172 mm
mousseur
min. recommended pressure 1.0 bar










19 590 000 **chrome** **188.00**

Allure
5-way diverter
set for final installation for 29 033
without concealed body
bayonet union escutcheon
installation depth infinitely adjustable
66 - 113 mm
only for use with concealed body
GROHE StarLight chrome finish





GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	29 033 000	chrome	252.00
	<p>5-way diverter concealed body wall installation with ceramic sealing discs connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth infinitely adjustable 66 - 113 mm DR-brass min. recommended pressure 1.0 bar</p>		
 	19 334 000	chrome	128.00
	<p>Allure Concealed valve exposed part for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm escutcheon with screwable wall sealing without concealed body GROHE StarLight chrome finish</p>		
 	29 800 000	chrome	24.00
	<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass</p>		
	29 802 000	chrome	43.00
	<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>		
	29 805 000	chrome	63.00
	<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>		
 	29 801 000	chrome	23.00
	<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve soldered connection Ø15 mm DR-brass</p>		
	29 803 000	chrome	38.00
	<p>ditto, soldered connection Ø 18 mm</p>		
	29 804 000	chrome	41.00
	<p>ditto, soldered connection Ø 22 mm</p>		
 	29 811 000	chrome	26.00
	<p>Concealed valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>		
 	19 384 000	chrome	128.00
	<p>Allure Concealed valve exposed part with lever handle set for final installation for 29 032 installation depth infinitely adjustable 43 - 91 mm metal escutcheon without concealed body GROHE StarLight chrome finish</p>		
	35 028 000	chrome	128.00
	<p>GROHE Rapido C rough-in box for single volume control</p>		







* price upon request

	Ref. No.	Colour	Price netto (€)
	29 032 000	chrome	31.00
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth infinitely adjustable 43 - 91 mm DR-brass</p>			
	26 054 000	chrome	495.00
<p>Rainshower Allure 230 Head shower set 286 mm consisting of: metal head shower Rainshower Allure 230 (27 479 000) Shower arm Rainshower 286 mm (27 709 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	26 065 000	chrome	452.00
<p>Rainshower Allure 230 Head shower set ceiling 154 mm consisting of: Head shower Rainshower Allure 230 (27 480 000) shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	26 055 000	chrome	489.00
<p>ditto, with non-restricted flow</p>			
	27 863 000	chrome	649.00
<p>Rainshower Allure 230 Ceiling shower 1 spray Rain 230 x 230 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 480 000	chrome	465.00
<p>Rainshower Allure 230 Head shower 1 spray Rain spray 230 x 230 mm metal ball joint with turning angle ± 15° connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater</p>			
	27 479 000	chrome	465.00
<p>ditto, with non-restricted flow</p>			

GROHE ALLURE ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 363 000	chrome	266.00
<p>Allure Soap dispenser wall model complete with holder and tank GROHE StarLight chrome finish</p>			
 	40 278 000	chrome	123.00
<p>Allure Holder for glass or soap dish without glass GROHE StarLight chrome finish</p>			
	40 254 000	chrome	74.00
<p>Glass</p>			
 	40 278 000	chrome	123.00
<p>Allure Holder for glass or soap dish without glass GROHE StarLight chrome finish</p>			
	40 256 000	chrome	49.00
<p>Soap dish</p>			
 	40 339 000	chrome	157.00
<p>Allure Towel ring GROHE StarLight chrome finish</p>			
 	40 342 000	chrome	234.00
<p>Allure Towel bar 2 parts swivelling GROHE StarLight chrome finish length 426 mm</p>			
 	40 341 000	chrome	234.00
<p>Allure Towel rail 600 mm GROHE StarLight chrome finish</p>			

GROHE ALLURE ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 284 000 Allure Robe hook GROHE StarLight chrome finish	chrome	69.00
 	40 279 000 Allure Toilet paper holder without cover GROHE StarLight chrome finish	chrome	157.00
 	40 340 000 Allure Toilet brush set wall model GROHE StarLight chrome finish 40 206 000 Spare brush 40 207 000 Spare brush head	chrome	266.00
		chrome	52.00
		chrome	29.00

GROHE ATRIO



GROHE
SilkMove



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy

GROHE COMBINATIONS ATRIO

BATHROOM FAUCETS



Atrio

THERMOSTATS



Atrio



Atrio



Grohtherm 3000
Cosmopolitan



Grohtherm
SmartControl

HEAD SHOWERS & SHOWER SYSTEMS



F-digital Deluxe



Rainshower
head shower



Rainshower F-Series



Rainshower System 310

HAND SHOWERS



Sena



Power&Soul



Rainshower Classic

ACCESSORIES & ACTUATIONS FOR WC



Atrio




Selection Cube



Nova Cosmopolitan


GROHE ATRIO

Ref. No. Colour Price netto (€)




23 571 000 chrome 222.00

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device




32 108 001 chrome 443.00

Atrio
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
tubular C-spout with ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses




32 134 001 chrome 443.00

Atrio
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
tubular 7° spout with ball-joint mousseur
stop limiter
pop-up waste set 1 1/4"
flexible connection hoses



32 650 001 chrome 472.00









Atrio
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
covered S-unions
protected against backflow



32 652 001 chrome 614.00

Atrio
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2"
with integrated non return-valve
covered S-unions
protected against backflow

GROHE ATRIO



	Ref. No.	Colour	Price netto (€)
 	19 463 001	chrome	330.00
	<p>Atrio Single-lever shower mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealings metal escutcheon covered fixing</p>		
 	19 459 001	chrome	396.00
	<p>Atrio Single-lever bath mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealings metal escutcheon covered fixing</p>		
 	32 653 002	chrome	1,788.00
	<p>Atrio Single-lever bath mixer 1/2" floor-mounted without roughing-in-set GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter diverter bath/shower swivel tubular spout with mousseur and stop limiter integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Sena (28 034 000) shower hose 1500 mm protected against backflow for use with: 45 984 min. recommended pressure 1.0 bar</p>		
 	32 135 002	chrome	1,858.00
	<p>Atrio Single-lever bath mixer 1/2" floor-mounted without roughing-in-set GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular 7° spout with mousseur projection 301 mm stop limiter diverter bath/shower integrated non-return valve in the shower outlet 1/2" with shower holder, hand shower Sena (28 034 000) shower hose 1500 mm protected against backflow for use with: 45 984 min. recommended pressure 1.0 bar</p>		

GROHE ATRIO

Ref. No.

Colour

Price netto (€)



13 216 001


chrome

1,180.00

Atrio

Bath spout

floor-mounted
set for final installation for
45 984
without roughing-in-set
projection 300 mm
swivel tubular C-spout with mousseur
Total height 1028 mm
GROHE StarLight chrome finish
min. recommended pressure 1.0 bar



45 984 001

chrome


418.00

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
acoustic isolation mat
gasket
fixing material


GROHE ATRIO JOTA

Ref. No. Colour Price netto (€)




21 022 000 chrome 443.00

Atrio
One-hole basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
with Jota handle




20 009 000 chrome 621.00

Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut with 10.5 mm drilling
with Jota handle




20 169 000 chrome 527.00

Atrio
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for 32 706 000
without concealed body
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
centre distance 200 mm
projection 180 mm
with Jota handle
min. recommended pressure 1.0 bar



32 706 000 chrome 221.00









Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
installation depth 30 - 75 mm
DR-brass
installation device



24 026 000 chrome 443.00

Atrio
Single-hole bidet mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4"
flexible connection hoses
with Jota handle

GROHE ATRIO JOTA

	Ref. No.	Colour	Price netto (€)
 	19 398 000	chrome	481.00
<p>Atrio Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop at 38°C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) Carborundum ceramic headpart 1/2", 180° escutcheon- and shaft-sealing wall escutcheon covered fixing with Jota handle</p>			
<p>35 500 000 chrome 231.00 GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
 	19 399 000	chrome	541.00
<p>Atrio Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop at 38°C Aquadimmer with multiple function diverter for 2 outlets - diverter: bath/shower shut off and flow control escutcheon- and shaft-sealing wall escutcheon covered fixing with Jota handle</p>			
<p>35 500 000 chrome 231.00 GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
 	19 396 000	chrome	481.00
<p>Atrio Central thermostatic mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop at 38°C escutcheon- and shaft-sealing wall escutcheon covered fixing with Jota handle</p>			
<p>35 500 000 chrome 231.00 GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
 	13 139 000	chrome	219.00
<p>Atrio Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 168 mm min. recommended pressure 1.0 bar</p>			

GROHE ATRIO JOTA

	Ref. No.	Colour	Price netto (€)
 	19 133 000	chrome	152.00
<p>Atrio 4-way diverter set for final installation (for 29 707) without concealed body GROHE StarLight chrome finish escutcheon with wall sealing screwable with Jota handle</p>			
 	29 707 000	chrome	259.00
<p>4-way diverter concealed body, 1/2" without finishing trim set wall installation ceramic discs connection cold and hot 1/2" shower outlet 1/2" bath outlet 3/4" protection sleeve installation depth infinitely adjustable 24-60 mm DR-brass</p>			
 	19 134 000	chrome	152.00
<p>Atrio 5-way diverter set for final installation (for 29 708) without concealed body GROHE StarLight chrome finish escutcheon with wall sealing screwable with Jota handle</p>			
 	29 708 000	chrome	268.00
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing discs connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" protection sleeve installation depth infinitely adjustable 24-60 mm DR-brass</p>			
 	19 088 000	chrome	104.00
<p>Atrio Concealed valve exposed part for GROHE concealed valves, 1/2", 3/4", 1" GROHE StarLight chrome finish installation depth infinitely adjustable 20-80 mm escutcheon with screwable wall sealing with Jota handle</p>			
 	29 800 000	chrome	24.00
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass</p>			
	29 802 000	chrome	43.00
<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>			
	29 805 000	chrome	63.00
<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>			


* price upon request

GROHE ATRIO JOTA

Ref. No.

Colour

Price netto (€)



29 801 000

chrome

23.00

Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle, protection sleeve
soldered connection Ø15 mm
DR-brass

29 803 000

chrome

38.00

ditto, soldered connection Ø 18 mm

29 804 000


chrome

41.00

ditto, soldered connection Ø 22 mm


GROHE ATRIO YPSILON

Ref. No. Colour Price netto (€)




21 019 000 chrome 443.00

Atrio
One-hole basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
with Ypsilon handle




21 044 000 chrome 651.00

Atrio
One-hole basin mixer, 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
swivel tubular spout
with mousseur and stop limiter
height 419 mm
without lift rod and without pop up waste
flexible connection hoses
with Ypsilon handle



20 008 000 chrome 658.00


Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut with 10.5 mm drilling
with Ypsilon handle



20 164 000 chrome 527.00

Atrio
Three-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for 32 706 000
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
centre distance 200 mm
projection 180 mm
with Ypsilon handle
min. recommended pressure 1.0 bar

20 387 000 chrome 530.00
ditto, projection 220 mm




32 706 000 chrome 221.00

Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
installation depth 30 - 75 mm
DR-brass
installation device


GROHE ATRIO YPSILON

Ref. No. Colour Price netto (€)




24 027 000 chrome 443.00

Atrio
Single-hole bidet mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4"
flexible connection hoses
with Ypsilon handle




26 003 000 chrome 496.00

Atrio
Shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valves in the shower outlet 1/2"
covered S-unions
protected against backflow
without shower set
with Ypsilon handle
max. pressure differential 5:1
min. recommended pressure 1.0 bar



25 010 000 chrome 614.00

Atrio
Bath mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout with stop limiter
mousseur
integrated non-return valves in the shower outlet 1/2"
covered S-unions
protected against backflow
without shower set
with Ypsilon handle











19 394 000 chrome 498.00

Atrio
Thermostatic shower mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
escutcheon- and shaft-sealing
wall escutcheon
covered fixing
with Ypsilon handle

35 500 000 chrome 231.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**













GROHE ATRIO YPSILON

	Ref. No.	Colour	Price netto (€)
 	19 395 000	chrome	541.00
<p>Aerio Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop at 38°C Aquadimmer with multiple function shut off and flow control diverter for 2 outlets escutcheon- and shaft-sealing wall escutcheon covered fixing with Ypsilon handle</p>			
	35 500 000	chrome	231.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
 	19 392 000	chrome	498.00
<p>Aerio Central thermostatic mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop at 38°C escutcheon- and shaft-sealing wall escutcheon covered fixing with Ypsilon handle</p>			
	35 500 000	chrome	231.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
 	25 044 000	chrome	1,864.00
<p>Aerio Bath mixer 1/2" floor-mounted installation with high pillar unions (765 mm) ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower swivel tubular spout with mousseur and stop limiter projection 228 mm integrated non-return valve in the shower outlet 1/2" Sena hand shower with shower holder shower hose 1500 mm protected against backflow to be used with, 45 473 without roughing-in-set with Ypsilon handle</p>			
 	45 473 000	chrome	757.00
<p>Roughing-in-set for stand-alone bath mixer (for 25044/25046/25047) without finishing trim set installation plate for precise fitting floor equalization 80 - 160 mm 1/2" connections (warm/cold-supplies) plug fixing material</p>			







GROHE ATRIO YPSILON

	Ref. No.	Colour	Price netto (€)
 	13 139 000	chrome	219.00
<p>Aerio Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 168 mm min. recommended pressure 1.0 bar</p>			
 	19 069 000	chrome	109.00
<p>Aerio Concealed valve exposed part for GROHE concealed valves, 1/2", 3/4", 1" GROHE StarLight chrome finish installation depth infinitely adjustable 20-80 mm escutcheon with screwable wall sealing with Ypsilon handle</p>			
 	29 800 000	chrome	24.00
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass</p>			
	29 802 000	chrome	43.00
<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>			
	29 805 000	chrome	63.00
<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>			
 	29 801 000	chrome	23.00
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve soldered connection Ø15 mm DR-brass</p>			
	29 803 000	chrome	38.00
<p>ditto, soldered connection Ø 18 mm</p>			
	29 804 000	chrome	41.00
<p>ditto, soldered connection Ø 22 mm</p>			
 	29 811 000	chrome	26.00
<p>Concealed valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>			

GROHE ATRIO ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 306 000	chrome	250.00
	Atrio Soap dispenser GROHE StarLight chrome finish		
	40 179 000	chrome	160.00
	Spare bottle		
 	40 304 000	chrome	132.00
	Atrio Glass holder without glass GROHE StarLight chrome finish		
	40 254 000	chrome	74.00
	Glass		
 	40 305 000	chrome	147.00
	Atrio Holder for soap dish without soap dish GROHE StarLight chrome finish		
	40 256 000	chrome	49.00
	Soap dish		
 	40 307 000	chrome	161.00
	Atrio Towel ring GROHE StarLight chrome finish		
 	40 308 000	chrome	220.00
	Atrio Towel bar length 489 mm 2 parts swivelling GROHE StarLight chrome finish		
 	40 309 000	chrome	288.00
	Atrio Towel rail 600 mm GROHE StarLight chrome finish		

GROHE ATRIO ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 312 000 Atriob Robe hook GROHE StarLight chrome finish	chrome	118.00
 	40 313 000 Atriob Toilet paper holder without cover GROHE StarLight chrome finish	chrome	222.00
 	40 314 000 Atriob Toilet brush set wall model GROHE StarLight chrome finish	chrome	369.00
	40 206 000 Spare brush	chrome	52.00
	40 207 000 Spare brush head	chrome	29.00

GROHE GRANDERA



GROHE
SilkMove



GROHE
StarLight



GROHE
CoolTouch



GROHE
TurboStat



GROHE
EcoJoy



GROHE
QuickFix



GROHE
DreamSpray



GROHE
Light

GROHE COMBINATIONS GRANDERA

BATHROOM FAUCETS



Grandera

THERMOSTATS



Grandera

HEAD SHOWERS & SHOWER SYSTEMS



Grandera

HAND SHOWERS



Grandera



Power&Soul

ACCESSORIES & ACTUATIONS FOR WC




Grandera



Grandera


GROHE GRANDERA

Ref. No. Colour Price netto (€)




23 303 000 **chrome** 333.00
23 303 IGO **chrome/gold** 432.00

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 310 000 **chrome** 333.00
23 310 IGO **chrome/gold** 432.00

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar




21 107 000 **chrome** 399.00
21 107 IGO **chrome/gold** 519.00

Grandera
Two-handle basin mixer, 1/2"
L-Size
single hole installation
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar



23 313 000 **chrome** 440.00
23 313 IGO **chrome/gold** 573.00

Grandera
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar




20 417 000 **chrome** 468.00
20 417 IGO **chrome/gold** 608.00

Grandera
Three-hole basin mixer 1/2"
S-Size
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar


GROHE GRANDERA

Ref. No. Colour Price netto (€)



20 389 000 chrome 519.00
20 389 IGO chrome/gold 673.00


Grandera
Three-hole basin mixer 1/2"
M-Size
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar



20 414 000 chrome 388.00
20 414 IGO chrome/gold 504.00


Grandera
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for 29 025 000
without concealed body
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 200 mm
projection 177 mm

20 415 000 chrome 430.00
20 415 IGO chrome/gold 559.00
ditto, projection 234 mm



29 025 000 chrome 224.00


Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device



19 929 000 chrome 399.00
19 929 IGO chrome/gold 519.00

Grandera
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 319 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 110 mm
projection 177 mm

19 930 000 chrome 440.00
19 930 IGO chrome/gold 573.00
ditto, projection 234 mm




23 319 000 chrome 211.00

Grandera
Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device
min. recommended pressure 1.0 bar


GROHE GRANDERA

Ref. No. Colour Price netto (€)




23 315 000 chrome 374.00
23 315 IG0 chrome/gold 487.00

Grandera
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 316 000 chrome 388.00
23 316 IG0 chrome/gold 504.00

Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar




23 317 000 chrome 485.00
23 317 IG0 chrome/gold 630.00

Grandera
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar



18 651 000 chrome 124.00

Grandera
GROHE EasyReach tray
material: ceramic
including mounting set
for 23 316 000/23 316 IG0
23 317 000/23 317 IG0




19 932 000 chrome 291.00
19 932 IG0 chrome/gold 379.00

Grandera
Single-lever shower mixer
set for final installation for
35 501 000
without concealed body
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
metal escutcheon
covered fixing
min. recommended pressure 1.0 bar

35 501 000 chrome 97.00
**GROHE Rapido E Universal single-lever
mixer for concealed installation**

GROHE GRANDERA


Ref. No. Colour Price netto (€)



19 920 000 chrome 319.00
19 920 IGO chrome/gold 415.00

Grandera
Single-lever bath mixer
set for final installation for 35 501 000
without concealed body
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal escutcheon
covered fixing
min. recommended pressure 1.0 bar


35 501 000 chrome 97.00
GROHE Rapido E Universal single-lever mixer for concealed installation



19 934 000 chrome 402.00
19 934 IGO chrome/gold 523.00

Grandera
Thermostatic shower mixer
set for final installation for 35 500 000
without concealed body
GROHE StarLight chrome finish
GROHE SafeStop Plus safety stop at 38° C and additionally adjustable max. temperature limiter at 43° C
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodor ceramic headparts 1/2", 180°
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal handles


35 500 000 chrome 231.00
GROHE Rapido T Universal thermostatic mixer for concealed installation



19 937 000 chrome 430.00
19 937 IGO chrome/gold 559.00

Grandera
Thermostatic shower mixer with integrated 2-way diverter
set for final installation for 35 500 000
without concealed body
GROHE StarLight chrome finish
GROHE SafeStop Plus safety stop at 38° C and additionally adjustable max. temperature limiter at 43° C
GROHE AquaDimmer Eco with multiple function: shut off and flow control
diverter: shower head/hand shower
Integrated Eco-Button with Eco-Stop for shower wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)

35 500 000 chrome 231.00
GROHE Rapido T Universal thermostatic mixer for concealed installation





19 948 000 chrome 430.00
19 948 IGO chrome/gold 559.00



Grandera
Thermostatic bath mixer with integrated 2-way diverter
set for final installation for 35 500 000
without concealed body
GROHE StarLight chrome finish
GROHE SafeStop Plus safety stop at 38° C and additionally adjustable max. temperature limiter at 43° C
GROHE AquaDimmer Eco with multiple function: shut off and flow control
diverter: hand shower/bath spout
Integrated Eco-Button with Eco-Stop for shower wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)



35 500 000 chrome 231.00
GROHE Rapido T Universal thermostatic mixer for concealed installation



GROHE GRANDERA

Ref. No. Colour Price netto (€)

		19 941 000 19 941 IGO	chrome chrome/gold	360.00 468.00
	<p>Grandera Central thermostatic mixer set for final installation for 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus safety stop at 38° C and additionally adjustable max. temperature limiter at 43° C wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles</p>			
		35 500 000 GROHE Rapido T Universal thermostatic mixer for concealed installation	chrome	231.00











		19 936 000 19 936 IGO	chrome chrome/gold	1,025.00 1,332.00
	<p>Grandera Four-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish consisting of pre-assembled spout fixing OHM operating element, bath spout with mousseur and diverter bath/shower Grandera hand shower 7,6 l metal shower hose 1500 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000 min. recommended pressure 1.0 bar</p>			

		19 919 000 19 919 IGO	chrome chrome/gold	1,095.00 1,423.00
	<p>Grandera 5-hole bath combination ceramic headparts 1/2", 90° GROHE StarLight chrome finish consisting of pre-assembled spout fixing OHM operating element, bath spout with mousseur and diverter bath/shower Grandera hand shower 7,6 l metal shower hose 1500 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000 min. recommended pressure 1.0 bar</p>			











		29 037 000	chrome	709.00
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround consisting of: base frame drainage box with integrated outlet for splash water</p>			
		45 388 000 Supporting legs for baseframe	chrome	101.00

* price upon request











GROHE GRANDERA

	Ref. No.	Colour	Price netto (€)
 	23 318 000 23 318 IG0	chrome chrome/gold	1,554.00 2,019.00
<p>Grandera Single-lever bath mixer 1/2" floor-mounted set for final installation for 45 984 without roughing-in set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower spout with mousseur projection 320 mm with shower holder Grandera hand shower 7,6 l metal shower hose, 1250 mm protected against backflow</p>			
 	45 984 001	chrome	418.00
<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/ spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug acoustic isolation mat gasket fixing material</p>			
 	13 341 000 13 341 IG0	chrome chrome/gold	222.00 289.00
<p>Grandera Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 177 mm min. recommended pressure 1.0 bar</p>			
 	19 942 000 19 942 IG0	chrome chrome/gold	139.00 181.00
<p>Grandera 5-way diverter set for final installation for 29 708 000 without concealed body GROHE StarLight chrome finish min. recommended pressure 1.0 bar</p>			
 	29 708 000	chrome	268.00
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing discs connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" protection sleeve installation depth infinitely adjustable 24-60 mm DR-brass</p>			







GROHE GRANDERA

	Ref. No.	Colour	Price netto (€)
 	19 944 000 19 944 IGO	chrome chrome/gold	100.00 130.00
<p>Grandera Volume Control Trim set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used for the main line shut-off) GROHE StarLight chrome finish installation depth infinitely adjustable 43 - 91 mm for use with rough-in valve (35 029)</p>			
 	29 032 000	chrome	31.00
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth infinitely adjustable 43 - 91 mm DR-brass</p>			
 	35 028 000	chrome	128.00
<p>GROHE Rapido C/Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" flow rate: 55 l/min. at 3 bar installation depth 70 - 95 mm min. recommended pressure 1.0 bar</p>			
 	29 802 000	chrome	43.00
<p>Concealed valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass</p>			
 	29 811 000	chrome	26.00
<p>Concealed valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>			

GROHE GRANDERA SHOWER PROGRAM

	Ref. No.	Colour	Price netto (€)
		27 976 000	chrome 403.00
		Rainshower Grandera 210 Head shower 1 spray Rain metal GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	27 974 000 chrome 403.00 27 974 IGO chrome/gold 524.00
		27 986 000	chrome 92.00
		Rainshower Grandera Shower arm 285 mm projection 286 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar	27 986 IGO chrome/gold 119.00
		27 982 000	chrome 81.00
		Rainshower Grandera Shower arm ceiling 292 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar	27 982 IGO chrome/gold 111.00
		26 037 000	chrome 103.00
		Grandera Stick Hand shower 1 spray spray pattern: Rain metal GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch no risk of scalding GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar max. flow rate 2.0 gpm (7.6 l/min)	26 037 IGO chrome/gold 141.00
		27 993 000	chrome 141.00
		Grandera Stick Wall holder set 1 spray consisting of: Stick hand shower (26 037 000) Wall hand shower holder (27 969 000) Rotaflex shower hose 1500 mm (28 417 000) GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch no risk of scalding GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	27 993 IGO chrome/gold 182.00

GROHE GRANDERA SHOWER PROGRAM

	Ref. No.	Colour	Price netto (€)
	26 038 000	chrome	213.00
	26 038 IGO	chrome/gold	292.00
	<p>Grandera Stick Shower rail set 1 spray consisting of: Stick hand shower (26 037 000) shower rail, 900 mm (27 785 000) Rotaflex metal shower hose 1750 mm (28 025 000) GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch no risk of scalding GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes GROHE StarLight chrome finish</p>		
	27 970 000	chrome	118.00
	27 970 IGO	chrome/gold	154.00
	<p>Grandera Shower outlet elbow, 1/2" metal male thread protected against backflow GROHE StarLight chrome finish</p>		
	27 969 000	chrome	79.00
	27 969 IGO	chrome/gold	102.00
	<p>Grandera Wall hand shower holder metal GROHE StarLight chrome finish</p>		

GROHE GRANDERA ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 627 000	chrome	235.00
	40 627 IG0	chrome/gold	306.00
<p>Grandera Holder with ceramic soap dispenser GROHE StarLight chrome finish</p>			
 	40 626 000	chrome	181.00
	40 626 IG0	chrome/gold	234.00
<p>Grandera Holder with ceramic tumbler GROHE StarLight chrome finish</p>			
 	40 628 000	chrome	222.00
	40 628 IG0	chrome/gold	289.00
<p>Grandera Holder with ceramic soap dish GROHE StarLight chrome finish</p>			
 	40 661 000	chrome	399.00
	40 661 IG0	chrome/gold	504.00
<p>Grandera Lamp GROHE StarLight chrome finish excluding bulbs halogen light, 2x20 watt for G9 light fixture 220-240 V (AC), 50/60 Hz without lamp, suitable for lamps with energy efficiency class A++ until E</p>			
 	40 630 000	chrome	153.00
	40 630 IG0	chrome/gold	198.00
<p>Grandera Towel ring Ø 205 mm GROHE StarLight chrome finish</p>			
 	40 629 000	chrome	250.00
	40 629 IG0	chrome/gold	324.00
<p>Grandera Towel rail 600 mm GROHE StarLight chrome finish</p>			

GROHE GRANDERA ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 631 000	chrome	73.00
	40 631 IGO	chrome/gold	94.00
<p>Grandera Robe hook GROHE StarLight chrome finish</p>			
 	40 633 000	chrome	169.00
	40 633 IGO	chrome/gold	219.00
<p>Grandera Bath grip length 385 mm GROHE StarLight chrome finish</p>			
 	40 625 000	chrome	189.00
	40 625 IGO	chrome/gold	246.00
<p>Grandera Toilet paper holder GROHE StarLight chrome finish</p>			
 	40 632 000	chrome	263.00
	40 632 IGO	chrome/gold	343.00
<p>Grandera Toilet brush set material: ceramic GROHE StarLight chrome finish</p>			

GROHE QUADRA



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix Plus

GROHE COMBINATIONS QUADRA

BATHROOM FAUCETS



Quadra

THERMOSTATS



Grotherm Cube



Grotherm Cube

HEAD SHOWERS & SHOWER SYSTEMS



Rainshower Allure 230



Euphoria Cube
System 230

HAND SHOWERS



Euphoria Cube+



Power&Soul Cosmopolitan



Euphoria 110

ACCESSORIES & ACTUATIONS FOR WC



Essentials Cube




Selection Cube




Skate Cosmopolitan

Ref. No. Colour Price netto (€)



32 632 000 chrome 223.00


Quadra
Single-lever basin mixer 1/2"
XS-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses



32 631 00E chrome 223.00


Quadra
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

32 631 000 chrome 223.00
ditto, with non-restricted flow




23 105 000 chrome 218.00

Quadra
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
rapid installation system
mousseur
smooth body
flexible connection hoses




23 441 000 chrome 251.00

Quadra
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 297 000 chrome 288.00

Quadra
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix installation system
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
covered lever fixing



23 404 000 chrome 310.00


Quadra
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



19 479 000 chrome 283.00


Quadra
Two-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
with metal plate
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 153 mm

23 442 000 chrome 278.00
ditto, projection 215 mm




23 571 000 chrome 222.00

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device



20 306 000 chrome 336.00



Quadra
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves



32 636 000 chrome 223.00



Quadra
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

Ref. No. Colour Price netto (€)




32 637 000 **chrome** **223.00**

Quadra
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
covered S-unions
protected against backflow




32 638 000 **chrome** **280.00**

Quadra
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower bottom outlet 1/2"
with integrated non return-valve
covered S-unions
protected against backflow



32 639 000 **chrome** **352.00**

Quadra
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower bottom outlet 1/2"
with integrated non return-valve
covered S-unions
protected against backflow
with shower set
hand shower Sena (28 034 000)
wall shower holder (27 074)
shower hose 1500 mm (28 151 000)




19 455 000 **chrome** **209.00**

Quadra
Single-lever shower mixer
set for final installation for
35 501 000
without concealed body
GROHE StarLight chrome finish
escutcheon- and shaft-sealings
metal escutcheon
covered coupling

35 501 000 **chrome** **97.00**

GROHE Rapido E Universal single-lever mixer for concealed installation



19 456 000 **chrome** **205.00**

Quadra
Single-lever bath mixer
set for final installation for
35 501 000
without concealed body
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealings
metal escutcheon
covered coupling

35 501 000 **chrome** **97.00**

GROHE Rapido E Universal single-lever mixer for concealed installation

Ref. No.


Colour

Price netto (€)

19 579 000

chrome

822.00



Quadra

Four-hole single-lever bath combination

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

consisting of:

pre-assembled spout fixing

OHM operating element,

bath inlet with mousseur

diverter bath/shower

hand shower Sena (28 341 000)

metal shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow


Trim set for 29 037 000

without baseframe

29 037 000

chrome

709.00



4/5-hole bath combination (optional)

baseframe for installation under tiled surround

consisting of:

base frame

drainage box with integrated outlet for splash water

45 388 000

chrome

101.00

Supporting legs for baseframe

GROHE LINEARE

new



GROHE COMBINATIONS LINEARE

BATHROOM FAUCETS



Lineare



Lineare

THERMOSTATS



Grotherm 3000
Cosmopolitan



Grotherm
SmartControl



Grotherm 3000
Cosmopolitan

HEAD SHOWERS & SHOWER SYSTEMS



Rainshower 310



Rainshower
System 310



Rainshower 360
SmartControl

HAND SHOWERS



Euphoria Cube+



Euphoria Cosmopolitan
Stick



Power&Soul
Cosmopolitan



Euphoria 110

ACCESSORIES & ACTUATIONS FOR WC



Essentials



Selection Cube




Nova Cosmopolitan

GROHE LINEARE

Ref. No. Colour Price netto (€)


new



32 109 001 chrome 171.00
32 109 DC1 supersteel 222.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses


new



23 791 001 chrome 171.00
23 791 DC1 supersteel 222.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses


new



32 114 001 chrome 182.00
32 114 DC1 supersteel 237.00

Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses


new



23 106 001 chrome 182.00
23 106 DC1 supersteel 237.00

Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

new



23 296 001 chrome 239.00
23 296 DC1 supersteel 311.00

Lineare
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

GROHE LINEARE


Ref. No. Colour Price netto (€)

new		<p>23 405 001 23 405 DC1</p> <p>Lineare Single-lever basin mixer 1/2" XL-Size single hole installation metal lever for free-standing basins GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar</p>	<p>chrome supersteel</p> <p>255.00 332.00</p>
new		<p>20 304 001</p> <p>Lineare Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves min. recommended pressure 1.0 bar union nut 1/2" x 10.5 mm</p>	<p>chrome</p> <p>268.00</p>
new		<p>19 409 001 19 409 DC1</p> <p>Lineare Two-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 149 mm min. recommended pressure 1.0 bar</p>	<p>chrome supersteel</p> <p>208.00 270.00</p>
new		<p>23 444 001 23 444 DC1</p> <p>Lineare Two-hole basin mixer L-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 207 mm min. recommended pressure 1.0 bar</p>	<p>chrome supersteel</p> <p>225.00 293.00</p>
		<p>23 571 000</p> <p>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>	<p>chrome</p> <p>222.00</p>

GROHE LINEARE

Ref. No. Colour Price netto (€)


new



33 848 001 chrome 200.00
33 848 DC1 supersteel 264.00

Lineare
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar



new



33 865 001 chrome 205.00
33 865 DC1 supersteel 264.00

Lineare
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar


new



33 849 001 chrome 262.00
33 849 DC1 supersteel 338.00

Lineare
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar

new




33 850 001 chrome 305.00

Lineare
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
consisting of:
hand shower Sena (28 034 000)
wall shower holder New Tempesta Cosmopolitan 100 (27 594 000)
Silverflex shower hose 1.500 mm (28 364 000)
min. recommended pressure 1.0 bar

GROHE LINEARE

Ref. No. Colour Price netto (€)

new



19 296 001 chrome 165.00
19 296 DC1 supersteel 215.00


Lineare
Single-lever shower mixer

set for final installation for
35 501 000
without concealed body
metal lever

GROHE StarLight chrome finish
escutcheon- and shaft-sealing
metal escutcheon
covered fixing

35 501 000 chrome 97.00
**GROHE Rapido E Universal single-lever
mixer for concealed installation**

new



19 297 001 chrome 174.00
19 297 DC1 supersteel 226.00


Lineare
Single-lever bath mixer

set for final installation for
35 501 000
without concealed body
metal lever

GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal escutcheon
covered fixing

35 501 000 chrome 97.00
**GROHE Rapido E Universal single-lever
mixer for concealed installation**

new




19 577 001 chrome 711.00
19 577 DC1 supersteel 805.00

Lineare
Four-hole single-lever bath combination

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
OHM operating element,
metal lever
bath inlet with mousseur
diverter bath/shower
hand shower Sena (28 034 000)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with (29 037 000)
min. recommended pressure 1.0 bar

new




19 965 001 chrome 575.00

Lineare
**Three-hole single-lever
bath combination**

Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish
consisting of:
OHM operating element,
diverter bath/shower
without spout
hand shower Sena (28 034 000)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with (29 037 000)
for combination with (28 990 / 28 991)

Ref. No. Colour Price netto (€)




29 037 000 chrome 709.00

**4/5-hole bath combination (optional)
baseframe for installation under tiled surround**
consisting of:
base frame
drainage box with integrated outlet for splash water

45 388 000 chrome 101.00

Supporting legs for baseframe


new



23 792 001 chrome 1,323.00

23 792 DC1 supersteel 1,645.00

**Lineare
Single-lever bath mixer 1/2"**
floor-mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Sena (28 034 000)
Silverflex shower hose 1 250 mm (28 362 000)
protected against backflow



45 984 001 chrome 418.00

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
acoustic isolation mat
gasket
fixing material

GROHE LINEARE



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix Plus

GROHE COMBINATIONS LINEARE

BATHROOM FAUCETS



Lineare

THERMOSTATS



Grohtherm 3000
Cosmopolitan



Grohtherm
SmartControl



Grohtherm 3000
Cosmopolitan

HEAD SHOWERS & SHOWER SYSTEMS



Rainshower 310



Rainshower
System 310



Rainshower 360
SmartControl

HAND SHOWERS



Euphoria Cube+



Euphoria Cosmopolitan
Stick



Power&Soul
Cosmopolitan



Euphoria 110

ACCESSORIES & ACTUATIONS FOR WC



Essentials




Selection Cube



Nova Cosmopolitan


GROHE LINEARE

Ref. No. Colour Price netto (€)




32 109 000 chrome 223.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
 rapid installation system
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




32 114 000 chrome 223.00

Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
GROHE StarLight chrome finish
 rapid installation system
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




32 115 000 chrome 223.00

Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
GROHE StarLight chrome finish
 rapid installation system
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




23 106 000 chrome 219.00

Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
GROHE StarLight chrome finish
 rapid installation system
 mousseur
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 443 000 chrome 251.00


Lineare
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 296 000 chrome 270.00


Lineare
Single-lever basin mixer 1/2"
L-Size
single hole installation
 covered lever fixing
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
 flow limiter 5 l/min.
 rapid installation system
 cast spout with mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses

* price upon request



23 405 000 **chrome** 310.00


Lineare
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



19 409 000 **chrome** 239.00


Lineare
Two-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
with metal plate
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 153 mm

23 444 000 **chrome** 278.00
ditto, projection 215 mm




23 571 000 **chrome** 222.00

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device








20 304 000 **chrome** 336.00

Lineare
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves



33 848 000 **chrome** 223.00


Lineare
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

	Ref. No.	Colour	Price netto (€)
	33 865 000	chrome	223.00
<p>Lineare Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow optional temperature limiter 46 505</p>			
	33 849 000	chrome	280.00
<p>Lineare Single-lever bath mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter 46 505 without shower set</p>			
	33 850 000	chrome	353.00
<p>Lineare Single-lever bath mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow with shower set hand shower Sena (28 034 000) wall shower holder (28 622 000) shower hose 1500 mm (28 151 000)</p>			
	19 296 000	chrome	193.00
<p>Lineare Single-lever shower mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>			
	35 501 000	chrome	97.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>			
	19 297 000	chrome	205.00
<p>Lineare Single-lever bath mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>			
	35 501 000	chrome	97.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>			

Ref. No.

Colour

Price netto (€)




19 577 000

chrome

808.00

Lineare
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 OHM operating element,
 bath inlet with mousseur
 diverter bath/shower
 hand shower Sena (28 341 000)
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow




19 965 000

chrome

655.00

Lineare
3-hole bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 OHM operating element,
 diverter bath/shower
 without spout
 Sena hand shower (28 341 000)
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with (29 037 000)
 for combination with (28 990 / 28 991)



29 037 000

chrome

709.00

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water

45 388 000

chrome

101.00

Supporting legs for baseframe

GROHE EUROCUBE JOY



GROHE
SilkMove



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy



GROHE
QuickFix Plus

GROHE COMBINATIONS EUROCUBE JOY

BATHROOM FAUCETS



Eurocube Joy

THERMOSTATS



Grotherm Cube



Grotherm Cube

HEAD SHOWERS & SHOWER SYSTEMS



Rainshower Allure 230



Euphoria Cube XXL
System 230

HAND SHOWERS



Euphoria Cube



Power&Soul
Cosmopolitan

ACCESSORIES & ACTUATIONS FOR WC



Essentials Cube




Selection Cube



Skate Cosmopolitan


GROHE EUROCUBE JOY

Ref. No. Colour Price netto (€)




23 654 000 chrome 219.00

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
 GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 656 000 chrome 214.00

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
 GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses




23 657 000 chrome 230.00

Eurocube Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
 GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses



23 658 000 chrome 225.00











Eurocube Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
 GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses











23 661 000 chrome 303.00

Eurocube Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
 metal lever
for free-standing basins
 GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses

GROHE EUROCUBE JOY

	Ref. No.	Colour	Price netto (€)	
	19 997 000 Eurocube Joy Two-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE StarLight finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm	chrome	248.00	
	19 998 000 ditto, projection 231 mm	chrome	261.00	
	23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass	chrome	223.00	
	23 664 000 Eurocube Joy Single-lever bidet mixer 1/2" single hole installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses	chrome	236.00	
		23 665 000 Eurocube Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight finish shower bottom outlet 1/2" with integrated non return-valve protected against backflow	chrome	270.00
		23 666 000 Eurocube Joy Single-lever bath mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight finish GROHE XL Waterfall integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow	chrome	332.00
				


GROHE EUROCUBE JOY

	Ref. No.	Colour	Price netto (€)
 	19 898 000	chrome	176.00
	<p>Eurocube Single-lever shower mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon, covered fixing</p>		
 	19 896 000	chrome	194.00
	<p>Eurocube Single-lever bath mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>		
 	19 959 000	chrome	291.00
	<p>Grotherm Cube Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with covered escutcheon- and shaft sealing, covered fixing GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) Carborundum ceramic headpart 1/2", 180° without concealed body</p>		
 	19 958 000	chrome	317.00
	<p>Grotherm Cube Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with covered escutcheon- and shaft sealing, covered fixing GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower without concealed body</p>		
	35 501 000	chrome	97.00
	35 500 000	chrome	231.00
	35 500 000	chrome	231.00

* price upon request

GROHE EUROCUBE JOY


Ref. No. Colour Price netto (€)



19 961 000 chrome 277.00


Grotherm Cube
Central thermostatic mixer
 set for final installation for
 GROHE Rapido T 35 500 000
 wall escutcheon with covered escutcheon- and shaft sealing,
 covered fixing
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
 temperature limiter at 43° C
 without concealed body

35 500 000 chrome 231.00
**GROHE Rapido T Universal thermostatic
 mixer for concealed installation**



23 667 000 chrome 1,378.00

Eurocube Joy
Single-lever bath mixer 1/2"
 floor-mounted
 set for final installation for
 45 984 001
 without roughing-in-set
 GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
 automatic diverter: bath/shower
 spout with mousseur
 projection 298 mm
 integrated non-return valve in the shower outlet 1/2"
 with shower holder
 Euphoria Cube hand shower 7.6 l/min
 Silverflex shower hose 1 250 mm (28 362 000)
 protected against backflow



45 984 001 chrome 418.00

Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
 without finishing trim set
 installation plate with 360° horizontal and
 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/
 spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower
 mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 acoustic isolation mat
 gasket
 fixing material

GROHE EUROCUBE



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix Plus

GROHE COMBINATIONS EUROCUBE

BATHROOM FAUCETS



Eurocube

THERMOSTATS



Grotherm Cube



Grotherm Cube

HEAD SHOWERS & SHOWER SYSTEMS



Rainshower Allure 230



Euphoria Cube XXL
System 230

HAND SHOWERS



Euphoria Cube



Power&Soul
Cosmopolitan

ACCESSORIES & ACTUATIONS FOR WC



Essentials Cube




Selection Cube



Skate Cosmopolitan


Ref. No. Colour Price netto (€)



23 127 00E chrome 202.00

Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses


23 127 000 chrome 202.00
ditto, with non-restricted flow



23 132 00E chrome 197.00


Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

23 132 000 chrome 197.00
ditto, with non-restricted flow




23 445 000 chrome 214.00

Eurocube
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar



23 446 000 chrome 209.00

Eurocube
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar




23 135 00E chrome 231.00

Eurocube
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

23 135 000 chrome 231.00
ditto, with non-restricted flow


GROHE EUROCUBE

Ref. No. Colour Price netto (€)




23 406 000 chrome 283.00

Eurocube
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



20 351 000 chrome 290.00


Eurocube
Three-hole basin mixer 1/2"
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm



19 895 000 chrome 251.00


Eurocube
Two-hole basin mixer
S-Size
wall mounted
set for final installation for
concealed body 23 200 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm
min. recommended pressure 1.0 bar

23 447 000 chrome 263.00
ditto, projection 231 mm













23 200 000 chrome 222.00

Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device














23 138 000 chrome 202.00


Eurocube
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

	Ref. No.	Colour	Price netto (€)
 	23 145 000	chrome	230.00
<p>Eurocube Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow optional temperature limiter ref. no. 46 375 000</p>			
 	18 541 000	chrome	29.00
<p>Eurocube Shelf for shower mixer 23 145 000</p>			
 	23 140 000	chrome	267.00
<p>Eurocube Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter ref. no. 46 375 000</p>			
 	23 141 000	chrome	322.00
<p>Eurocube Single-lever bath mixer 1/2" metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" covered S-unions optional temperature limiter ref. no. 46 375 000 consisting of: hand shower (27 698 000) wall shower holder (27 693 000) shower hose 1500 mm (28 151 000) min. recommended pressure 1.0 bar</p>			
 	19 898 000	chrome	176.00
<p>Eurocube Single-lever shower mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon, covered fixing</p>			
	35 501 000	chrome	97.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>			

Ref. No. Colour Price netto (€)


		<p>19 896 000</p> <p>Eurocube Single-lever bath mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>	<p>chrome 194.00</p>
		<p>23 409 000</p> <p>Eurocube Perfect shower set with Euphoria Cube 152 consisting of: Eurocube set for final installation (19 896 000) GROHE Rapido E single-lever mixer for concealed installation (35 501 000) Euphoria Cube 152 head shower (27 705 000) Rainshower shower arm 275 mm (27 488 000) Euphoria Cube Stick hand shower set (27 702 000) Euphoria Cube shower outlet elbow (27 704 000) min. recommended pressure 1.0 bar</p>	<p>chrome 617.00</p>
		<p>19 897 000</p> <p>Eurocube Four-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish consisting of: pre-assembled spout fixing OHM operating element, metal lever bath inlet with mousseur diverter bath/shower hand shower Euphoria Cube (27 699 000) 9,5 l/min. metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with (29 037 000) min. recommended pressure 1.0 bar</p>	<p>chrome 945.00</p>
		<p>19 966 000</p> <p>Eurocube 3-hole bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish consisting of: OHM operating element, diverter bath/shower without spout Euphoria Cube hand shower (27 699 000) 9.4 l/min metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with (29 037 000) for combination with (28 990 / 28 991)</p>	<p>chrome 699.00</p>
		<p>29 037 000</p> <p>4/5-hole bath combination (optional) baseframe for installation under tiled surround consisting of: base frame drainage box with integrated outlet for splash water</p>	<p>chrome 709.00</p>
	<p>45 388 000</p> <p>Supporting legs for baseframe</p>	<p>chrome 101.00</p>	

Ref. No. Colour Price netto (€)




23 672 000 **chrome** **1,381.00**

Eurocube
Single-lever bath mixer 1/2"
floor-mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight finish
automatic diverter: bath/shower
spout with mousseur
projection 298 mm
integrated non-return valve in the shower outlet 1/2"
protected against backflow
with shower holder
Euphoria Cube hand shower (27 698 000) 7.6 l/min
Silverflex shower hose 1 250 mm (28 362 000)




45 984 001 **chrome** **418.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
acoustic isolation mat
gasket
fixing material




13 303 000 **chrome** **114.00**

Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm
min. recommended pressure 1.0 bar



13 304 000 **chrome** **128.00**

Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm
min. recommended pressure 1.0 bar




19 910 000 **chrome** **48.00**

Eurocube
Volume Control Trim
for GROHE concealed valves, 1/2", 3/4", 1"
without concealed body
installation depth infinitely adjustable
16 - 38 mm
metal handle
sliding escutcheon with wall sealing
GROHE StarLight chrome finish
for use with rough-in valve 29 273 & 29 274

GROHE EUROCUBE

Ref. No. Colour Price netto (€)



29 800 000 chrome 24.00


Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle, protection sleeve
threaded union 1/2", DR-brass

29 802 000 chrome 43.00

ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 000 chrome 63.00

ditto, 1", pre-assembled headpart 1", thread union 1"



29 801 000 chrome 23.00

Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle, protection sleeve
soldered connection Ø15 mm
DR-brass

29 803 000 chrome 38.00


ditto, soldered connection Ø 18 mm

29 804 000 chrome 41.00

ditto, soldered connection Ø 22 mm

29 811 000 chrome 26.00

ditto, 1/2", pre-assembled headpart 1/2", thread union 1/2"



22 012 000 chrome 44.00

**Eurocube
Angle valve 1/2"**
wall connection 1/2"
outlet thread 3/8"
Cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

GROHE EUROPLUS



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix Plus


GROHE COMBINATIONS EUROPLUS

BATHROOM FAUCETS



Europlus

THERMOSTATS



Grotherm 2000



Grotherm
SmartControl



Grotherm 2000

HEAD SHOWERS & SHOWER SYSTEMS



Power&Soul 190



Euphoria
Cosmopolitan 180



Euphoria XXL
System 210

HAND SHOWERS



Euphoria Cosmopolitan
Stick



Power&Soul



Euphoria 110

ACCESSORIES & ACTUATIONS FOR WC



Essentials




Selection Cube



Arena Cosmopolitan


GROHE EUROPLUS

Ref. No. Colour Price netto (€)



33 156 002 chrome 182.00


Europlus
Single-lever basin mixer 1/2"
XS-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
 rapid installation system
 adjustable mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses



32 612 00E chrome 182.00


Europlus
Single-lever basin mixer 1/2"
S-Size
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFixPlus installation
 system with centering support
 pop-up waste set 1 1/4"
 flexible connection hoses

32 612 002 chrome 182.00
 ditto, with non-restricted flow




33 163 002 chrome 182.00

Europlus
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 temperature limiter
GROHE StarLight chrome finish
GROHE QuickFixPlus installation
 system with centering support
SpeedClean mousseur
 smooth body
 flexible connection hoses
 certificate applied for



33 155 002 chrome 249.00

Europlus
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 temperature limiter
GROHE StarLight chrome finish
 rapid installation system
 pull out spout with **SpeedClean** mousseur
 integrated non-return valve
 pop-up waste set 1 1/4"
 flexible connection hoses



32 618 002

chrome

249.00

Europlus
Single-lever basin mixer 1/2"
XL-Size

single hole installation
metal lever

for free-standing basins

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish

GROHE QuickFixPlus installation


system with centering support

SpeedClean mousseur

pop-up waste set 1 1/4"

flexible connection hoses

certificate applied for



33 241 002

chrome

182.00

Europlus
Single-lever bidet mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish

GROHE QuickFixPlus installation


system with centering support

ball-joint mousseur

pop-up waste set 1 1/4"

flexible connection hoses

certificate applied for



20 301 000

chrome

300.00

Europlus
Three-hole basin mixer 1/2"
S-Size

ceramic headparts 1/2", 90°

GROHE StarLight chrome finish

GROHE QuickFix installation system

with centering support


spout with mousseur

pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses

between spout and side valves

union nut with 10.5 mm drilling



33 577 002

chrome

182.00

Europlus
Single-lever shower mixer 1/2"
wall mounted

metal lever

GROHE SilkMove 46 mm ceramic cartridge

temperature limiter

GROHE StarLight chrome finish

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

shower bottom outlet 1/2"

with integrated non return-valve


S-unions

protected against backflow

certificate applied for


min. recommended pressure 1.0 bar

Ref. No. Colour Price netto (€)




33 553 002 **chrome** **221.00**

Europlus
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 automatic diverter: bath/shower
SpeedClean mousseur
 integrated non-return valve in the shower outlet 1/2"
 S-unions
 protected against backflow
 certificate applied for
 min. recommended pressure 1.0 bar



33 547 002 **chrome** **278.00**


Europlus
Single-lever bath mixer 1/2"
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 automatic diverter: bath/shower
SpeedClean mousseur
 integrated non-return valve in the shower outlet 1/2"
 S-unions
 protected against backflow
 with shower set
 hand shower Euphoria 110 Champagne (27 222 000)
 wall shower holder (28 622 000)
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)
 certificate applied for



19 537 002 **chrome** **166.00**

Europlus
Single-lever shower mixer
 set for final installation for
 35 501 000
 without concealed body
 metal lever
GROHE StarLight chrome finish
 escutcheon- and shaft-sealing
 wall escutcheon
 covered fixing

35 501 000 **chrome** **97.00**
GROHE Rapido E Universal single-lever mixer for concealed installation



19 536 002 **chrome** **177.00**

Europlus
Single-lever bath mixer
 set for final installation for
 35 501 000
 without concealed body
 metal lever
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 wall escutcheon
 covered fixing

35 501 000 **chrome** **97.00**
GROHE Rapido E Universal single-lever mixer for concealed installation

GROHE ESSENCE



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix Plus

ESSENTIALLY NEW – DISCOVER THE EXCITING NEW COLOURS IN THE ESSENCE RANGE


The updated Essence line now comes in 10 colours, giving you more options than ever to express your creativity.



Chrome
000 | 001



SuperSteel
DC0 | DC1



Warm Sunset
DA0 | DA1



Cool Sunrise
GL0 | GL1



Hard Graphite
A00 | A01



Polished Nickel
BE0 | BE1



Brushed Warm Sunset
DL0 | DL1



Brushed Cool Sunrise
GN0 | GN1



Brushed Hard Graphite
AL0 | AL1



Brushed Nickel
EN0 | EN1

Article No. (Chrome)	Description	Chrome	Supersteel	Warm Sunset	Brushed Warm Sunset	Cool Sunrise	Brushed Cool Sunrise	Hard Graphite	Brushe Hard Graphite	Polished Nickel	Brushed Nickel
23 589 001	Single-lever basin mixer 1/2" S-Size	•	•	•	•	•	•	•	•	•	•
23 590 001	Single-lever basin mixer 1/2" S-Size	•	•	•	•	•	•	•	•	•	•
23 591 001	Single-lever basin mixer 1/2" S-Size	•									
34 294 001	Single-lever basin mixer 1/2" S-Size	•									
32 898 001	Single-lever basin mixer 1/2" S-Size	•									
32 899 001	Single-lever basin mixer 1/2" S-Size	•									
23 379 001	Single-lever basin mixer 1/2" S-Size	•									
23 462 001	Single-lever basin mixer 1/2" M-Size	•	•	•	•	•	•	•	•	•	•
23 463 001	Single-lever basin mixer 1/2" M-Size	•									
23 480 001	Single-lever basin mixer 1/2" M-Size	•									
32 628 001	Single-lever basin mixer 1/2" L-Size	•	•	•	•	•	•	•	•	•	•
23 541 001	Single-lever basin mixer 1/2" L-Size	•									
32 901 001	Single-lever basin mixer 1/2" XL-Size	•	•	•	•	•	•	•	•	•	•
19 408 001	Two-hole basin mixer M-Size	•	•	•	•	•	•	•	•	•	•
19 967 001	Two-hole basin mixer L-Size	•	•	•	•	•	•	•	•	•	•
32 935 001	Single-lever bidet mixer 1/2" S-Size	•	•	•	•	•	•	•	•	•	•
32 934 001	Single-lever bidet mixer 1/2" S-Size	•									
20 296 001	Three-hole basin mixer 1/2" M-Size	•									
20 299 001	3-hole basin mixer L-Size	•									
33 624 001	Single-lever bath mixer 1/2"	•	•	•	•	•	•	•	•	•	•
33 628 001	Single-lever bath mixer 1/2"	•									
33 636 001	Single-lever shower mixer 1/2"	•	•	•	•	•	•	•	•	•	•
19 285 001	Single-lever bath mixer	•	•	•	•	•	•	•	•	•	•
19 286 001	Single-lever shower mixer	•	•	•	•	•	•	•	•	•	•
19 578 001	Four-hole single-lever bath combination	•	•	•	•	•	•	•	•	•	•
19 976 001	Three-hole single-lever bath combination	•									
23 491 001	Single-lever bath mixer 1/2"	•	•	•	•	•	•	•	•	•	•
23 741 001	Single-lever free-standing shower mixer 1/2"	•	•								•
25 172 001	Bath filler	•									
25 173 001	Bath/shower mixer	•									
30 269 000	Single-lever sink mixer 1/2"	•	•	•	•	•	•	•	•	•	•
30 270 000	Single-lever sink mixer 1/2"	•	•	•	•	•	•	•	•	•	•
26 066 000	Head shower set 380 mm	•	•	•	•	•	•	•	•	•	•
26 067 000	Head shower set ceiling 142 mm	•	•	•	•	•	•	•	•	•	•
27 057 000	Shower outlet elbow, 1/2"	•	•	•	•	•	•	•	•	•	•
19 468 000	Thermostat with integrated 2-way diverter	•	•	•	•	•	•	•	•	•	•
26 075 000	Shower system with thermostatic mixer	•	•	•	•	•	•	•	•	•	•
34 065 002	Thermostatic shower mixer 1/2"	•	•	•	•	•	•	•	•	•	•
27 400 000	Hand shower 1 spray	•	•	•	•	•	•	•	•	•	•
27 074 000	Wall hand shower holder	•	•	•	•	•	•	•	•	•	•
27 226 001	Shower rail set 3 sprays	•	•	•	•	•	•	•	•	•	•
28 362 000	Shower hose	•	•	•	•	•	•	•	•	•	•
28 388 000	Shower hose	•	•	•	•	•	•	•	•	•	•
38 732 000	Flush plate	•	•	•	•	•	•	•	•	•	•
40 802 001	Double towel rail	•	•	•	•	•	•	•	•	•	•
40 800 001	Multi bath towel rack	•	•	•	•	•	•	•	•	•	•
40 689 001	Toilet paper holder	•	•	•	•	•	•	•	•	•	•
40 688 001	Towel rail	•	•	•	•	•	•	•	•	•	•
40 421 001	Grip bar	•	•	•	•	•	•	•	•	•	•
40 394 001	Soap dispenser	•	•	•	•	•	•	•	•	•	•
40 386 001	Towel rail	•	•	•	•	•	•	•	•	•	•
40 385 001	Spare toilet paper holder	•	•	•	•	•	•	•	•	•	•
40 374 001	Toilet brush set	•	•	•	•	•	•	•	•	•	•
40 371 001	Towel bar	•	•	•	•	•	•	•	•	•	•
40 369 001	Holder	•	•	•	•	•	•	•	•	•	•
40 367 001	Toilet paper holder	•	•	•	•	•	•	•	•	•	•
40 366 001	Towel rail	•	•	•	•	•	•	•	•	•	•
40 365 001	Towel ring	•	•	•	•	•	•	•	•	•	•
40 364 001	Robe hook	•	•	•	•	•	•	•	•	•	•

GROHE COMBINATIONS ESSENCE

BATHROOM FAUCETS



Essence



Essence

THERMOSTATS



Grohtherm 1000
Cosmopolitan



Grohtherm
SmartControl

HEAD SHOWERS & SHOWER SYSTEMS



Rainshower 310



Rainshower
System 310



Rainshower 360
SmartControl

HAND SHOWERS



Euphoria Cosmopolitan
Stick



Power&Soul
Cosmopolitan



Euphoria 110

ACCESSORIES & ACTUATIONS FOR WC




Essentials




Nova Cosmopolitan

Ref. No. Colour Price netto (€)




23 589 001 chrome 142.00
23 589 DC1 supersteel 194.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 590 001 chrome 137.00
23 590 DC1 supersteel 187.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses




32 898 001 chrome 142.00

Essence New
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




34 294 001 chrome 137.00

Essence New
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses




23 462 001 chrome 175.00
23 462 DC1 supersteel 227.00

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 463 001 chrome 162.00

Essence New
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses




32 628 001 chrome 192.00
32 628 DC1 supersteel 249.00

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar



23 541 001 chrome 188.00

Essence New
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



32 901 001 chrome 260.00
32 901 DC1 supersteel 337.00


Essence
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus rapid installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar

Ref. No. Colour Price netto (€)

	<p>20 296 001 chrome 244.00</p> <p>Essence New Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix installation system spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>
	<p>20 299 001 chrome 269.00</p> <p>Essence New 3-hole basin mixer L-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>
	<p>19 408 001 chrome 192.00 19 408 DC1 supersteel 249.00</p> <p>Essence Two-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 183 mm</p> <p>19 967 001 chrome 206.00 19 967 DC1 supersteel 280.00 ditto, projection 230 mm</p>
	<p>23 571 000 chrome 222.00</p> <p>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>
	<p>32 935 001 chrome 142.00 32 935 DC1 supersteel 209.00</p> <p>Essence Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>


GROHE ESSENCE

Ref. No. Colour Price netto (€)




33 636 001 **chrome** **165.00**
33 636 DC1 **supersteel** **222.00**

Essence
Single-lever shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 min. recommended pressure 1.0 bar




33 624 001 **chrome** **203.00**
33 624 DC1 **supersteel** **263.00**

Essence
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 min. recommended pressure 1.0 bar



33 628 001 **chrome** **243.00**

Essence
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 with shower set
 consisting of:
 hand shower Euphoria Cosmopolitan
 Stick (27 400 000) 9.5 l/min
 wall shower holder New Tempesta Cosmopolitan 100
 (27 594 000)
 Silverflex shower hose 1.500 mm (28 364 000)
 min. recommended pressure 1.0 bar











19 286 001 **chrome** **137.00**
19 286 DC1 **supersteel** **186.00**


Essence
Single-lever shower mixer
 set for final installation for
 35 501 000
 without concealed body
 metal lever
GROHE StarLight chrome finish
 escutcheon- and shaft-sealing
 metal escutcheon
 covered fixing

35 501 000 **chrome** **97.00**
**GROHE Rapido E Universal single-lever
 mixer for concealed installation**

GROHE ESSENCE

	Ref. No.	Colour	Price netto (€)
	19 285 001	chrome	156.00
	19 285 DC1	supersteel	202.00
	<p>Essence Single-lever bath mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>		
	35 501 000	chrome	97.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>			
	19 578 001	chrome	692.00
	19 578 DC1	supersteel	897.00
	<p>Essence Four-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish pre-assembled spout fixing OHM operating element, metal lever bath inlet with mousseur diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with (29 037 000)</p>		
	19 976 001	chrome	485.00
	19 976 001	chrome	485.00
	<p>Essence New Three-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish OHM operating element, diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with (29 037 000) for combination with (28 990 / 28 991)</p>		
	29 037 000	chrome	709.00
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround consisting of: base frame drainage box with integrated outlet for splash water</p>		
	45 388 000	chrome	101.00
<p>Supporting legs for baseframe</p>			

new



23 741 001
23 741 DC1

chrome
supersteel

1,954.00

*

Essence

Single-lever free-standing shower mixer 1/2"

floor-mounted

set for final installation for

45 984 001

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter:

head shower/hand shower

360° horizontal swivable shower arm

integrated non-return valve in the shower outlet 1/2"

with shower holder

Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)

with ball joint

rotation angle ± 15°

GROHE DreamSpray perfect spray pattern


SpeedClean anti-lime system

hand shower Euphoria Cosmopolitan Stick (27 806 000) 7.6 l/min.

Silverflex shower hose 1750 mm (28 388 000)

protected against backflow

min. recommended pressure 1.0 bar



23 491 001
23 491 DC1

chrome
supersteel

1,192.00

1,417.00

Essence

Single-lever bath mixer 1/2"

floor-mounted

set for final installation for

45 984

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

swivel spout with mousseur and stop limiter

projection 277 mm


integrated non-return valve in the shower outlet 1/2"

with shower holder

hand shower Euphoria Cosmopolitan Stick (27 806 000) 7.6 l/min.

Silverflex shower hose 1 250 mm (28 362 000)

protected against backflow



45 984 001

chrome

418.00

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

without finishing trim set

installation plate with 360° horizontal and

3° vertical adjustment

installation depth 53-157 mm for bath mixers/

spouts, depth compensation 104 mm

installation depth 65-157 mm for shower

mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)

flushing plug

acoustic isolation mat

gasket

fixing material

GROHE EURODISC JOY



GROHE
SilkMove



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy



GROHE
QuickFix Plus



GROHE
FeatherControl

GROHE COMBINATIONS EURODISC JOY

BATHROOM FAUCETS



Eurodisc Joy

THERMOSTATS



Grotherm 3000



Grotherm 3000



Grotherm
SmartControl

HEAD SHOWERS & SHOWER SYSTEMS



Rainshower
Cosmopolitan 210



Euphoria XXL
System 210

HAND SHOWERS



Euphoria Cosmopolitan
Stick



Power&Soul
Cosmopolitan 160



Euphoria 110

ACCESSORIES & ACTUATIONS FOR WC




Essentials



Nova Cosmopolitan


GROHE EURODISC JOY

Ref. No. Colour Price netto (€)




23 425 000 chrome 182.00
23 425 LSO moon white/chrome 236.00

Eurodisc Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 427 000 chrome 193.00
23 427 LSO moon white/chrome 251.00

Eurodisc Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 428 000 chrome 278.00
23 428 LSO moon white/chrome 362.00

Eurodisc Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses



19 968 000 chrome 211.00
19 968 LSO moon white/chrome 275.00

Eurodisc Joy
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 171 mm
min. recommended pressure 1.0 bar




19 969 000 chrome 223.00
19 969 LSO moon white/chrome 289.00

Eurodisc Joy
Two-hole basin mixer
L-Size
wall mounted
set for final installation for 23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 226 mm
min. recommended pressure 1.0 bar


GROHE EURODISC JOY

Ref. No. Colour Price netto (€)




23 429 000 **chrome** **223.00**

Joystick mixer 1/2", concealed body
for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass




24 036 000 **chrome** **193.00**
24 036 LS0 **moon white/chrome** **251.00**

Eurodisc Joy
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 430 000 **chrome** **205.00**
23 430 LS0 **moon white/chrome** **266.00**

Eurodisc Joy
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
protected against backflow
min. recommended pressure 1.0 bar



23 431 000 **chrome** **278.00**
23 431 LS0 **moon white/chrome** **362.00**

Eurodisc Joy
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove Joystick cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
min. recommended pressure 1.0 bar




19 549 002 **chrome** **149.00**
19 549 LS2 **moon white/chrome** **186.00**

Eurodisc Cosmopolitan
Single-lever shower mixer
set for final installation for
35 501 000, without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

35 501 000 **chrome** **97.00**
GROHE Rapido E Universal single-lever mixer for concealed installation

GROHE EURODISC JOY

Ref. No. Colour Price netto (€)




19 548 002 chrome 159.00
19 548 LS2 moon white/chrome 205.00

**Eurodisc Cosmopolitan
Single-lever bath mixer**

set for final installation for
35 501 000
without concealed body
metal lever

GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

35 501 000 chrome 97.00
**GROHE Rapido E Universal single-lever
mixer for concealed installation**




19 467 000 chrome 336.00
19 467 LS0 moon white/chrome 402.00

**Grotherm 3000 Cosmopolitan
Thermostatic shower mixer**

set for final installation for
GROHE Rapido T 35 500 000
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)

GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
without concealed body

35 500 000 chrome 231.00
**GROHE Rapido T Universal thermostatic
mixer for concealed installation**



19 468 000 chrome 397.00
19 468 LS0 moon white/chrome 525.00

**Grotherm 3000 Cosmopolitan
Thermostat with integrated 2-way diverter
for bath or shower with more than one outlet**

set for final installation for
GROHE Rapido T 35 500 000
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)

GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
Aquadimmer with multiple function
shut off and flow control
diverter for 2 outlets
without concealed body

35 500 000 chrome 231.00
**GROHE Rapido T Universal thermostatic
mixer for concealed installation**

GROHE EURODISC COSMOPOLITAN



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix Plus

GROHE COMBINATIONS EURODISC COSMOPOLITAN

BATHROOM FAUCETS



Eurodisc Cosmopolitan

THERMOSTATS



Grotherm 2000



Grotherm 2000



Grotherm
SmartControl

HEAD SHOWERS & SHOWER SYSTEMS



Rainshower
Cosmopolitan 210



Euphoria XXL
System 210

HAND SHOWERS



Euphoria Cosmopolitan
Stick



Power&Soul
Cosmopolitan 160



Euphoria 110

ACCESSORIES & ACTUATIONS FOR WC




Essentials



Nova Cosmopolitan


GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)



23 049 002 chrome 155.00


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFixPlus installation system with centering support
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses



33 190 20E chrome 155.00


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFixPlus installation system with centering support
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar
 acoustic group I in accordance with DIN 4109

33 190 002 chrome 155.00
 ditto, with non-restricted flow



32 469 20E chrome 148.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFixPlus installation system with centering support
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar
 acoustic group I in accordance with DIN 4109



23 448 002 chrome 174.00


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
GROHE StarLight chrome finish
 adjustable minimum flow rate
 approx. 2.5 l/min
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar

GROHE EURODISC COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



23 449 002

chrome


170.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
M-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min

GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



23 054 002

chrome


194.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
L-Size

single hole installation
metal lever
covered lever fixing

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
mousseur

swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000



23 432 000

chrome


266.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
XL-Size

single hole installation
metal lever

for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min

GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000



23 055 002

chrome

217.00









Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
XL-Size

single hole installation
metal lever

for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min


GROHE StarLight chrome finish
GROHE QuickFixPlus installation system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109

GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	19 573 002 Eurodisc Cosmopolitan Two-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide mousseur centre distance 110 mm projection 170 mm min. recommended pressure 1.0 bar	chrome	194.00
	19 974 002 ditto, projection 225 mm	chrome	205.00
 	23 571 000 Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device	chrome	222.00
 	33 244 002 Eurodisc Cosmopolitan Single-lever bidet mixer 1/2" S-Size metal lever single hole installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE QuickFixPlus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109	chrome	155.00
 	33 569 002 Eurodisc Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109	chrome	155.00


GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




33 390 002 **chrome** **194.00**

Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter ref. no. 46 308 000
acoustic group I in accordance with DIN 4109



33 395 002 **chrome** **231.00**


Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter ref. no. 46 308 000
acoustic group I in accordance with DIN 4109
with shower set
consisting of:
Euphoria hand shower (27 222 000)
wall shower holder (27 056 000)
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000)



19 549 002 **chrome** **149.00**
19 549 LS2 **moon white/chrome** **186.00**

Eurodisc Cosmopolitan
Single-lever shower mixer
set for final installation for
35 501 000, without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

35 501 000 **chrome** **97.00**
GROHE Rapido E Universal single-lever
mixer for concealed installation







19 548 002 **chrome** **159.00**
19 548 LS2 **moon white/chrome** **205.00**

Eurodisc Cosmopolitan
Single-lever bath mixer
set for final installation for
35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

35 501 000 **chrome** **97.00**
GROHE Rapido E Universal single-lever
mixer for concealed installation

GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	13 278 002 Eurodisc Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm min. recommended pressure 1.0 bar	chrome	93.00
 	13 279 002 Eurodisc Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower with concealed connection piece male thread 1/2" projection 170 mm	chrome	110.00

GROHE CONCETTO



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix

GROHE COMBINATIONS CONCETTO

BATHROOM FAUCETS



Concetto

THERMOSTATS



Grohtherm 1000
Cosmopolitan

HEAD SHOWERS & SHOWER SYSTEMS



Euphoria
Cosmopolitan 180



Euphoria System 180

HAND SHOWERS



Euphoria Cosmopolitan
Stick



Euphoria 110



New Tempesta
Cosmopolitan 100

ACCESSORIES & ACTUATIONS FOR WC




Essentials



Nova Cosmopolitan

GROHE CONCETTO


Ref. No. Colour Price netto (€)



32 204 10E **chrome** **133.00**


Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
acoustic group I in accordance with DIN 4109

32 204 001 **chrome** **133.00**
ditto, with non-restricted flow



32 240 10E **chrome** **129.00**


Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109



23 450 001 **chrome** **154.00**


Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

new




23 739 001 **chrome** *

Concetto
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
swivel spout with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
min. recommended pressure 1.0 bar




32 629 001 chrome 194.00

Concetto
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
mousseur
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000




20 216 001 chrome 254.00

Concetto
Three-hole basin mixer 1/2"
L-Size
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between middle-body and side valves
union nut with 10.5 mm drilling




19 575 001 chrome 187.00

Concetto
Two-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 147 mm



23 571 000 chrome 222.00

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device



32 208 001 chrome 133.00


Concetto
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
acoustic group I in accordance with DIN 4109

Ref. No. Colour Price netto (€)

		<p>32 210 001 chrome 133.00</p> <p>Concetto Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109</p>
		<p>18 391 001 chrome 35.00</p> <p>Concetto Plastic tray for 32 210 001</p>
		<p>32 211 001 chrome 160.00</p> <p>Concetto Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109</p>
		<p>32 212 001 chrome 196.00</p> <p>Concetto Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109 with shower set consisting of: Euphoria Cosmopolitan hand shower (27 400 000) wall shower holder (27 056 000) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)</p>
		<p>19 345 001 chrome 156.00</p> <p>Concetto Single-lever shower mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p> <p>35 501 000 chrome 97.00</p> <p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>

GROHE CONCETTO

Ref. No. Colour Price netto (€)




19 346 001 chrome 160.00

Concetto
Single-lever bath mixer
set for final installation for
35 501 000
without concealed body
metal lever

GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered coupling


35 501 000 chrome 97.00
**GROHE Rapido E Universal single-lever
mixer for concealed installation**



19 576 001 chrome 663.00

Concetto
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish


consisting of:
pre-assembled spout fixing
OHM operating element,
bath inlet with mousseur
diverter bath/shower
Euphoria Cosmopolitan hand shower (27 400 000)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000
min. recommended pressure 1.0 bar



29 037 000 chrome 709.00


4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with integrated outlet for splash water

45 388 000 chrome 101.00
Supporting legs for baseframe



13 280 001 chrome 96.00

Concetto
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
min. recommended pressure 1.0 bar



13 281 001 chrome 128.00

Concetto
Bath spout with diverter
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"

GROHE EUROSTYLE COSMOPOLITAN



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix

GROHE COMBINATIONS EUROSTYLE COSMOPOLITAN

BATHROOM FAUCETS



Eurostyle Cosmopolitan

THERMOSTATS



Grohtherm 1000
Cosmopolitan

HEAD SHOWERS & SHOWER SYSTEMS



Euphoria
Cosmopolitan 180



Euphoria System 180

HAND SHOWERS



Euphoria Cosmopolitan
Stick



Euphoria 110



New Tempesta
Cosmopolitan 100

ACCESSORIES & ACTUATIONS FOR WC




Essentials



Nova Cosmopolitan


GROHE EUROSTYLE COSMOPOLITAN

Ref. No. Colour Price netto (€)



23 037 002 chrome 124.00


Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses



33 552 20E chrome 124.00


Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109

33 552 002 chrome 124.00
ditto, with non-restricted flow



32 468 20E chrome 116.00

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109



23 043 002 chrome 177.00


Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
mousseur
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




20 208 002

chrome

253.00

**Eurostyle Cosmopolitan
Three-hole basin mixer
S-Size**

metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between middle-body and side valves
union nut with 10.5 mm drilling




19 571 002

chrome

217.00

**Eurostyle Cosmopolitan
Two-hole basin mixer
S-Size**

wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm




23 571 000

chrome

222.00

Single-lever mixer 1/2", universal concealed body

for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device




33 565 002

chrome

124.00

**Eurostyle Cosmopolitan
Single-lever bidet mixer 1/2"**
S-Size

single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000



33 590 002















chrome

124.00

**Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"**

wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
optional temperature limiter ref. no. 46 308 000
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	18 383 002 Eurostyle Cosmopolitan Plastic tray for 33 590 002 for 32 229 002 for 33 982 002	chrome	33.00
 	33 591 002 Eurostyle Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109 min. recommended pressure 1.0 bar	chrome	162.00
 	33 592 002 Eurostyle Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow acoustic group I in accordance with DIN 4109 with shower set hand shower New Tempesta Cosmopolitan 100, 2 sprays, 9.5 l/min wall shower holder (27 056 000) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)	chrome	196.00
 	19 507 002 Eurostyle Cosmopolitan Single-lever shower mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing	chrome	156.00
 	35 501 000 GROHE Rapido E Universal single-lever mixer for concealed installation	chrome	97.00
 	19 506 002 Eurostyle Cosmopolitan Single-lever bath mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing	chrome	166.00
 	35 501 000 GROHE Rapido E Universal single-lever mixer for concealed installation	chrome	97.00

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

23 048 002

chrome

739.00




Eurostyle Cosmopolitan
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 OHM operating element,
 bath inlet with mousseur
 diverter bath/shower
 Euphoria Cosmopolitan hand shower (27 400 000)
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000
 min. recommended pressure 1.0 bar

29 037 000

chrome

709.00



4/5-hole bath combination (optional)
baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water

45 388 000

chrome


101.00

Supporting legs for baseframe

13 276 002

chrome

99.00




Eurostyle Cosmopolitan
Bath spout
 wall mounted
GROHE StarLight chrome finish
 mousseur
 male thread 1/2"
 projection 170 mm
 min. recommended pressure 1.0 bar

13 277 002

chrome

122.00



Eurostyle Cosmopolitan
Bath spout
 wall mounted
GROHE StarLight chrome finish
 mousseur
 automatic diverter: bath/shower
 with concealed connection piece
 male thread 1/2"
 projection 170 mm

GROHE EUROSTYLE



GROHE
SilkMove



GROHE
SilkMove ES



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix

GROHE COMBINATIONS EUROSTYLE

BATHROOM FAUCETS




Eurostyle

THERMOSTATS



Grohtherm 1000



Grohtherm 1000

HEAD SHOWERS & SHOWER SYSTEMS



Euphoria Cosmopolitan
180



Euphoria System 180

HAND SHOWERS



Euphoria 110

ACCESSORIES & ACTUATIONS FOR WC




Essentials




Skate Air

Ref. No. Colour Price netto (€)




33 558 003 chrome 111.00
33 558 LS3 moon white/chrome 144.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
 loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 707 003 chrome 106.00
23 707 LS3 moon white/chrome 138.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
 solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 374 003 chrome 111.00
23 374 LS3 moon white/chrome 144.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
 loop metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses



23 709 003 chrome 106.00
23 709 LS3 moon white/chrome 138.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
 solid metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




32 468 003 chrome 102.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
 loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 smooth body
 flexible connection hoses


GROHE EUROSTYLE

Ref. No. Colour Price netto (€)




23 715 003 chrome 101.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 569 003 chrome 174.00
23 569 LS3 moon white/chrome 226.00

Eurostyle
Single-lever basin mixer 1/2"
L-Size
single hole installation
loop metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses




23 718 003 chrome 165.00
23 718 LS3 moon white/chrome 215.00

Eurostyle
Single-lever basin mixer 1/2"
L-Size
single hole installation
solid metal lever
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses













23 570 003 chrome 217.00
23 570 LS3 moon white/chrome 281.00

Eurostyle
Single-lever basin mixer 1/2"
XL-Size
single hole installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 719 003 chrome 206.00
23 719 LS3 moon white/chrome 266.00

Eurostyle
Single-lever basin mixer 1/2"
XL-Size
single hole installation
solid metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

	Ref. No.	Colour	Price netto (€)
	19 571 003 19 571 LS3	chrome moon white/chrome	209.00 272.00
		Eurostyle Two-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon loop metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm	
	29 097 003 29 097 LS3	chrome moon white/chrome	198.00 258.00
		Eurostyle Two-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon solid metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm	
	23 571 000	chrome	222.00
		Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device	
	33 565 003 33 565 LS3	chrome moon white/chrome	111.00 144.00
		Eurostyle Single-lever bidet mixer 1/2" S-Size single hole installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses	
	23 720 003 23 720 LS3	chrome moon white/chrome	106.00 138.00
		Eurostyle Single-lever bidet mixer 1/2" S-Size single hole installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses	

GROHE EUROSTYLE

Ref. No. Colour Price netto (€)




33 590 003
33 590 LS3

chrome
moon white/chrome

122.00
159.00

Eurostyle
Single-lever shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow




23 722 003
23 722 LS3

chrome
moon white/chrome

117.00
152.00

Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow





33 591 003
33 591 LS3

chrome
moon white/chrome

151.00
196.00

Eurostyle
Single-lever bath mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow




23 726 003
23 726 LS3

chrome
moon white/chrome

144.00
186.00


Eurostyle
Single-lever bath mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow
metal wall escutcheon

Ref. No. Colour Price netto (€)




33 592 003 **chrome** **174.00**

Eurostyle
Single-lever bath mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow
with shower set Tempesta
consisting of:
hand shower New Tempesta 100, 2 sprays, 9.5 l/min (26 161 000)
wall shower holder (28 605 000)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)



23 729 003 **chrome** **166.00**


Eurostyle
Single-lever bath mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
with shower set Tempesta
consisting of:
hand shower New Tempesta 100, 2 sprays, 9.5 l/min (26 161 000)
wall shower holder (28 605 000)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)



19 507 003 **chrome** **124.00**
19 507 LS3 **moon white/chrome** **162.00**

Eurostyle
Single-lever shower mixer
set for final installation for
35 501 000
without concealed body
loop metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixation
escutcheon- and shaft-sealing
metal wall escutcheon

35 501 000 **chrome** **97.00**
GROHE Rapido E Universal single-lever mixer for concealed installation




29 098 003 **chrome** **119.00**
29 098 LS3 **moon white/chrome** *

Eurostyle
Single-lever shower mixer
set for final installation for
35 501 000
without concealed body
solid metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixation
escutcheon- and shaft-sealing
metal wall escutcheon

35 501 000 **chrome** **97.00**
GROHE Rapido E Universal single-lever mixer for concealed installation

GROHE EUROSTYLE

Ref. No. Colour Price netto (€)



19 506 003
19 506 LS3

chrome
moon white/chrome


137.00
177.00

Eurostyle
Single-lever bath mixer
set for final installation for
35 501 000
without concealed body
GROHE StarLight chrome finish
GROHE QuickFix covered fixation
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon

35 501 000
**GROHE Rapido E Universal single-lever
mixer for concealed installation**

chrome

97.00



29 099 003
29 099 LS3

chrome
moon white/chrome

131.00
170.00

Eurostyle
Single-lever bath mixer
set for final installation for
35 501 000
without concealed body
solid metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixation
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheons

35 501 000
**GROHE Rapido E Universal single-lever
mixer for concealed installation**

chrome

97.00

GROHE EUROSMART COSMOPOLITAN



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix

GROHE COMBINATIONS EUROSART COSMOPOLITAN

BATHROOM FAUCETS



Eurosmart Cosmopolitan

THERMOSTATS



Grohtherm 1000
Cosmopolitan

HEAD SHOWERS & SHOWER SYSTEMS



Tempesta
Cosmopolitan 100



Tempesta Cosmopolitan
System 160

HAND SHOWERS



Tempesta
Cosmopolitan 100

ACCESSORIES & ACTUATIONS FOR WC












Essentials



Arena Cosmopolitan

GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)
		32 825 00E Eurosmart Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109	chrome 104.00
		32 825 000 Eurosmart Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109	chrome 104.00
 		23 125 000 Eurosmart Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish rapid installation system mousseur retractable chain flexible connection hoses optional temperature limiter with shower set consisting of: hand shower with integrated diverter wall shower holder shower hose	chrome 173.00
		23 433 000 with integrated stop valve	chrome 277.00
		32 824 000 Eurosmart Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur smooth body flexible connection hoses optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109	chrome 99.00

GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



23 325 000

chrome

120.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min


GROHE QuickFix rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses

min. recommended pressure 1.0 bar

optional temperature limiter ref. no. 46 375 000



23 327 000

chrome

114.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min


GROHE QuickFix rapid installation system

smooth body

flexible connection hoses

min. recommended pressure 1.0 bar

optional temperature limiter ref. no. 46 375 000



32 830 000

chrome

154.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
L-Size

single hole installation
metal lever

covered lever fixing

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter

GROHE StarLight chrome finish


GROHE QuickFix installation system

mousseur

swivel tubular spout with stop limiter

pop-up waste set 1 1/4"

flexible connection hoses



20 187 000

chrome

202.00

Eurosmart Cosmopolitan
Three-hole basin mixer 1/2"
S-Size

metal lever

ceramic headparts 1/2", 90°

GROHE StarLight chrome finish

GROHE QuickFix installation system

with centering support


spout with mousseur

pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses

between spout and side valves

union nut with 10.5 mm drilling



19 381 000

chrome

194.00

Eurosmart Cosmopolitan
Two-hole basin mixer
S-Size

wall mounted

set for final installation for

23 571 000

without concealed body

metal escutcheon

metal lever











GROHE StarLight chrome finish

GROHE AquaGuide adjustable mousseur

centre distance 110 mm

projection 170 mm

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	23 571 000	chrome	222.00
<p>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>			
 	32 839 000	chrome	104.00
<p>Eurosmart Cosmopolitan Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE QuickFix installation system with centering support GROHE StarLight chrome finish ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109</p>			
 	32 837 000	chrome	104.00
<p>Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter ref. no. 46 308 000 protected against backflow acoustic group I in accordance with DIN 4109</p>			
 	18 349 000	chrome	30.00
<p>Eurosmart Cosmopolitan Plastic tray for 32 837 000</p>			
 	32 831 000	chrome	125.00
<p>Eurosmart Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109</p>			

GROHE EUROSMART COSMOPOLITAN




	Ref. No.	Colour	Price netto (€)
 	32 832 000	chrome	159.00
<p>Eurosmart Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 with shower set consisting of: Euphoria Cosmopolitan hand shower (27 367 000) wall shower holder (27 056 000) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000)</p>			
 	32 847 000	chrome	226.00
<p>Eurosmart Cosmopolitan Solid basin mixer, 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower swivel tubular spout projection 400 mm S-unions</p>			
 	19 383 000	chrome	129.00
<p>Eurosmart Cosmopolitan Single-lever shower mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>			
<p>35 501 000 GROHE Rapido E Universal single-lever mixer for concealed installation</p>			chrome 97.00
 	19 382 000	chrome	141.00
<p>Eurosmart Cosmopolitan Single-lever bath mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>			
<p>35 501 000 GROHE Rapido E Universal single-lever mixer for concealed installation</p>			chrome 97.00

GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)

	<p>25 183 000</p>	<p>chrome</p>	<p>435.00</p>
	<p>13 261 000</p>	<p>chrome</p>	<p>93.00</p>
	<p>13 262 000</p>	<p>chrome</p>	<p>107.00</p>

Eurosmart Cosmopolitan

Perfect shower set with Euphoria Cosmopolitan 180

consisting of:

Eurosmart Cosmopolitan set for final installation (19 382 000)

GROHE Rapido E single-lever mixer for

concealed installation (35 501 000)

head shower Euphoria Cosmopolitan 180

(27 491 000)

Rainshower shower arm modern (28 576 000)

New Tempesta 100 hand shower (27 597 000)

shower outlet elbow (28 628 000)

Silverflex shower hose 1 250 mm (28 362 000)

min. recommended pressure 1.0 bar

Eurosmart Cosmopolitan

Bath spout

wall mounted

GROHE StarLight chrome finish

mousseur

male thread 1/2"

projection 170 mm

min. recommended pressure 1.0 bar

Eurosmart Cosmopolitan

Bath spout

wall mounted

GROHE StarLight chrome finish

mousseur

automatic diverter: bath/shower

male thread 1/2"

projection 170 mm

GROHE EUROSMART



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy



GROHE
QuickFix

GROHE COMBINATIONS EUROS MART

BATHROOM FAUCETS




Eurosmart

THERMOSTATS



Grotherm 1000



Grotherm 1000

HEAD SHOWERS & SHOWER SYSTEMS



Tempesta 100



Tempesta Cosmopolitan
System 160

HAND SHOWERS



Tempesta 100

ACCESSORIES & ACTUATIONS FOR WC




Essentials



Skate Air


Ref. No. Colour Price netto (€)



23 788 002 chrome 73.00


Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 3.8 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

33 265 002 chrome 90.00
ditto, with GROHE EcoJoy mousseur 5.7 l/min




23 588 000 chrome 113.00

Eurosmart
Single-lever basin mixer with angle valves, 1/2"
consisting of
Eurosmart single-lever basin mixer, 1/2" (33 265 002)
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
angle valve, 1/2" (2 x 22 037 000)




33 188 002 chrome 85.00

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
retractable chain
flexible connection hoses




23 124 002 chrome 151.00

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
retractable chain
GROHE QuickFix rapid installation system
flexible connection hoses
with shower set consisting of:
hand shower with integrated diverter
wall shower holder
shower hose




32 467 002 **chrome** **85.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
GROHE StarLight chrome finish
 with temperature limiter
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 smooth body
 flexible connection hoses




23 322 001 **chrome** **104.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 324 001 **chrome** **98.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 smooth body
 flexible connection hoses



23 537 002 **chrome** **145.00**

Eurosmart
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 swivel tubular spout
 swivel area 360°
 pop-up waste set 1 1/4"
 flexible connection hoses




23 789 002 **chrome** **73.00**

Eurosmart
Single-lever bidet mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 3.8 l/min
GROHE QuickFix rapid installation system
 with ball joint
 pop-up waste set 1 1/4"
 flexible connection hoses


32 929 002 **chrome** **90.00**
 ditto, with **GROHE EcoJoy** mousseur 5.7 l/min

Ref. No. Colour Price netto (€)




33 555 002 **chrome** **94.00**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow




33 412 002 **chrome** **121.00**

Eurosmart
Single-lever bath mixer 1/2"
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge with Eco-Override-Stop
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
flexible connection hoses
protected against backflow



33 300 002 **chrome** **113.00**











Eurosmart
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow



33 302 002 **chrome** **143.00**

Eurosmart
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
with shower set
consisting of:
hand shower New Tempesta 100, 1 spray, 9.5 l/min (27 923 000)
wall shower holder (28 605 000)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)

GROHE EUROSMART

	Ref. No.	Colour	Price netto (€)
 	19 451 002 Eurosmart Single-lever shower mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation escutcheon- and shaft-sealing metal wall escutcheon	chrome	109.00
 	19 450 002 Eurosmart Single-lever bath mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon	chrome	122.00
 	19 970 002 Eurosmart 3-way diverter for use with diverter rough-in valve 29 706 000 without concealed body GROHE StarLight chrome finish	chrome	49.00
 	19 972 002 Eurosmart 5-way diverter for use with diverter rough-in valve 29 708 000 without concealed body GROHE StarLight chrome finish	chrome	49.00
 	29 708 000 5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing discs connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" protection sleeve installation depth infinitely adjustable 24-60 mm DR-brass	chrome	268.00

GROHE BAUEDGE



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy

GROHE COMBINATIONS BAUEDGE

BATHROOM FAUCETS



BauEdge

THERMOSTATS



Grohtherm 800

HEAD SHOWERS & SHOWER SYSTEMS



Tempesta
Cosmopolitan 100



Tempesta Cosmopolitan
System 160

HAND SHOWERS



Tempesta
Cosmopolitan 100

ACCESSORIES & ACTUATIONS FOR WC




Essentials




Skate Air


Ref. No. Colour Price netto (€)




20 421 000 **chrome** **59.00**
BauEdge
Pillar tap 1/2"
XS-Size
single hole installation
 metal lever
 ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 fixation nut G 1/2"
 min. recommended pressure 1.0 bar




23 328 000 **chrome** **75.00**
BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses




23 330 000 **chrome** **70.00**
BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 758 000 **chrome** **77.00**
BauEdge
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses



23 759 000 **chrome** **77.00**
BauEdge
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE Longlife ES 28 mm ceramic cartridge
 with energy saving function via cold start
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses



23 760 000


chrome

88.00

BauEdge
Single-lever basin mixer 1/2"
L-Size

single hole installation
metal lever

GROHE LongLife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
pop-up waste set 1 1/4"
flexible connection hoses



23 331 000

chrome

75.00

BauEdge
Single-lever bidet mixer 1/2"
single hole installation

metal lever


GROHE LongLife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

23 332 000

chrome

70.00

ditto, with retractable chain




23 333 000

chrome

75.00

BauEdge
Single-lever shower mixer 1/2"
wall mounted
metal lever

GROHE LongLife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308 000




23 334 000

chrome

93.00

BauEdge
Single-lever bath mixer 1/2"
wall mounted
metal lever

GROHE LongLife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308 000



29 078 000

chrome

117.00

BauEdge
Single-lever shower mixer 1/2"
concealed installation
consisting of:

set for final installation
concealed body (33 964)
metal lever
GROHE LongLife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308 000

Ref. No.


Colour

Price netto (€)

29 079 000

chrome

128.00



BauEdge

Single-lever bath mixer 1/2"

concealed installation

consisting of:

set for final installation

concealed body (32 963000)

metal lever

GROHE Longlife 46 mm ceramic cartridge

GROHE StarLight chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

escutcheon- and shaft-sealing

optional temperature limiter ref. no. 46 308 000

GROHE BAULOOP



GROHE
SilkMove



GROHE
StarLight



GROHE
EcoJoy

GROHE COMBINATIONS BAULOOP

BATHROOM FAUCETS



BauLoop

THERMOSTATS



Grohtherm 800

HEAD SHOWERS & SHOWER SYSTEMS



Tempesta
Cosmopolitan 100



Tempesta Cosmopolitan
System 160

HAND SHOWERS



Tempesta
Cosmopolitan 100

ACCESSORIES & ACTUATIONS FOR WC




Essentials




Skate Air

GROHE BAULOOP

Ref. No. Colour Price netto (€)



20 422 000 **chrome** **59.00**
BauLoop
Pillar tap 1/2"
XS-Size
single hole installation
 metal lever
 ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 fixation nut G 1/2"
 min. recommended pressure 1.0 bar




23 335 000 **chrome** **75.00**
BauLoop
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses

23 336 000 **chrome** **71.00**
 ditto, with retractable chain


23 337 000 **chrome** **71.00**
 ditto, smooth body

new




23 762 000 **chrome** **77.00**
BauLoop
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

new




23 763 000 **chrome** **88.00**
BauLoop
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 swivel tubular spout
 pop-up waste set 1 1/4"
 flexible connection hoses

new



23 764 000 **chrome** **104.00**
BauLoop
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 smooth body
 flexible connection hoses




23 338 000

chrome

75.00

BauLoop
Single-lever bidet mixer 1/2"
single hole installation

metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses





23 340 000

chrome

75.00

BauLoop
Single-lever shower mixer 1/2"

wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308 000




23 341 000

chrome

93.00

BauLoop
Single-lever bath mixer 1/2"

wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308 000




29 080 000

chrome

117.00

BauLoop
Single-lever shower mixer 1/2"

concealed installation
consisting of:
set for final installation
concealed body (33 964)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308 000



29 081 000

chrome

128.00











BauLoop
Single-lever bath mixer 1/2"









concealed installation
consisting of:
set for final installation
concealed body (32 963000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308 000

GROHE BAUFLOW

new



new			<p>20 575 000</p> <p>BauFlow Pillar tap 1/2" XS-Size single hole installation metal lever ceramic headpart 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min fixation nut G 1/2"</p>	chrome	44.00
new			<p>23 751 000</p> <p>BauFlow Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>	chrome	61.00
new			<p>23 752 000</p> <p>BauFlow Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>	chrome	59.00
new			<p>23 753 000</p> <p>BauFlow Single-lever basin mixer 1/2" L-Size single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system swivel tubular spout pop-up waste set 1 1/4" flexible connection hoses</p>	chrome	88.00
new			<p>23 754 000</p> <p>BauFlow Single-lever bidet mixer 1/2" single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min with ball joint rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>	chrome	61.00


	Ref. No.	Colour	Price netto (€)
<p>new</p>  	23 755 000	chrome	63.00
	<p>BauFlow Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>		
<p>new</p>  	23 756 000	chrome	76.00
	<p>BauFlow Single-lever bath mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur integrated non-return valve S-unions metal wall escutcheons protected against backflow</p>		
<p>new</p>  	29 112 000	chrome	105.00
	<p>BauFlow Single-lever shower mixer concealed installation consisting of: set for final installation concealed body (33 964) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing metal wall escutcheon</p>		
<p>new</p>  	29 113 000	chrome	117.00
	<p>BauFlow Single-lever bath mixer concealed installation consisting of: set for final installation concealed body(33 963) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>		

GROHE SILKMOVE ES




GROHE SILKMOVE ES

Ref. No. Colour Price netto (€)



23 790 001 chrome 171.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 390 00E chrome 202.00

Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses


23 392 00E chrome 197.00

ditto, smooth body




23 379 001 chrome 142.00

Essence New
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 384 20E chrome 155.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFixPlus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses




23 385 10E chrome 129.00


Concetto
Single-lever basin mixer 1/2"
S-Size
metal lever
single hole installation
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

GROHE SILKMOVE ES


Ref. No. Colour Price netto (€)




23 387 20E **chrome** **124.00**
Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 374 003 **chrome** **111.00**
23 374 LS3 **moon white/chrome** **144.00**
Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
 loop metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses



23 709 003 **chrome** **106.00**
23 709 LS3 **moon white/chrome** **138.00**
Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
 solid metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 377 00E **chrome** **104.00**
Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
 with centering support
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar

GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)



23 396 00E

chrome


120.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size

single hole installation
metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter

GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar



32 926 002

chrome

90.00

Eurosmart
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter


GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

32 154 002

chrome

85.00

ditto, smooth body



23 393 10E

chrome

104.00

Eurosmart
Single-lever basin mixer 1/2"
M-Size

single hole installation
metal lever

GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter

GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 395 10E

chrome

98.00

ditto, smooth body

GROHE COSTA L




GROHE COSTA L

Ref. No.

Colour

Price netto (€)




21 390 001

chrome

173.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish




21 337 001

chrome

83.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
retractable chain
flexible connection hoses
GROHE StarLight chrome finish




26 330 001

chrome

85.00

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish




25 450 001

chrome

121.00

Costa L
Bath mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish













25 460 001

chrome

152.00

Costa L
Bath mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
with shower set
consisting of:
hand shower New Tempesta 100, 1 spray, 9.5 l/min (27 923 000)
wall shower holder (28 605 000)
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000)
GROHE StarLight chrome finish


		Ref. No.	Colour	Price netto (€)
		30 484 001	chrome	51.00
<p>Costa L Bibtap 1/2" wall mounted metal handle heat-insulated marking: blue GROHE StarLight finish mousseur Longlife-headparts swivel tubular spout swivel area 360° projection 200 mm</p>				
		19 808 001	chrome	26.00
<p>Costa L Concealed valve exposed part for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue GROHE StarLight chrome finish</p>				
		19 806 001	chrome	43.00
<p>Costa L Concealed valve exposed part for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20 - 200 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue GROHE StarLight chrome finish</p>				
		29 800 000	chrome	24.00
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass</p>				
		29 802 000	chrome	43.00
<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>				
		29 805 000	chrome	63.00
<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>				
		29 801 000	chrome	23.00
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve soldered connection Ø15 mm DR-brass</p>				
		29 803 000	chrome	38.00
<p>ditto, soldered connection Ø 18 mm</p>				
		29 804 000	chrome	41.00
<p>ditto, soldered connection Ø 22 mm</p>				

GROHE UNIVERSAL TAP




GROHE UNIVERSAL TAP


Ref. No. Colour Price netto (€)




20 201 000 **chrome** **99.00**
Universal pillar tap DN15
 C-spout
 Flow rate: 6l/min at 3 bar flow pressure
 Flow-Stop mousseur
 ceramic headpart
 union nut 1/2"
 with 10.5 mm drilling
GROHE StarLight chrome finish
 projection 113 mm



20 202 000 **chrome** **107.00**
Universal pillar tap DN15
 7°-spout
 Flow rate: 6l/min at 3 bar flow pressure
 Flow-Stop mousseur
 ceramic headpart
 union nut 1/2"
 with 10.5 mm drilling
GROHE StarLight chrome finish
 projection 114 mm



20 205 000 **chrome** **86.00**
Universal wall-mounted tap DN15
 Flow rate: 6l/min at 3 bar flow pressure
 Flow-Stop mousseur
 ceramic headpart
 connection thread 1/2"
GROHE StarLight chrome finish
 projection 106 mm



20 203 000 **chrome** **87.00**
Universal wall-mounted tap DN15
 Flow rate: 6l/min at 3 bar flow pressure
 Flow-Stop mousseur
 ceramic headpart
 connection thread 1/2"
GROHE StarLight chrome finish
 projection 185 mm

GROHE TALENTOFILL



GROHE TALENTOFILL

	Ref. No.	Colour	Price netto (€)
 	19 952 000	chrome	163.00
<p>Talentofill Inlet-, pop-up and waste-system set for final installation consisting of: escutcheon, supply part, waste plug, fixing set in combination with Talentofill 28 990/28 991 GROHE StarLight chrome finish</p>			
 	28 990 000	chrome	161.00
<p>Talentofill Inlet-, pop-up and waste-system for normal bath tubs without finishing trim set with bottle trap and 45°-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)</p>			
 	28 991 000	chrome	145.00
<p>Talentofill Inlet-, pop-up and waste-system for body formed bath tubs without finishing trim set with bottle trap and 45°-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)</p>			
 	28 993 000	chrome	54.00
<p>Talentofill Connection set 3/4" with 1.5 m-flexible connection pipe without finishing trim set</p>			
 	28 995 000	chrome	237.00
<p>Talentofill Connection set 3/4" with concealed anti-vacuum device consisting of: -concealed-pipe-interrupter (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)</p>			
 	19 954 000	chrome	17.00
<p>Talentofill Escutcheon for connection set 28 995 GROHE StarLight chrome finish</p>			

GROHE TALENTOFILL

	Ref. No.	Colour	Price netto (€)
	29 007 000 Safety Combination (EN 1717) for Rapido T 35 500 000 re-fitting-set for backflow protection, for use with inlet- pop-up and waste-sets e.g.: Talentofill 28 990 000 or 28 991 000 replaces use of pipe interrupter, therefore no additional escutcheon necessary	chrome	162.00
	29 008 000 Safety Combination (EN 1717) for Rapido E 35 501 000 re-fitting-set for backflow protection, for use with inlet- pop-up and waste-sets e.g.: Talentofill 28 990 000 or 28 991 000 replaces use of pipe interrupter, therefore no additional escutcheon necessary	chrome	76.00
	14 055 000 Backflow protection combination (DIN-EN1717) fits Grohtherm SmartControl and SmartControl mixer sets for final installation with 2 valves retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use	chrome	131.00
 	19 025 000 Talento Waste and overflow set for bath tubes set for final installation escutcheon, waste plug, fixing set in combination with Talentofill 28 939/28 943 GROHE StarLight chrome finish	chrome	54.00
	28 939 000 Talento Pop-up bath waste and overflow set for normal bath and deep shower trays with bowden cable without finishing trim set bottle trap 45° waste elbow	chrome	75.00
	28 943 000 Talento Pop-up bath waste and overflow set for special baths with bowden cable without finishing trim set bottle trap 45° waste elbow	chrome	84.00

* price upon request

GROHE SELECTION CUBE


new



GROHE SELECTION CUBE

Ref. No. Colour Price netto (€)

new



40 865 000


chrome

45.00

**Selection Cube
Holder**

for Selection Cube glass (40 789 000),
Selection Cube soap dish (40 806 000) or
Selection Cube soap dispenser (40 805 000)
material: metal
concealed fastening
GROHE StarLight chrome finish

new



40 805 000


chrome

62.00

**Selection Cube
Soap dispenser**

material: glass / metal
GROHE StarLight finish
fits in the following holder:
Selection Cube (40 865 000)

new



40 806 000


daVinci satin white

41.00

**Selection Cube
Soap dish**

material: glass
fits in the following holder:
Selection Cube (40 865 000)

new



40 783 000


daVinci satin white

33.00

**Selection Cube
Glass**

material: glass
fits in the following holder:
Selection Cube (40 865 000)

new



40 766 000


chrome

71.00

**Selection Cube
Towel ring**

material: metal
concealed fastening
GROHE StarLight finish

new



40 768 000













chrome

199.00

**Selection Cube
Double towel bar**

material: metal
concealed fastening
2 arms, pivotable
400 mm
GROHE StarLight finish


GROHE SELECTION CUBE

	Ref. No.	Colour	Price netto (€)
<p>new</p>  	<p>40 767 000</p> <p>Selection Cube Towel rail material: metal 500 mm (functional length 459 mm) concealed fastening GROHE StarLight finish</p>	chrome	133.00
<p>new</p>  	<p>40 804 000</p> <p>Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE StarLight finish</p>	chrome	373.00
<p>new</p>  	<p>40 782 000</p> <p>Selection Cube Robe hook material: metal concealed fastening GROHE StarLight finish</p>	chrome	37.00
<p>new</p>  	<p>40 807 000</p> <p>Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE StarLight finish</p>	chrome	208.00
<p>new</p>  	<p>40 781 000</p> <p>Selection Cube Toilet paper holder material: metal concealed fastening with cover GROHE StarLight finish</p>	chrome	108.00
<p>new</p>  	<p>40 784 000</p> <p>Selection Cube Reserve toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight finish</p>	chrome	50.00

GROHE SELECTION CUBE

Ref. No. Colour Price netto (€)

new



40 857 000

chrome

146.00

**Selection Cube
Toilet brush set**
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight finish

40 870 000

chrome

12.00

Spare brush head

40 868 000

chrome

40.00

Spare brush


40 867 000

chrome

51.00

Spare glass

new




40 809 000

chrome

146.00

**Selection Cube
Corner shelf**
material: metal
for corner installation
GROHE StarLight finish

new



40 808 000

chrome







183.00

**Selection Cube
Cosmetic mirror**
material: glass / metal
wall mounted
concealed fastening
magnification: x 3
GROHE StarLight finish













GROHE ESSENTIALS















GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)
 	40 369 001	chrome	30.00
	40 369 DC1	supersteel	33.00
<p>Essentials Holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>			
 	40 394 001	chrome	25.00
	<p>Essentials Soap dispenser material: glass / metal fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish</p>		
 	40 368 001	chrome	8.00
	<p>Essentials Soap dish material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>		
 	40 372 001	chrome	8.00
	<p>Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>		
 	40 448 001	chrome	54.00
	40 448 DC1	supersteel	60.00
<p>Essentials Soap dispenser with holder material: glass / metal consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>			
 	40 444 001	chrome	38.00
	40 444 DC1	supersteel	42.00
<p>Essentials Soap dish with holder material: glass / metal consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>			













GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)
	40 447 001	chrome	39.00
	40 447 DC1	supersteel	42.00
	<p>Essentials Crystal glass with holder material: glass / metal consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening GROHE StarLight chrome finish</p>		
	40 365 001	chrome	30.00
	40 365 DC1	supersteel	33.00
	<p>Essentials Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>		
	40 371 001	chrome	53.00
	40 371 DC1	supersteel	58.00
	<p>Essentials Towel bar material: metal 2 arms, pivotable 449 mm concealed fastening GROHE StarLight chrome finish</p>		
	40 688 001	chrome	43.00
	40 688 DC1	supersteel	48.00
	<p>Essentials Towel rail material: metal 504 mm (functional length 450 mm) concealed fastening GROHE StarLight chrome finish</p>		
	40 366 001	chrome	47.00
	40 366 DC1	supersteel	52.00
	<p>Essentials Towel rail material: metal 654 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish</p>		
	40 386 001	chrome	59.00
	40 386 DC1	supersteel	66.00
	<p>Essentials Towel rail material: metal 854 mm (functional length 800 mm) concealed fastening GROHE StarLight chrome finish</p>		

GROHE ESSENTIALS











	Ref. No.	Colour	Price netto (€)
	40 802 001 40 802 DC1	chrome supersteel	76.00 90.00
	 <p> Essentials Double towel rail material: metal 654 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish </p>		
	40 800 001 40 800 DC1	chrome supersteel	148.00 176.00
	 <p> Essentials Multi bath towel rack material: metal 604 mm (functional length 550 mm) concealed fastening GROHE StarLight chrome finish </p>		
	40 364 001 40 364 DC1	chrome supersteel	17.00 18.00
	 <p> Essentials Robe hook material: metal concealed fastening GROHE StarLight chrome finish </p>		
	40 421 001 40 421 DC1	chrome supersteel	47.00 52.00
	 <p> Essentials Grip bar material: metal 349 mm (functional length 295 mm) concealed fastening GROHE StarLight chrome finish </p>		
	40 795 001 40 795 DC1	chrome supersteel	93.00 111.00
	 <p> Essentials Grip bar material: metal 957 mm (functional length 900 mm) concealed fastening GROHE StarLight chrome finish </p>		
	40 796 001 40 796 DC1	chrome supersteel	108.00 129.00
	 <p> Essentials Grip bar material: metal 1123 mm (functional length 1066 mm) concealed fastening GROHE StarLight chrome finish </p>		

GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)
 	40 793 001 40 793 DC1	chrome supersteel	63.00 *
<p>Essentials Grip bar material: metal 507 mm (functional length 450 mm) concealed fastening GROHE StarLight chrome finish</p>			
 	40 794 001 40 794 DC1	chrome supersteel	76.00 90.00
<p>Essentials Grip bar material: metal 657 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish</p>			
 	40 797 001	chrome	196.00
<p>Essentials Grip bar material: metal 737 x 997 mm (functional length 680 x 940 mm) concealed fastening GROHE StarLight chrome finish</p>			
 	40 799 001 40 799 DC1	chrome supersteel	50.00 60.00
<p>Essentials Glass shelf material: glass / metal 530 mm (functional length 380 mm) concealed fastening GROHE StarLight chrome finish</p>			
 	40 689 001 40 689 DC1	chrome supersteel	35.00 39.00
<p>Essentials Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>			
 	40 367 001 40 367 DC1	chrome supersteel	39.00 43.00
<p>Essentials Toilet paper holder material: metal with cover concealed fastening GROHE StarLight chrome finish</p>			

* price upon request


GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)
 	40 385 001 40 385 DC1	chrome supersteel	26.00 33.00
Essentials Spare toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight chrome finish			
 	40 374 001 40 374 DC1	chrome supersteel	49.00 54.00
Essentials Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish			
	40 392 000 Spare brush	chrome	34.00
	40 393 000 Spare glass	daVinci satin white	27.00
 	40 407 001 40 407 DC1	chrome supersteel	94.00 104.00
Essentials City restroom accessories set 3-in-1 material: glass / metal consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish			
 	40 775 001 40 775 DC1	chrome supersteel	92.00 103.00
Essentials Guest bathroom accessories set 3-in-1 material: metal consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish			
 	40 776 001 40 776 DC1	chrome supersteel	119.00 132.00
Essentials Master bathroom accessories set 4-in-1 material: metal consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE StarLight chrome finish			

Ref. No.

Colour

Price netto (€)



40 846 001

chrome

125.00

Essentials

Master bathroom accessories set 4-in-1

material: metal

consisting of:

soap dispenser with holder (40 448 001)

crystal glass with holder (40 447 001)

double towel bar (40 371 001)

robe hook (40 364 001)

concealed fastening



GROHE StarLight finish

GROHE ESSENTIALS CUBE




GROHE ESSENTIALS CUBE

Ref. No. Colour Price netto (€)




40 508 001 **chrome** **39.00**

Essentials Cube Holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish




40 394 001 **chrome** **25.00**

Essentials Soap dispenser
material: glass / metal
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish




40 368 001 **chrome** **8.00**

Essentials Soap dish
material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)




40 372 001 **chrome** **8.00**

Essentials Crystal glass
material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 756 001 **chrome** **63.00**













Essentials Cube Soap dispenser with holder
material: glass / metal
consisting of:
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish















40 755 001 **chrome** **49.00**

Essentials Cube Crystal glass with holder
material: glass / metal
consisting of:
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS CUBE



	Ref. No.	Colour	Price netto (€)
 	40 754 001	chrome	48.00
<p>Essentials Cube Soap dish with holder material: glass / metal consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>			
 	40 510 001	chrome	54.00
<p>Essentials Cube Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>			
 	40 624 001	chrome	76.00
<p>Essentials Cube Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish</p>			
 	40 509 001	chrome	56.00
<p>Essentials Cube Towel rail material: metal 600 mm (functional length 558 mm) concealed fastening GROHE StarLight chrome finish</p>			
 	40 512 001	chrome	196.00
<p>Essentials Cube Multi-towel rack material: metal 600 mm (functional length 558 mm) concealed fastening GROHE StarLight chrome finish</p>			
 	40 511 001	chrome	22.00
<p>Essentials Cube Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>			

GROHE ESSENTIALS CUBE

	Ref. No.	Colour	Price netto (€)
 	40 514 001 Essentials Cube Grip bar material: metal 392 mm (functional length 340 mm) concealed fastening GROHE StarLight chrome finish	chrome	81.00
 	40 507 001 Essentials Cube Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish	chrome	43.00
 	40 623 001 Essentials Cube Spare toilet paper holder material: metal concealed fastening GROHE StarLight chrome finish	chrome	38.00
 	40 513 001 Essentials Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish	chrome	79.00
	40 392 000 Spare brush	chrome	34.00
	40 393 000 Spare glass	daVinci satin white	27.00
 	40 757 001 Essentials Cube City restroom accessories set 3-in-1 material: glass / metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE StarLight chrome finish	chrome	131.00
 	40 777 001 Essentials Cube Guest bathroom accessories set 3-in-1 material: metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE StarLight chrome finish	chrome	115.00


GROHE ESSENTIALS CUBE

Ref. No. Colour Price netto (€)



40 778 001 **chrome** **163.00**

Essentials Cube
Master bathroom accessories set 4-in-1
 material: metal
 consisting of:
 robe hook (40 511 001)
 towel ring (40 510 001)
 toilet paper holder (40 507 001)
 towel rail, 558 mm (40 509 001)
 concealed fastening
GROHE StarLight chrome finish



40 847 001 **chrome** **162.00**

Essentials Cube
Bathroom accessories set 4-in-1
 material: glass / metal
 consisting of:
 soap dispenser with holder (40 756 001)
 crystal glass with holder (40 755 001)
 double towel bar (40 624 001)
 robe hook (40 511 001)
 concealed fastening
GROHE StarLight finish

GROHE BAU COSMOPOLITAN


new



GROHE BAUCOSMOPOLITAN


Ref. No. Colour Price netto (€)

new




40 585 001 chrome 23.00

BauCosmopolitan Holder
material: metal
for crystal glass (40 372 001),
soap dish (40 368 001) or
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish




40 394 001 chrome 25.00

Essentials Soap dispenser
material: glass / metal
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish



40 368 001 chrome 8.00


Essentials Soap dish
material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 372 001 chrome 8.00

Essentials Crystal glass
material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)


new



40 460 001 chrome 20.00

BauCosmopolitan Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish













new



40 459 001 chrome 33.00

BauCosmopolitan Towel rail
material: metal
522 mm (functional length 430 mm)
concealed fastening
GROHE StarLight chrome finish

GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
<p>new</p>  	<p>40 462 001</p> <p>BauCosmopolitan Multi-towel rack material: metal 564 mm (functional length 510 mm) concealed fastening GROHE StarLight chrome finish</p>	chrome	118.00
<p>new</p>  	<p>40 461 001</p> <p>BauCosmopolitan Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>	chrome	14.00
<p>new</p>  	<p>40 457 001</p> <p>BauCosmopolitan Paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>	chrome	29.00
<p>new</p>  	<p>40 463 001</p> <p>BauCosmopolitan Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p> <p>40 392 000 Spare brush</p> <p>40 393 000 Spare glass</p>	chrome	37.00
<p>new</p>  	<p>40 663 001</p> <p>BauCosmopolitan Large corner basket material: metal for corner installation GROHE StarLight chrome finish</p>	chrome	63.00
<p>new</p>  	<p>40 664 001</p> <p>BauCosmopolitan Filling basket, small material: metal for corner installation GROHE StarLight chrome finish</p>	chrome	50.00

GROHE ESSENTIALS AUTHENTIC


new



GROHE ESSENTIALS AUTHENTIC


Ref. No. Colour Price netto (€)

new




40 652 001 chrome 28.00

Essentials Authentic Holder
material: metal
for crystal glass (40 372 001),
soap dish (40 368 001) or
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish




40 394 001 chrome 25.00

Essentials Soap dispenser
material: glass / metal
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish



40 368 001 chrome 8.00


Essentials Soap dish
material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 372 001 chrome 8.00

Essentials Crystal glass
material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)


new



40 655 001 chrome 28.00

Essentials Authentic Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish













new



40 653 001 chrome 44.00

Essentials Authentic Towel rail
material: metal
626 mm (functional length 582 mm)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	Price netto (€)
<p>new</p>  	<p>40 654 001</p> <p>Essentials Authentic Double towel rail material: metal 626 mm (functional length 582 mm) concealed fastening GROHE StarLight chrome finish</p>	chrome	76.00
<p>new</p>  	<p>40 660 001</p> <p>Essentials Authentic Multi-towel rack material: metal 586 mm (functional length 542 mm) concealed fastening GROHE StarLight chrome finish</p>	chrome	148.00
<p>new</p>  	<p>40 656 001</p> <p>Essentials Authentic Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>	chrome	16.00
<p>new</p>  	<p>40 657 001</p> <p>Essentials Authentic Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>	chrome	33.00
<p>new</p>  	<p>40 658 001</p> <p>Essentials Authentic Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>	chrome	46.00
	<p>40 392 000</p> <p>Spare brush</p>	chrome	34.00
	<p>40 393 000</p> <p>Spare glass</p>	daVinci satin white	27.00
<p>new</p>  	<p>40 659 001</p> <p>Essentials Authentic Filling basket, small material: metal concealed fastening GROHE StarLight chrome finish</p>	chrome	46.00

GROHTHERM
THERMOSTATS



**Contents**

Grotherm SmartControl	35
Grotherm F	36
Grotherm 3000 Cosmopolitan	37
Grotherm 2000	38
Grotherm Cube	39
Grotherm 1000 Cosmopolitan M	40
Grotherm 1000	41
Grotherm 800	42
Grotherm Micro	43

SAFETY NOTE**Avoiding scalding**

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43 ° C. The Grotherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38 ° C. In these cases we recommend the Grotherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.


GROHE TURBOSTAT



Always the right temperature, for ultimate convenience and safety.


GROHE TurboStat technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



Exceptionally swift reaction to water-pressure fluctuations.

- **without** GROHE TurboStat
- **with** GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



GROHE COOLTOUCH




Safety first with 100% GROHE CoolTouch.


GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface - so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.




Safety surround = 100% GROHE CoolTouch No risk of scalding



Safety housing with water cooling



Thermal image
without GROHE CoolTouch




Thermal image
with GROHE CoolTouch

GROHTHERM 3000 COSMOPOLITAN

Minimalist & 100% GROHE CoolTouch.

Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50%.



GROHTHERM 2000

100% GROHE CoolTouch, advanced ergonomics & EasyReach tray.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL WaterFall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100% GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 is available as classic exposed shower thermostat, as a variant with GROHE EasyReach storage and in trim sets for concealed installation.



GROHTHERM CUBE

100% Cube.

For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From its Cubist design and its water-saving options to the smart EasyReach soap tray – the new Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic faucet and shower designs.



GROHE EasyReach

Easily accessible storage by optional shelf. Easy to clean.

GROHE Aquadimmer Eco

The water-saving system for bath and shower.

GROHE TurboStat

For a perfect water temperature at all times.

GROHE XL Waterfall

Wide bath spout with XL-size silent water flow.

GROHTHERM 1000 COSMOPOLITAN

Minimalistic design with ergonomic metal handle.


Offering quality, technology and design at a competitive price, Grohtherm 1000 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.



GROHTHERM 1000

Ultimate comfort with GROHE CoolTouch.

Enjoy taking a refreshing shower more than ever before. The Grohtherm 1000 with contemporary design offers the new GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.




GROHTHERM F MAXIMUM FLEXIBILITY FOR THE INDIVIDUAL GROHE SPA EXPERIENCE

The Advantages



- Consistent Design – high quality workmanship with solid metal handles and wall plates
- Perfect match with GROHE Rainshower F showers, GROHE Allure faucets and GROHE Cosmopolitan style ranges
- Modular sized controls allow for custom made layouts for shower & bath/shower
- Maximum flexibility – controls 3 or more Showers
- GROHE Rapido behind the wall system for easy and safe installation – all build-in parts with installation box, lugs for easy fixation, markings for aligned positioning, acoustic insulation and gasket for sealing

INSTALLATION EXAMPLES

Version 1: central thermostat



Version 2: thermostat with Aquadimmer



Note:

Minimum installation distance of the Trim Sets is 12 cm by using the current piping systems with press fittings or soldered connections

Materials version 1		
Qty	Product no.	Description
1	27 619 000	Thermostat trim set
1	35 500 000	Rapido T
1	27 625 000	Triple volume control trim set
1	35 031 000	Concealed valve for triple volume control 27 625
1	27 621 000	Wall union with integrated shower holder
1	35 034 000	Concealed installation box for wall union
1	27 286 000	Rainshower F20 ceiling shower
6	27 251 000	Rainshower F5 side shower
1	28 034 000	Sena metal hand shower
1	28 417 000	Rotaflex metal shower hose 1500 mm

Materials version 2		
Qty	Product no.	Description
1	27 618 000	Thermostat trim set with integrated 2-way diverter
1	35 500 000	Rapido T
1	27 623 000	Single volume control trim set
1	35 028 000	Concealed valve for single volume control trim 27 623
1	27 621 000	Wall union with integrated shower holder
1	35 034 000	Concealed installation box for wall union
1	27 286 000	Rainshower F20 ceiling shower
6	27 251 000	Rainshower F5 side shower
1	28 034 000	Sena metal hand shower
1	28 417 000	Rotaflex metal shower hose 1500 mm

Flow pressure related configurations to power head- and side showers at the same time				
Number of body jets	Head shower	Hand shower	Condition	Min. flow pressure (hot & cold water)
6 x 27 251 000 body jets Rainshower F-Series 5"	1 x 27 286 000 ceiling shower Rainshower F-Series 20"	1 x 27 034 000 hand shower Sena	6 body jets and ceiling showers can be powered at the same time: head shower: approx. 12 l/min. /body jets: approx. 5 l/min each	3 bar
4 x 27 251 000 body jets Rainshower F-Series 5"	1 x 27 286 000 ceiling shower Rainshower F-Series 20"	1 x 27 034 000 hand shower Sena	4 body jets and ceiling showers can be powered at the same time: head shower: approx. 12 l/min. /body jets: approx. 5 l/min each	2 bar
3 x 27 251 000 body jets Rainshower F-Series 5"	1 x 27 286 000 ceiling shower Rainshower F-Series 20"	1 x 27 034 000 hand shower Sena	3 body jets and ceiling showers can be powered at the same time: head shower: approx. 14 l/min. /body jets: approx. 5 l/min each	1.5 bar
2 x 27 251 000 body jets Rainshower F-Series 5"	1 x 27 286 000 ceiling shower Rainshower F-Series 20"	1 x 27 034 000 hand shower Sena	2 body jets and ceiling showers can be powered at the same time: head shower: approx. 12 l/min. /body jets: approx. 5 l/min each	1 bar

GROHE GROHTHERM SMARTCONTROL

new

THERMOSTATS



GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour


Price netto (€)

new

29 123 000

chrome

411.00




Grotherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
 SmartControl push for ON-OFF, turn for volume
 adjustment from EcoJoy to Full Flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
 temperature limiter at 43° C
 built-in non return valves and dirt strainers
 without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min

new

29 124 000

chrome

447.00




Grotherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
 SmartControl push for ON-OFF, turn for volume
 adjustment from EcoJoy to Full Flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
 temperature limiter at 43° C
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min

new

29 125 000

chrome

532.00



Grotherm SmartControl
Thermostat for concealed installation
with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
 SmartControl push for ON-OFF, turn for volume
 adjustment from EcoJoy to Full Flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
 temperature limiter at 43° C
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min

GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour

Price netto (€)


THERMOSTATS

new

29 126 000

chrome

483.00



Grotherm SmartControl

Thermostat for concealed installation with 3 valves


set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
 SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow, exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min

new

29 127 000

chrome

295.00



Grotherm SmartControl

Triple volume control trim


set for final installation for GROHE Rapido SmartBox 35 600 000/35 601 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
 SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow, exchangeable symbols
 multiple outlets can be run simultaneously without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min

new

29 153 LS0

moon white

529.00



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
 SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow, exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
 built-in non return valves and dirt strainers
face-plate in moon white
 without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min

GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour


Price netto (€)

new

29 156 LSO

moon white

566.00



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight finish

SmartControl push for ON-OFF, turn for volume
adjustment from EcoJoy to Full Flow
exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C

built-in non return valves and dirt strainers
multiple outlets can be run simultaneously

face-plate in moon white

without roughing-in-set

flow performance:

outlet B = 24 l/min


outlet C = 26 l/min

new

29 157 LSO

moon white

602.00



Grotherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

SmartControl push for ON-OFF, turn for volume
adjustment from EcoJoy to Full Flow
exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C

built-in non return valves and dirt strainers
multiple outlets can be run simultaneously

face-plate in moon white

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min


outlet C = 23 l/min

new

29 158 LSO

moon white

373.00



Grotherm SmartControl Triple volume control trim

set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

SmartControl push for ON-OFF, turn for volume
adjustment from EcoJoy to Full Flow
exchangeable symbols

multiple outlets can be run simultaneously

face-plate in moon white

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour

Price netto (€)


THERMOSTATS

new

29 118 000

chrome

411.00



Grotherm SmartControl

Thermostat for concealed installation with one valve


set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
SmartControl push for ON-OFF, turn for volume
adjustment from EcoJoy to Full Flow, exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

new

29 119 000

chrome

447.00



Grotherm SmartControl

Thermostat for concealed installation with 2 valves


set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
SmartControl push for ON-OFF, turn for volume
adjustment from EcoJoy to Full Flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min

new

29 120 000

chrome

532.00



Grotherm SmartControl

Thermostat for concealed installation with 2 valves and integrated shower holder

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
SmartControl push for ON-OFF, turn for volume
adjustment from EcoJoy to Full Flow, exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min

GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour


Price netto (€)

new

29 121 000

chrome

483.00




Grotherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
SmartControl push for ON-OFF, turn for volume
adjustment from EcoJoy to Full Flow, exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min

new

29 122 000

chrome

295.00




Grotherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
SmartControl push for ON-OFF, turn for volume
adjustment from EcoJoy to Full Flow, exchangeable symbols
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

new

29 150 LS0

moon white

529.00



Grotherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight finish
SmartControl push for ON-OFF, turn for volume
adjustment from EcoJoy to Full Flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
built-in non return valves and dirt strainers
face-plate in moon white
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour

Price netto (€)


THERMOSTATS

new

29 151 LS0

moon white

566.00



Grotherm SmartControl

Thermostat for concealed installation with 2 valves


set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
 SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow, exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
face-plate in moon white
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min

new

29 904 LS0

moon white

602.00



Grotherm SmartControl

Thermostat for concealed installation with 3 valves


set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
 SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow, exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
face-plate in moon white
 without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min

new

29 152 LS0

moon white

373.00



Grotherm SmartControl

Triple volume control trim


set for final installation for GROHE Rapido SmartBox 35 600 000/35 601 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
 SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow, exchangeable symbols
 multiple outlets can be run simultaneously
face-plate in moon white
 without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min

new

35 600 000

chrome

64.00



GROHE Rapido SmartBox

Universal rough-in box, 1/2"

3 outlets 1/2"
 2 inlets below, 1/2"
 installation depth 75-105 mm
 connection unit in DR brass
 pre-mounted flushing plug
 stable build-in box and protective cover
 fixation options for solid walls and dry cladding
 gasket
 without set for final installation

GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour

Price netto (€)

new



14 055 000

chrome

131.00

Backflow protection combination (DIN-EN1717)

fits Grohtherm SmartControl and SmartControl mixer sets for final installation with 2 valves
retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use

new



14 053 00M



chrome

41.00

Service stops

fits Grohtherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces

new



14 048 000

chrome

122.00

Universal extension set

25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox

49 003 000


chrome

176.00

GROHE TurboStat cartridge 3/4"

fits concealed thermostats Rapido SmartBox for reversed inlets (hot water right)

new



34 713 000

chrome

698.00

Grohtherm SmartControl Combi thermostatic shower mixer with 3 valves, exposed/concealed
wall mounted

GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
GROHE EcoJoy technology for less water and perfect flow
SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow

requires concealed body 26 449 000 – to be ordered separately

GROHE GROHTHERM SMARTCONTROL


Ref. No.

Colour

Price netto (€)

THERMOSTATS

new



34 714 000

chrome

651.00

Grotherm SmartControl
Combi thermostatic shower mixer with
2 valves, exposed/concealed

wall mounted

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C

GROHE EcoJoy technology for less water and perfect flow

SmartControl push for ON-OFF, turn for volume

adjustment from EcoJoy to Full Flow, exchangeable symbols

GROHE EasyReach shower tray


shower bottom outlet 1/2"

multiple outlets can be run simultaneously

protected against backflow

requires concealed body 26 449 000 – to be ordered separately

new



26 449 000

chrome

114.00

Grotherm SmartControl

Concealed body for exposed/concealed variants

wall mounted

2 outlets 1/2"

installation depth 75 - 105 mm

flushing plug

wall sealing


installation device

GROHE GROHTHERM F

THERMOSTATS



27 618 000 **chrome** 693.00




Grotherm F
Thermostatic Trim with integrated 2-way diverter
 for bath or shower with more than one outlet
 for use with Rapido T rough-in box 35 500 000 sold separately
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
 metal handle for temperature control
 metal handle for Aquadimmer control with multiple function
 - shut off and flow control
 - diverter for 2 outlets
 3rd outlet requires separate volume control
 rectangular metal wall escutcheon with
 hidden fixing and hidden sealings
 flow rate:
 - max. 53 l/min at 3 bar by using all 3 outlets at the same time
 - bottom outlet 50 l/min. at 3 bar
 - top outlet left (bath) 30 l/min. at 3 bar
 - top outlet right (shower) 24 l/min at 3 bar

35 500 000 **chrome** 231.00

GROHE Rapido T Universal thermostatic mixer for concealed installation

27 619 000 **chrome** 604.00




Grotherm F
Thermostatic trim
 for high-flow, multiple outlet custom shower applications
 requires separate volume controls
 for use with Rapido T rough-in box 35 500 000 sold separately
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
 metal handle for temperature control
 rectangular metal wall escutcheon with
 hidden fixing and hidden sealings
 flow rate:
 - max. 53 l/min at 3 bar by using all 3 outlets at the same time
 - bottom outlet 50 l/min. at 3 bar
 - top outlets left/right, each 36 l/min. at 3 bar
 without concealed body

35 500 000 **chrome** 231.00

GROHE Rapido T Universal thermostatic mixer for concealed installation

27 625 000 **chrome** 589.00




Grotherm F
Triple volume control trim
 for use with rough-in box 35 031 000 (1/2" connections) /
 35 032 000 (1/2" NPT connections)
 sold separately

GROHE StarLight chrome finish
 metal handles for volume control
 metal wall escutcheon with hidden sealing
 vertical and horizontal installation

35 031 000 **chrome** 369.00

GROHE Rapido C rough-in box for triple volume control

27 623 000 **chrome** 231.00




Grotherm F
Single volume control trim
 for use with rough-in box 35 028 000 (1/2" connections) /
 35 029 000 (1/2" NPT connections)
 sold separately

GROHE StarLight chrome finish
 metal handle for volume control
 metal wall escutcheon with hidden sealing
 for use with rough-in valve (35 029)


35 028 000 **chrome** 128.00

GROHE Rapido C rough-in box for single volume control



27 621 000 **chrome** **302.00**

Grotherm F
Wall shower union with integrated shower holder
 Vertical or horizontal installation
 for use with rough-in box 35 034 000 (1/2" connection) /
 35 035 (1/2" NPT connection)
 sold separately
 shower outlet 1/2"
 hand shower and shower hose sold separately
 protected against backflow
 vertical and horizontal installation



35 034 000 **chrome** **203.00**

Grotherm F
Rough-in for wall shower union 27 621
 for grid installation of Grotherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 flushing plug
 for masonry and drywall installation
 fixing points for front and back wall
 body of DR brass
 1/2" connections
 installation depth 70 - 95 mm

GROHE GROHTHERM 3000 COSMOPOLITAN



GROHE
StarLight



GROHE
CoolTouch



GROHE
TurboStat



GROHE
EcoJoy



GROHE
QuickFix

GROHE GROHTHERM 3000 COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

34 274 000

chrome

432.00



Grotherm 3000 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional temperature limiter at 43° C

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodor ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow


covered S-unions, CoolTouch escutcheons with wall sealing

GROHE EcoJoy technology for less water and perfect flow

34 276 000

chrome

497.00



Grotherm 3000 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional temperature limiter at 43° C

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

Aquadimmer with multiple function

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow


covered S-unions, CoolTouch escutcheons with wall sealing

GROHE EcoJoy technology for less water and perfect flow

34 275 000

chrome

586.00



Grotherm 3000 Cosmopolitan
Thermostatic shower mixer 1/2"
with shower set

consisting of:

Grotherm 3000 Cosmopolitan

thermostat shower mixer (34 274 000)


Rainshower Cosmopolitan shower set

(28 757 000)

min. recommended pressure 1.0 bar

GROHE GROHTHERM 3000 COSMOPOLITAN

Ref. No. Colour Price netto (€)




19 568 000 chrome 446.00

Grotherm 3000 Cosmopolitan
Thermostatic shower mixer
set for final installation for
GROHE Rapido T 35 500 000
rectangular metal wall escutcheon with
hidden fixing and hidden sealings
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
without concealed body

35 500 000 chrome 231.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**




19 467 000 chrome 336.00

19 467 LSO moon white/chrome 402.00

Grotherm 3000 Cosmopolitan
Thermostatic shower mixer
set for final installation for
GROHE Rapido T 35 500 000
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
without concealed body

35 500 000 chrome 231.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**










19 567 000 chrome 504.00

Grotherm 3000 Cosmopolitan
**Thermostat with integrated 2-way diverter
for bath or shower with more than one outlet**
set for final installation for
GROHE Rapido T 35 500 000
rectangular metal wall escutcheon with
hidden fixing and hidden sealings
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
Aquadimmer with multiple function
shut off and flow control
diverter for 2 outlets
without concealed body

35 500 000 chrome 231.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**

GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
	19 468 000	chrome	397.00
	19 468 DC0	supersteel	540.00
	19 468 LS0	moon white/chrome	525.00
	<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body</p>		
	35 500 000	chrome	231.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
	19 469 000	chrome	278.00
	<p>Grotherm 3000 Cosmopolitan Central thermostatic mixer set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C without concealed body</p>		
		35 500 000	chrome
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
	34 572 000	chrome	1,154.00
	<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Allure 230 consisting of: Grotherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) Rainshower Allure 230 head shower 1 spray (27 479 000) Rainshower shower arm 380 mm square escutcheon hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p>		
			
	34 627 000	chrome	1,318.00
	<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 310 consisting of: Grotherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rainshower shower arm 422 mm (26 145 000) hand shower Sena (28 034 000) Rainshower wall holder (27 075 000) Rainshower wall elbow connection (27 076 000) Silverflex shower hose 1 250 mm (28 362 000) min. recommended pressure 1.0 bar</p>		
			

GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
	34 408 000 Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower 210 consisting of: Grotherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) metal head shower Rainshower Cosmopolitan 210 (28 368 000) Rainshower shower arm modern (28 576 000) Euphoria hand shower (27 265 000) shower outlet elbow (28 628 000) Silverflex shower hose 1 250 mm (28 362 000) min. recommended pressure 1.0 bar	chrome	1,031.00
	26 260 000 Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 400 consisting of: Grotherm 3000 Cosmopolitan thermostatic shower mixer with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) head shower Rainshower Cosmopolitan 400 (28 778 000) shower arm Rainshower 422 mm (26 146 000) Grotherm 3000 Cosmopolitan thermostatic shower mixer with Aquadimmer (19 568 000)	chrome	1,127.00
	34 571 000 Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 310 consisting of: Grotherm 3000 Cosmopolitan thermostatic shower mixer with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) Rainshower Cosmopolitan 310 head shower 1 spray (27 477 000) Rainshower shower arm 380 mm round escutcheon (28 361 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately	chrome	1,076.00
	26 262 000 Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 210 consisting of: Grotherm 3000 Cosmopolitan thermostatic shower mixer with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) metal head shower Rainshower Cosmopolitan 210 (28 368 000) shower arm Rainshower 422 mm (26 146 000)	chrome	902.00
	34 630 000 Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 310 consisting of: Grotherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) metal head shower Rainshower Cosmopolitan 310 (27 477 000) shower arm Rainshower 422 mm (26 146 000) hand shower Sena (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1 250 mm (28 362 000) min. recommended pressure 1.0 bar	chrome	1,248.00

GROHE GROHTHERM 3000 COSMOPOLITAN

Ref. No.

Colour

Price netto (€)

	<p>34 399 000</p>	<p>chrome</p>	<p>812.00</p>
<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 310 consisting of: set for final installation Grotherm 3000 Cosmopolitan with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) Rainshower Cosmopolitan head shower 160mm (27 134 000) Rainshower shower arm modern (28 576 000) shower outlet elbow (28 628 000) Euphoria hand shower (27 265 000) Silverflex shower hose 1 250 mm (28 362 000) min. recommended pressure 1.0 bar</p>			
	<p>26 261 000</p>	<p>chrome</p>	<p>1,027.00</p>
<p>Grotherm 3000 Cosmopolitan Perfect shower set with F-Series 10" consisting of: Grotherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) head shower Rainshower F-Series 10" (27 271 000) Shower arm Rainshower square 450mm (26 145 000)</p>			
	<p>19 470 000</p>	<p>chrome</p>	<p>65.00</p>
<p>Grotherm 3000 Cosmopolitan Concealed valve exposed part GROHE StarLight chrome finish for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm metal escutcheon with wall sealing shut-off handle</p>			
	<p>29 811 000</p>	<p>chrome</p>	<p>26.00</p>
<p>Concealed valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>			
	<p>29 813 000</p>	<p>chrome</p>	<p>34.00</p>
<p>Concealed valve 3/4" pre-assembled ceramic headpart 3/4" 90° threaded union 3/4" installation depth adjustable 25 - 80 mm DR-brass min. recommended pressure 1.0 bar</p>			

GROHE GROHTHERM 3000 COSMOPOLITAN

THERMOSTATS

	Ref. No.	Colour	Price netto (€)
	29 800 000	chrome	24.00
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass		
	29 802 000	chrome	43.00
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"		
	29 805 000	chrome	63.00
	ditto, 1", pre-assembled headpart 1", thread union 1"		
	29 801 000	chrome	23.00
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve soldered connection Ø15 mm DR-brass		
	29 803 000	chrome	38.00
	ditto, soldered connection Ø 18 mm		
	29 804 000	chrome	41.00
	ditto, soldered connection Ø 22 mm		

* price upon request

GROHE GROHTHERM 2000

THERMOSTATS



GROHE
StarLight



GROHE
CoolTouch



GROHE
TurboStat



GROHE
EcoJoy



GROHE
QuickFix

GROHE GROHTHERM 2000

Ref. No.

Colour

Price netto (€)

34 469 001

chrome

323.00

Grotherm 2000

Thermostatic shower mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

temperature scale handle with

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional temperature limiter at 43° C

integrated mixed water shut off

GROHE TurboStat compact cartridge

with wax thermoelement

volume handle with GROHE EcoButton (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions, CoolTouch escutcheons with wall sealing


GROHE EasyReach shower tray

removable for easy cleaning

chrome

min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow



34 169 001

chrome

286.00

Grotherm 2000

Thermostatic shower mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional temperature limiter at 43° C

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with GROHE EcoButton (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves


dirt strainers

protected against backflow

covered S-unions, CoolTouch escutcheons with wall sealing

optional upgrade: GROHE EasyReach shower tray (18 608 001)

GROHE EcoJoy technology for less water and perfect flow



34 464 001

chrome

375.00

Grotherm 2000

Thermostatic bath mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional temperature limiter at 43° C

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated Economy button

(with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

GROHE XL Waterfall

flow strainer

built-in non return valves

dirt strainers

protected against backflow


covered S-unions, CoolTouch escutcheons with wall sealing

GROHE EasyReach shower tray

removable for easy cleaning

chrome

GROHE EcoJoy technology for less water and perfect flow



GROHE GROHTHERM 2000

Ref. No.

Colour


Price netto (€)

THERMOSTATS

34 174 001

chrome

339.00




Grotherm 2000
Thermostatic bath mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated Economy button (with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow strainer
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow

34 176 001

chrome

495.00




Grotherm 2000
Thermostatic bath mixer 1/2"
pillar installation
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- flow control
- diverter: bath/shower
- integrated Economy button (with economy stop for shower)
shower bottom outlet 1/2"
GROHE XL Waterfall
flow strainer
built-in non return valves
dirt strainers
protected against backflow
pillar unions with covered fixing
GROHE EcoJoy technology for less water and perfect flow

34 482 001

chrome


473.00



Grotherm 2000
Thermostatic shower mixer 1/2" with shower set
consisting of
Grotherm 2000 thermostat shower mixer (34 169)
Power&Soul Cosmopolitan 130 shower set (27 734 000)


GROHE GROHTHERM 2000

Ref. No. Colour Price netto (€)




34 281 001 chrome 465.00

Grotherm 2000
Thermostatic shower mixer 1/2" with shower set
 consisting of
 Grotherm 2000 thermostat shower mixer
 (34 169)
 Power&Soul Cosmopolitan shower set 130/
 600 mm rail (27 731 000)
 min. recommended pressure 1.0 bar



34 195 001 chrome 339.00

Grotherm 2000
Thermostatic shower mixer 1/2" with shower set
 consisting of
 Grotherm 2000 thermostat shower mixer
 (34 169)
 Euphoria 110 Massage shower set,
 600 mm (27 231 001)
 min. recommended pressure 1.0 bar




19 354 001 chrome 253.00

Grotherm 2000
Thermostatic shower mixer
 set for final installation for
 GROHE Rapido T 35 500 000
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
 temperature limiter at 43° C
 volume handle with **GROHE EcoButton** (economy
 button with individually adjustable economy stop)
 Carborundum ceramic headpart 1/2", 180°
 without concealed body

35 500 000 chrome 231.00

**GROHE Rapido T Universal thermostatic
 mixer for concealed installation**













19 355 001 chrome 281.00

Grotherm 2000
**Thermostat with integrated 2-way diverter
 for bath or shower with more than one outlet**
 set for final installation for GROHE Rapido T 35 500 000
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
 temperature limiter at 43° C
GROHE AquaDimmer Eco with multiple function:
 - integrated Economy button
 (with economy stop for shower)
 - flow control
 - diverter: bath/shower
 without concealed body




35 500 000 chrome 231.00

**GROHE Rapido T Universal thermostatic
 mixer for concealed installation**

GROHE GROHTHERM 2000

	Ref. No.	Colour	Price netto (€)
 	19 352 001	chrome	232.00
	Grotherm 2000 Central thermostatic mixer set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop at 38°C GROHE SafeStop Plus (optional) additional temperature limiter at 43° C without concealed body		
	35 500 000	chrome	231.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation		
 	34 631 000	chrome	863.00
	Grotherm 2000 Perfect shower set with Rainshower Cosmopolitan 210 consisting of: Grotherm 2000 set for final installation with Aquadimmer Eco (19 355 001) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) metal head shower Rainshower Cosmopolitan 210 (28 368 000) Rainshower shower arm modern (28 576 000) Euphoria Cosmopolitan hand shower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1 250 mm (28 362 000) min. recommended pressure 1.0 bar		
 	34 283 001	chrome	822.00
	Grotherm 2000 Perfect shower set with Power&Soul Cosmopolitan 190 consisting of with integrated 2-way diverter (19 355 001) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) Power&Soul Cosmopolitan head shower (27 764 000) shower arm (28 576 000) hand shower Power&Soul Cosmopolitan 115 (27 660 000) wall connection elbow with integrated hand shower holder (28 628 000) Silverflex shower hose 1.500 mm (28 364 000) min. recommended pressure 1.0 bar		
 	19 243 001	chrome	43.00
	Grotherm 2000 Concealed valve exposed part GROHE StarLight chrome finish for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm metal escutcheon with wall sealing shut-off handle screwed		
 	29 800 000	chrome	24.00
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass		
	29 802 000	chrome	43.00
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"		
	29 805 000	chrome	63.00
	ditto, 1", pre-assembled headpart 1", thread union 1"		

GROHE GROHTHERM 2000

	Ref. No.	Colour	Price netto (€)
	29 801 000 Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve soldered connection Ø15 mm DR-brass 29 803 000 ditto, soldered connection Ø 18 mm 29 804 000 ditto, soldered connection Ø 22 mm	chrome chrome chrome	23.00 38.00 41.00
	29 811 000 Concealed valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass	chrome	26.00
	18 608 001 Grotherm 2000 GROHE EasyReach shower tray metal tray removable for easy cleaning GROHE StarLight chrome finish suitable for Grotherm 2000 - exposed thermostatic shower mixer with centre distance 150 mm - exposed thermostatic bath mixer with centre distance 150 mm	chrome	42.00

GROHE GROHTHERM CUBE

THERMOSTATS



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy

GROHE GROHTHERM CUBE

Ref. No.


Colour

Price netto (€)

34 491 000

chrome

381.00



Grotherm Cube

Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional

temperature limiter at 43° C

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions

GROHE EasyReach shower tray (18 700 000)

removable for easy cleaning

da Vinci satin white finish


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 488 000

chrome

344.00



Grotherm Cube

Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional

temperature limiter at 43° C

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 502 000

chrome

471.00



Grotherm Cube

Thermostatic bath mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional

temperature limiter at 43° C

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated GROHE EcoButton

(economy button with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

GROHE XL Waterfall

flow strainer

built-in non return valves

dirt strainers

protected against backflow

covered S-unions

GROHE EasyReach shower tray (18 700 000)

removable for easy cleaning

da Vinci satin white finish

GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM CUBE

Ref. No.

Colour


Price netto (€)

THERMOSTATS

34 497 000

chrome

451.00




Grotherm Cube
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 GROHE XL Waterfall
 flow strainer
 built-in non return valves
 dirt strainers
 protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

19 959 000

chrome

291.00



Grotherm Cube
Thermostatic shower mixer
 set for final installation for GROHE Rapido T 35 500 000
 wall escutcheon with covered escutcheon- and shaft sealing, covered fixing
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
 Carbadur ceramic headpart 1/2", 180°
 without concealed body

35 500 000

chrome


231.00

GROHE Rapido T Universal thermostatic mixer for concealed installation

19 958 000

chrome

317.00



Grotherm Cube
Thermostat with integrated 2-way diverter for bath or shower with more than one outlet
 set for final installation for GROHE Rapido T 35 500 000
 wall escutcheon with covered escutcheon- and shaft sealing, covered fixing
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 without concealed body

35 500 000

chrome


231.00

GROHE Rapido T Universal thermostatic mixer for concealed installation

GROHE GROHTHERM CUBE

Ref. No. Colour Price netto (€)


19 961 000 chrome 277.00



Grotherm Cube
Central thermostatic mixer
set for final installation for
GROHE Rapido T 35 500 000
wall escutcheon with covered escutcheon- and shaft sealing,
covered fixing
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
without concealed body


35 500 000 chrome 231.00
GROHE Rapido T Universal thermostatic mixer for concealed installation

34 506 000 chrome 1,085.00




Grotherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grotherm Cube thermostat with integrated 2-way diverter
(19 958 000)
GROHE Rapido T thermostatic mixer
for concealed installation (35 500 000)
Rainshower Allure 230 shower head 1 spray (27 479 000)
Rainshower shower arm 286 mm (27 709 000)
Euphoria Cube wall holder set (27 703 000)
Euphoria Cube wall elbow connection (27 704 000)

19 910 000 chrome 48.00




Eurocube
Volume Control Trim
for GROHE concealed valves, 1/2", 3/4", 1"
without concealed body
installation depth infinitely adjustable
16 - 38 mm
metal handle
sliding escutcheon with wall sealing
GROHE StarLight chrome finish
for use with rough-in valve 29 273 & 29 274

29 800 000 chrome 24.00



Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle, protection sleeve
threaded union 1/2", DR-brass
29 802 000 chrome 43.00
ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"
29 805 000 chrome 63.00
ditto, 1", pre-assembled headpart 1", thread union 1"

29 801 000 chrome 23.00




Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle, protection sleeve
soldered connection Ø15 mm
DR-brass
29 803 000 chrome 38.00
ditto, soldered connection Ø 18 mm
29 804 000 chrome 41.00
ditto, soldered connection Ø 22 mm

GROHE GROHTHERM CUBE

Ref. No.

Colour

Price netto (€)




29 811 000

chrome

26.00

Concealed valve 1/2"
preassembled ceramic headpart 1/2"
180°
threaded union 1/2"
installation depth adjustable
25 - 80 mm
DR-brass



18 700 000

daVinci satin white

39.00

GROHE EasyReach tray
for Grohtherm Cube
removable for easy cleaning
da Vinci satin white finish
- exposed thermostatic shower mixer
with centre distance 150 mm
- exposed thermostatic bath mixer
with centre distance 150 mm

GROHE GROHTHERM 1000 COSMOPOLITAN M

THERMOSTATS



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy



GROHE
DreamSpray

GROHE GROHTHERM 1000 COSMOPOLITAN M

Ref. No.

Colour

Price netto (€)

34 065 002
34 065 DC2

chrome
supersteel

247.00
291.00

Grohtherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers


protected against backflow

S-unions

metal escutcheon

min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow



34 215 002

chrome

290.00

Grohtherm 1000 Cosmopolitan M Thermostatic bath mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

automatic diverter: bath/shower

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers


protected against backflow

S-unions

metal escutcheon

min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow



34 286 002

chrome

319.00

Grohtherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" with shower set


consisting of:

Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 1/2"
(34 065 002)

Euphoria 110 Massage shower set,

600 mm (27 231 001)

min. recommended pressure 1.0 bar



34 321 002

chrome

322.00


Grohtherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" with shower set

consisting of:

Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 1/2"
(34 065 002)

Euphoria 110 Massage shower set, 900 mm (27 226 001)

min. recommended pressure 1.0 bar



GROHE GROHTHERM 1000



GROHE
StarLight



GROHE
CoolTouch



GROHE
TurboStat



GROHE
EcoJoy



GROHE
QuickFix




GROHE
DreamSpray

GROHE GROHTHERM 1000


Ref. No. Colour Price netto (€)

34 143 003 chrome 217.00




Grohtherm 1000
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

34 550 000 chrome 222.00



Grohtherm 1000
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
GROHE QuickFix S-unions
 metal escutcheon
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

34 155 003 chrome 277.00



Grohtherm 1000
Thermostatic bath mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow


GROHE GROHTHERM 1000

Ref. No.

Colour

Price netto (€)

THERMOSTATS




34 256 003

chrome

259.00

Grotherm 1000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grotherm 1000 NEW thermostatic shower mixer 1/2"
(34 143 003)
New Tempesta shower set II, 900 mm (27 646 000)
min. recommended pressure 1.0 bar





34 151 003

chrome

255.00

Grotherm 1000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grotherm 1000 NEW thermostatic shower mixer 1/2"
(34 143 003)
New Tempesta shower set II, 600 mm (27 598 000)
min. recommended pressure 1.0 bar



19 984 000

chrome

223.00



Grotherm 1000
Thermostatic shower mixer
set for final installation for
GROHE Rapido T 35 500 000
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
without concealed body
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

35 500 000

chrome

231.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**



19 985 000

chrome

250.00

Grotherm 1000
Thermostatic shower mixer with integrated 2-way diverter
set for final installation for
GROHE Rapido T 35 500 000
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
temperature limiter at 43° C
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: head and hand shower
without concealed body
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

35 500 000

chrome



231.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**

GROHE GROHTHERM 1000

Ref. No. Colour Price netto (€)


19 986 000 chrome 250.00



Grotherm 1000
Thermostatic bath mixer with integrated 2-way diverter
 set for final installation for
 GROHE Rapido T 35 500 000
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
 temperature limiter at 43° C
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/hand shower
 without concealed body
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow


35 500 000 chrome 231.00
**GROHE Rapido T Universal thermostatic
 mixer for concealed installation**

34 573 000 chrome 361.00




Grotherm 1000 New
Central thermostatic mixer
 concealed installation set
 consisting of:
 concealed body
 (34 213 000)
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional
 temperature limiter at 43° C
 min. recommended pressure 1.0 bar

34 582 000 chrome 604.00



Grotherm 1000
Perfect shower set with Euphoria Cosmopolitan 180
 consisting of:
 Grotherm 1000 set for final installation (19 985 000)
 GROHE Rapido T thermostatic mixer
 for concealed installation (35 500 000)
 head shower Euphoria Cosmopolitan 180
 (27 491 000)
 Rainshower shower arm 286 mm (28 576 000)
 min. recommended pressure 1.0 bar


34 614 000 chrome 658.00



Grotherm 1000
Perfect shower set with Euphoria Cosmopolitan 180
 consisting of:
 Grotherm 1000 set for final installation with Aquadimmer Eco (19 985 000)
 GROHE Rapido T thermostatic mixer
 for concealed installation (35 500 000)
 head shower Euphoria Cosmopolitan 180
 (27 491 000)
 Rainshower shower arm modern (28 576 000)
 New Tempesta 100 hand shower (27 597 000)
 shower outlet elbow (28 628 000)
 Silverflex shower hose 1 250 mm (28 362 000)
 min. recommended pressure 1.0 bar


GROHE GROHTHERM 1000

Ref. No. Colour Price netto (€)




34 575 000 chrome 452.00

Grotherm 1000 New Concealed shower set
consisting of:
GROHE Rapido T 35 500 000 set for final installation (19 984 000)
New Tempesta shower set II, 600 mm (27 598 000)
shower outlet elbow (28 671 000)
min. recommended pressure 1.0 bar



19 981 000 chrome 41.00

Grotherm 1000 Trim set concealed valve
set for final installation for GROHE concealed valves, 1/2", 3/4", 1" without concealed body
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
metal escutcheon with wall sealing
installation depth infinitely adjustable 20-80 mm
min. recommended pressure 1.0 bar



29 800 000 chrome 24.00


Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle, protection sleeve
threaded union 1/2", DR-brass

29 802 000 chrome 43.00

ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 000 chrome 63.00

ditto, 1", pre-assembled headpart 1", thread union 1"



29 801 000 chrome 23.00

Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle, protection sleeve
soldered connection Ø15 mm
DR-brass

29 803 000 chrome 38.00

ditto, soldered connection Ø 18 mm

29 804 000 chrome 41.00

ditto, soldered connection Ø 22 mm

GROHE GROHTHERM 800

THERMOSTATS



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy



GROHE
DreamSpray

GROHE GROHTHERM 800

Ref. No.


Colour

Price netto (€)

34 558 000

chrome

177.00



Grotherm 800

Thermostatic shower mixer 1/2"
wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional temperature limiter at 43° C

GROHE TurboStat compact cartridge with wax thermostatic element

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

dirt strainers

built-in non return valves

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 567 000

chrome

230.00



Grotherm 800

Thermostatic bath mixer 1/2"
wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional temperature limiter at 43° C

GROHE TurboStat compact cartridge

with wax thermostatic element

integrated mixed water shut off

automatic diverter: bath/shower

volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 576 000

chrome

223.00



Grotherm 800

Thermostatic bath mixer 1/2"
wall mounted

GROHE StarLight chrome finish

GROHE TurboStat compact cartridge

with wax thermostatic element

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional temperature limiter at 43° C

integrated mixed water shut off

automatic diverter: bath/shower

volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

adjustable mousseur

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon

min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow


GROHE GROHTHERM 800

Ref. No.

Colour

Price netto (€)

THERMOSTATS




34 566 000

chrome

219.00

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
 consisting of:
 Grohtherm 800 thermostatic shower mixer 1/2"
 (34 558 000)
 New Tempesta shower set II, 900 mm (27 646 000)
 min. recommended pressure 1.0 bar



34 565 000

chrome

216.00

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
 consisting of:
 Grohtherm 800 thermostatic shower mixer 1/2"
 (34 558 000)
 New Tempesta shower set II, 600 mm (27 598 000)
 min. recommended pressure 1.0 bar

GROHE GROHTHERM MICRO

THERMOSTATS




GROHE GROHTHERM MICRO

Ref. No.

Colour

Price netto (€)




34 487 000

chrome

155.00

Grotherm Micro
Thermostatic scalding protection
 temperature adjustment 15-43° C ($\pm 2^\circ$ C)
 thermal disinfection without re-adjustment of temperature
 connection 3/8" below with cap nut
 above 3/8" male thread
 GROHE TurboStat thermoelement
GROHE StarLight chrome finish
 built-in non return valves
 dirt strainer
 without connection set
 max. pressure differential 5:1
 min. recommended pressure 1.0 bar



47 533 000

chrome

38.00

Grotherm Micro
Connection set
 for Grotherm Micro
 consisting of:
 union nut 3/8"
 T-unit
 2 outlets 3/8" male thread
 flexible connection hose
 union nuts
GROHE StarLight chrome finish

GROHE
CONCEALED SOLUTIONS






Contents

GROHE Rapido T	44
GROHE Rapido E	45
GROHE Rapido C / concealed valves	46

GROHE RAPIDO




Quickly installed: GROHE Rapido is the basic technology behind all concealed GROHE fittings. The practical design of Rapido enables it to be installed quickly and reliably, reducing installation time and potential faults on site.

- Ultra-flat fitting depth: only 70 mm
- Fast installation: complete mixer unit installed in the factory
- Tested safety: fitting and mixer 100% factory-tested
- More options: 3 outlets and high flow rate > 50 l/min
- Always complies with standards: protective devices according to EN 1717 can be retrofitted



RANGE

- Rapido E, Universal single-lever mixer
- Rapido T, Universal thermostat
- Rapido C, concealed valves



Ultra-flat design for universal installation. With a fitting depth of just 70 mm, GROHE Rapido fits into any wall, not something that can be said of all our competitors' products. Whether a new build or a refurbishment, wet conditions or with dry cladding, GROHE Rapido provides the perfect solution for every scenario.

Installed quickly and safely. Fitting box, mixer body and mixing cartridge form a compact unit. Assembly and 100% testing in the factory ensure a lifetime of trouble-free operation with no leaks.



As the Rapido T thermostat has a third outlet, another standard feature, it has an even greater ability to deliver versatile showering solutions. The third outlet is controlled by connecting a concealed valve. Both top outlets can be controlled by the integrated AquaDimmer. Thanks to its excellent flow rate of over 50 litres per minute, Rapido T is also the perfect choice for a custom shower where you wish to install a head shower, hand shower and side showers.

If required, a protective device conforming to EN 1717 can be quickly retrofitted on site to replace the usual anti-vacuum device. It is also a simple matter to retrofit an integrated bath filler, combined waste and overflow set (Talentofill) for the thermostat and single lever mixer that complies with the protection standards.



































GROHE RAPIDO T

CONCEALED
SOLUTIONS



GROHE RAPIDO T OVERVIEW TRIMSETS

	Thermostatic shower mixer	Thermostatic bath mixer	Central thermostat
Allure	 19 380 000	 19 446 000	
Allure Brilliant	 19 791 000	 19 792 000	 19 887 000
Atrio Jota	 19 398 000	 19 399 000	 19 396 000
Atrio Ypsilon	 19 394 000	 19 395 000	 19 392 000
Grandera	 19 934 000	 19 948 000 / 19 937 000	 19 941 000
Grohtherm 1000	 19 984 000 / 19 985 000	 19 986 000	 19 983 000
Grohtherm 2000	 19 354 001	 19 355 001	 19 352 001


	Thermostatic shower mixer	Thermostatic bath mixer	Central thermostat
Grohtherm 2000 Special	 19 416 000	 19 417 000	 19 418 000
Grohtherm Special	 29 094 000	 29 095 000	 29 096 000
Grohtherm 3000 Cosmopolitan	 19 467 000	 19 468 000	 19 469 000
	 19 568 000	 19 567 000	
Grohtherm Cube	 19 959 000	 19 958 000	 19 961 000
Grohtherm F	 27 618 000		 27 619 000
Veris	 19 369 000	 19 364 000	

GROHE RAPIDO T

Ref. No.

Colour

Price netto (€)



35 500 000

chrome

231.00

**GROHE Rapido T
Universal thermostatic mixer
for concealed installation**

for use with bath-, shower- and central-mixer
without finishing trim set
flat installation depth 70 mm - 95 mm
easy to install, premounted and tested unit

GROHE TurboStat compact cartridge
with wax thermostatic element
two top outlets 1/2", lockable
high flow rate up to 50 l/min. by use of
three outlets
bottom outlet 1/2" can only be used
with separate stopvalve
safe to install, stable built-in-box
and protective cap
fixation options for solid walls and dry
cladding
wall sealing

Aquadimmer-diverter for bath mixer or
stopvalve for shower mixer in finishing
trim set

body in DR-brass

built-in non return valves and dirt strainers

GROHE EcoJoy technology for less water and perfect flow
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar



29 007 000

chrome

162.00

Safety Combination (EN 1717)

for Rapido T 35 500 000


re-fitting-set for backflow protection,

for use with inlet- pop-up and waste-sets

e.g.: Talentofill 28 990 000 or 28 991 000

replaces use of pipe interrupter,

therefore no additional escutcheon necessary




47 780 000

chrome

142.00

Extension-set 27.5 mm

for use with central-thermostats and
shower-thermostats with shut-off valve



47 781 000

chrome

156.00

Extension-set 27.5 mm

for use with bath-thermostats with aquadimmer



38 652 000

chrome

119.00

Rapid SL mounting plate

for fixing concealed fittings and room ventilation

for **studded walls**

for empty frames

for GROHE Rapido

500 x 240 x 77 mm


variable depth adjustment 75-115 mm

with waterproof plywood board for fixation

fixing material

GROHE RAPIDO E

CONCEALED
SOLUTIONS







































GROHE
SilkMove



GROHE
StarLight


GROHE RAPIDO E OVERVIEW TRIMSETS

	Shower trim set	Bath/shower trim set
Allure	 19 317 000	 19 315 000
Allure Brilliant	 19 789 000	 19 785 000
Atrio	 19 463 001	 19 459 001
Concetto	 19 345 001	 19 346 001
Essence	 19 286 001	 19 285 001
Eurocube	 19 898 000	 19 896 000
Eurodisc Cosmopolitan	 19 549 002	 19 548 002
Europlus	 19 537 002	 19 536 002

	Shower trim set	Bath/shower trim set
Eurosmart Cosmopolitan	 19 383 000	 19 382 000
Eurosmart	 19 451 002	 19 450 002
Eurostyle	  19 507 003 29 098 003	  19 506 003 29 099 003
Eurostyle Cosmopolitan	 19 507 002	 19 506 002
Grandera	 19 932 000	 19 920 000
Lineare New	 19 296 001/19 296 DC1	 19 297 001/19 297 DC1
Lineare	 19 296 000	 19 297 000
Quadra	 19 455 000	 19 456 000
Veris	 19 367 000	 19 344 000

GROHE RAPIDO E

Ref. No. Colour Price netto (€)




35 501 000 **chrome** **97.00**

GROHE Rapido E
Universal single-lever mixer
for concealed installation
for use with bath- and shower-mixer
without finishing trim set
flat installation depth 70 mm - 100 mm
easy to install, premounted and tested unit
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
safe to install, stable built-in-box
and protective cap
fixation options for solid walls and dry
cladding
wall sealing
all connectors 1/2", with identification marking
diverter for bath-mixer in finishing trim set
body in DR-brass
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar





29 008 000 **chrome** **76.00**

Safety Combination (EN 1717)
for Rapido E 35 501 000
re-fitting-set for backflow protection,
for use with inlet- pop-up and waste-sets
e.g.: Talentofill 28 990 000 or 28 991 000
replaces use of pipe interrupter,
therefore no additional escutcheon necessary



46 191 000 **chrome** **117.00**

Extension set
25 mm
for universal single-lever mixer for concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces




46 807 000 **chrome** **120.00**
ditto, for combination with Allure Brilliant and Eurocube

46 343 000 **chrome** **215.00**

Extension set
50 mm
for universal single-lever mixer for concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces


46 808 000 **chrome** **320.00**
ditto, for combination with Allure Brilliant and Eurocube



38 652 000 **chrome** **119.00**

Rapid SL mounting plate
for fixing concealed fittings and room ventilation
for **studded walls**
for empty frames
for GROHE Rapido
500 x 240 x 77 mm
variable depth adjustment 75-115 mm
with waterproof plywood board for fixation
fixing material




















GROHE RAPIDO C/ CONCEALED VALVES

















GROHE RAPIDO C/CONCEALED VALVES OVERVIEW

	Rapido C stop-valve with pre-assembled ceramic headpart 35 028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29 800/29 802/29 805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801/29 803/29 804/29 806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29 811/29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio Jota	 19 088 000	 19 088 000	 19 088 000	 19 088 000
Atrio Ypsilon	 19 069 000	 19 069 000	 19 069 000	 19 069 000
Brilliant	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
Costa	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001





* Concealed valve 29 032 000 with longlife headpart can also be used

	<p>Rapido C stop-valve with pre-assembled ceramic headpart</p> <p>35 028</p>	<p>Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart</p> <p>29 800/29 802/29 805</p>	<p>Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801/29 803/29 804/29 806</p>	<p>Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart</p> <p>29 811/29 813</p>
Eurocube	 19 910 000	 19 910 000	 19 910 000	 19 910 000
Grandera*	 19 944 000			
Grohtherm 1000 New	 19 981 000	 19 981 000	 19 981 000	 19 981 000
Grohtherm 2000	 19 243 001	 19 243 001	 19 243 001	 19 243 001
Grohtherm 3000 Cosmopolitan	 19 470 000	 19 470 000	 19 470 000	 19 470 000
Grohtherm F	 27 623 000			
GROHE Ondus®/ Veris*	 19 444 000			

GROHE RAPIDO C/CONCEALED VALVES

	Ref. No.	Colour	Price netto (€)
	35 028 000 GROHE Rapido C/Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" flow rate: 55 l/min. at 3 bar installation depth 70 - 95 mm min. recommended pressure 1.0 bar	chrome	128.00
			
	35 031 000 GROHE Rapido C/Concealed Valves Rough-in for triple volume control 27 625 for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" 3 inlets and 3 outlets connection threads 1/2" flow rate at 3 bar - one valve open 55 l/min. - two valves open 110 l/min. - three valves open 140 l/min. installation depth 70 - 95 mm min. recommended pressure 1.0 bar	chrome	369.00
			
	38 652 000 Rapid SL mounting plate for fixing concealed fittings and room ventilation for studded walls for empty frames for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation fixing material	chrome	119.00
			
	29 800 000 Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass	chrome	24.00
	29 802 000 ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"	chrome	43.00
	29 805 000 ditto, 1", pre-assembled headpart 1", thread union 1"	chrome	63.00
			
	29 801 000 Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve soldered connection Ø15 mm DR-brass	chrome	23.00
	29 803 000 ditto, soldered connection Ø 18 mm	chrome	38.00
	29 804 000 ditto, soldered connection Ø 22 mm	chrome	41.00
			

GROHE RAPIDO C/CONCEALED VALVES

	Ref. No.	Colour	Price netto (€)
		29 811 000 Concealed valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass	chrome 26.00
	29 813 000 ditto, 3/4"	chrome	34.00
		45 202 000 Extension-set, 80 mm for GROHE concealed valves, 1/2", 3/4", 1" 45 203 000 ditto, 200 mm	chrome 9.00 chrome 17.00

CONCEALED SOLUTIONS

GROHE
SHOWERS





Contents

GROHE Digital	F-digital Deluxe	47	
Aquatunes	Aquatunes	48	
Shower Systems	Rainshower System SmartControl	49	
	Rainshower System	50	
	Euphoria XXL System	51	
	Euphoria System	52	
	New Tempesta System	53	
	Retro-fit shower system	54	
	Shower system accessories	55	
	Headshowers	Head and side showers	56
	Showers	Sena	57
		Rainshower	58
Power&Soul		59	
Movario		60	
Relexa		61	
Euphoria		62	
New Tempesta		63	
Tempesta trigger sprays		64	
Shower hoses		65	
Shower accessories		66	

GROHE SHOWERS THE SPRAYS

GROHE DreamSpray® – Enjoy variety - rejuvenation or relaxation?

Our unique design distributes the same amount of water to each and every nozzle, resulting in an even spray. So whatever pattern suits your mood – Normal, Champagne Spray, Pure, Jet, Rain or Massage – you're guaranteed that it will be an all-over exhilarating experience.

The new sprays, GROHE PureRain Spray, GROHE Bokoma Spray and GROHE Rain O², are just the latest examples of GROHE DreamSpray® technological innovation.

Exciting innovations include the new and highly sophisticated **GROHE Bokoma Spray**: eight flexible nozzles create a 'breathing' effect, imitating a relaxing fingertip massage.

The new and improved **GROHE PureRain Spray** has 50% larger and softer droplets for a more luxurious showering experience.

GROHE Rain O² technology infuses water drops with air for a fuller, richer shower spray. But there is more. Some of the latest GROHE showers offer the choice between the classic GROHE Rain Spray and GROHE Rain O². This allows you to choose between a softer or more active spray at any time for every member of your family.

The **Waterfall XL spray** features an extra-wide spout to create the sensual atmosphere of a waterfall, acting natural drama and a stunning centrepiece to your bathroom.

Dive into a different world with the **AquaCurtain** feature, that creates a seamless wall of water within your shower for an immersive, intimate experience.

Enjoy the invigorating, refreshing feel of a sea breeze with the stimulating cool water **Drizzle spray**, great for cooling down after a long day or getting the circulation going first thing.





Drizzle Sprays

Revitalizing cool water mist acts like a fresh sea breeze.



AquaCurtain

A wrap-around curtain of pure water invites you to dive into a different world.



Normal Spray

A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



Rain Spray

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



GROHE PureRain Spray

The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.*



SmartRain Spray

All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



GROHE Rain O² Spray

A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



GROHE Bokoma Spray

Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



Waterfall XL sprays

An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



Pure Spray

The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



Jet Spray

A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



Massage Spray

A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



Champagne Spray

Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



Deluxe Champagne Spray

An extra-rich spray bursting with soft water droplets.



GROHE TrioMassage Spray

The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

* Available on all Rainshower® metal head showers including Euphoria XXL and Rainshower® systems with metal head showers.

GROHE RAINSHOWER SMART CONTROL 3D SHOWERING - DRÜCKEN, DREHEN, DUSCHEN


Rainshower® SmartControl – Choose the spray, control the volume, save the settings. All with one control.

Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = An innovative all-in-one solution.


What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + Trio Massage, for example. Prefer to switch to handshower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.

Additional features include: GROHE TurboStat® technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch®, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower® 360 XXL head shower; and last but not least an elegant organic design. Thanks to the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray, made of security glass, provides enough space for all your shower utensils.






Push the button to start the shower



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.

GROHE SHOWER SYSTEMS

All-in-one stylish and versatile bathroom solutions.

GROHE Shower systems, the all-in-one solutions that comprise head shower, hand shower and shower mixer. Whether a thermostatic shower system powered by GROHE TurboStat® to ensure maximum shower comfort and safety, a one-hand mixer system driven by GROHE SilkMove® or a simple, stylish diverter system, GROHE Shower Systems are economical, easy to use and install, and beautifully designed.

Choose your favourite or upgrade!

The shower system classification shows quickly and clearly the level of comfort delivered by each category, and that there is always an opportunity to choose an even better Shower system. And, no matter which system you select, you can be sure enjoyment is 100% guaranteed.



Go for the Best

The ultimate in luxury, style and function, the **Go for the Best** Rainshower® range features XXL luxury metal shower heads with GROHE PureRain Spray and DropStop* function and is designed to maximise enjoyment and style. The GROHE CoolTouch® thermostats eliminate the risk of scalding from hot chrome surfaces, ensuring greater comfort and safety.



Go for Better

As well as GROHE's baseline technologies, the **Go for Better** Euphoria XXL luxury metal shower heads with GROHE PureRain Spray and DropStop technology to prevent after-dripping when closing the valve.



Go for the Good

High quality and comfort assured, the **Go for the Good** Tempesta and Euphoria systems include GROHE's renowned technologies, GROHE StarLight®, GROHE TurboStat® and GROHE SilkMove®. All showers are equipped with GROHE DreamSpray® technology for maximum enjoyment. Guaranteed.

* Available on all Euphoria XXL and Rainshower® shower systems except Rainshower® 400 and Rainshower® SmartControl.



THERMOSTATIC SYSTEMS

DIVERTER SYSTEMS



360 mm



310 mm



210 mm



210 mm

Rainshower® SmartControl 360 Duo
Shower system with thermostat

Rainshower® 310
Shower system with thermostat

Rainshower® 210
Shower system with thermostat and side showers

Rainshower® 210
Shower system with diverter



THERMOSTATIC SYSTEMS

SINGLE-LEVER MIXER SYSTEM



230 mm



210 mm



230 mm



210 mm

Euphoria Cube XXL 230
Shower system with thermostat

Euphoria XXL 210
Shower system with thermostat

Euphoria Cube XXL 230
Shower system with single lever mixer

Euphoria XXL Eurodisc Cosmopolitan 210
Shower system with single lever mixer



THERMOSTATIC SYSTEMS

SINGLE-LEVER MIXER SYSTEM

DIVERTER SYSTEMS



180 mm



160 mm



180 mm



180 mm

Euphoria 180
Shower system with thermostat

New Tempesta 160
Shower system with bath thermostat

Euphoria 180
Shower system with single lever mixer

New Tempesta 180
Shower system with diverter

GROHE SPA® F-DIGITAL DELUXE ALL OF THE SENSES IN PERFECT HARMONY

Architectural freedom to design a unique shower experience.


With just one touch you can transform your shower into your own personal spa. Soft lighting, relaxing steam and your favourite music – with GROHE F-digital Deluxe modules, a mobile device and the GROHE F-digital Deluxe App* you can stimulate all of your senses with just a single movement of your fingertip.**



* Available for free via iTunes app or Google Play store.

**iPod touch, iPhone, iPad and iTunes are Trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. Made for iPod® touch (4th and 5th generation), iPhone® 4, 4S and 5, iPad® and iPad® mini and Android devices. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

A UNIQUE EXPERIENCE FOR ALL THE SENSES



TOUCH

With just one touch you can transform your shower into your own personal spa. Soft lighting, relaxing steam and your favourite music. You can stimulate all of your senses with just a single movement of the hand.




LIGHT

Colour has a positive effect on our sense of well-being. But we all perceive colours differently. With the GROHE light modules**, you can change the colours to suit your mood and enjoy a personalised chromotherapy experience while showering.



SOUND

There's nothing on this earth that moves us more than music. The perfect song or sound can fill us with joy, make us feel relaxed, recharge our batteries or help us forget our troubles. With the GROHE sound modules, you can now enjoy your favourite music while showering.



STEAM

Experience regeneration in its purest form with the GROHE steam modules. Gentle steam not only enhances our sense of emotional well-being, but also has a positive effect on the entire body. It opens the pores, detoxifies the body, hydrates the skin and helps the muscles to relax.

New: A small niche at the top of the steam outlet close to the source of the steam can be topped up with pure essential oils that enriches the mist to give an all-embracing aroma and a truly relaxing experience.



* Available for free via iTunes app or Google Play store.

** This luminare contains built-in LED lamps, which cannot be changed: Energy efficiency class LED: A - A++

THE CONFIGURATION – MADE EASY

	GROHE Product	S	M	L	XL*	XL**
Shower	27 286 000 Ceiling shower F-Series 20"	1	1			
Shower + Light	27 865 000 Ceiling shower F-Series 20" with light			1		
	29 069 000 Cable connection for F-Series 20" with 4 lights			1		
	26 373 001 Ceiling shower with light F-Series 40" AquaSymphony				1	1
	26 376 001 Rainshower F-Series 40" Roughing-set				1	1
Light	36 359 000 Light set	1	1			
	29 072 000 Rough-in for light set	1	1			
Sound	36 360 000 Sound set	1	1	1	1	1
	29 073 000 Rough-in for sound set	1	1	1	1	1
Steam	36 362 000 Steam generator 2.2 kW with steam outlet and temperature sensor		1			
	27 934 000 Steam generator 6.6 kW with steam outlet and temperature sensor			1	1	1
	29 074 000 Rough-in for steam generator		1	1	1	1
Controller	36 397 000 Base unit box Bluetooth 2.0	1	1	1		
	26 374 000 Base unit box Bluetooth 4.0				1	1
	36 371 000 Bluetooth unit	1	1	1	1	1
	36 367 000 Rough-in for base unit box	1	1	1	1	1
	42 429 000 Power Supply for base unit box	1	1	1	2	2
Side Shower	27 251 000 Side shower F-Series 5"		3	6		
Water Controls	36 295 000 Digital controller & shower diverter	1				
	40 710 000 Holder plate for digital controller & digital diverter	2				
	27 625 000 Grohtherm F triple volume control		1	1		
	35 031 000 Rough-in for triple volume control 27 625 000		1	1	1	
	27 619 000 Grohtherm F thermostatic trim		1	1		
	35 500 000 Rapido T universal thermostatic mixer for concealed installation		1	1	2	
	34 634 001 Grohtherm F THM complete kit for F40" preconfigured				1	
	35 028 000 Rapido C rough-in for single volume control				2	
	29 126 000 Grohtherm SmartControl Thermostat for concealed installation with 3 valves					3
	35 600 000 GROHE Rapido SmartBox					3
Hand shower + Accessories	27 075 000 Shower holder	1				
	27 076 000 Shower outlet elbow with square escutcheon	1				
	27 621 000 Wall shower union with integrated shower holder		1	1		
	35 034 000 Rough-in for wall shower union 27 621 000		1	1	1	
	28 034 000 Sena stick hand shower	1	1	1		
	28 142 000 Shower hose metal 1250 mm	1	1			
	28 362 000 Shower hose Silverflex 1250mm			1		
	26 370 000 Euphoria Cube shower outlet elbow					1
	27 698 000 Euphoria Cube Stick hand shower					1
	28 143 000 Relexaflex Metal Longlife Metal shower hose 1500 mm					1

* Configuration with Grohtherm F


** Configuration with Grohtherm SmartControl

INGENIOUS: A TOTAL WATER EXPERIENCE AT YOUR FINGERTIPS.

Compose your own water music. With AquaSymphony you can create your perfect shower moment. The intelligent control systems let you select and adjust a different shower experience for every day, to be completely in tune with your wishes. Choose your favourite!

GROHTHERM F CONFIGURATION

34 634 001, 2 x 35 500 000, 35 031 000, 35 034 000, 2 x 35 028 000



GROHTHERM SMARTCONTROL CONFIGURATION

3 x 29 126 000, 3 x 35 600 000, 26 370 000, 27 698 000, 28 143 000



SPRAYS

- | | | |
|-------------|-------------|---------------|
| ① Waterfall | ④ Pure | ⑦ Drizzle |
| ② Rain | ⑤ Rain | ⑧ AquaCurtain |
| ③ Bokoma | ⑥ Waterfall | ⑨ Handshower |

For detailed information please see our GROHE F-digital Deluxe Planning & Installation Guide or our installation video <https://www.youtube.com/watch?v=Dr7Wlt4Fomk>.

new



GROHE F-DIGITAL DELUXE




GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

new

26 373 001 chrome 18,442.00

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
 1016 mm x 762 mm x 145 mm
 metal
 minimum flow rate 25 l/min
 min. recommended pressure 3.0 bar
 1 x AquaCurtain
 1 x Pure XL spray
 1 x 2 cold mist spray
 2 x GROHE PureRain spray 400 x 190 mm
 2 x XL Waterfall (separately controlled)
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish



requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation


The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl

new

26 376 001 chrome 1,752.00

Rainshower F-Series 40"
Roughing-in set
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower
 1000 mm x 745 mm x 152 mm
 min. installation depth: 167 mm
 waterways: brass
 1/2" connections




The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

new

34 634 001 chrome 2,213.00

Grohtherm F
Thermostat complete kit for F40" preconfigured
 water control trims for Rainshower F-Series 40" AquaSymphony ceiling shower
 for controlling nine water outlets
 with special printing
 safety lock 43° C preinstalled
 consisting of:
 - 2 x thermostatic trim set with 2-way diverter (27 618 000)
 - 1 x triple volume control trim (27 625 000)
 - 2 x single volume control (27 623 000)
 - 1 x wall shower union with holder (27 621 000)
 - 1 x Sena stick hand shower (28 034 000)
 - 1 x Relexaflex metal 1500 mm (28 143 000)



thermostatic mixers and rough-ins have to be ordered separately:
 • 2 x Rapido T universal thermostatic mixer (35 500 000)
 - 2 x rough-in volume control (35 028 000)
 - 1 x rough-in box for triple volume control (35 031 000)
 • 1 x Grohtherm F rough-in box for wall shower union (35 034 000)


GROHE F-DIGITAL DELUXE

Ref. No.

Colour

Price netto (€)

new



29 126 000

chrome


483.00

Grotherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
 SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow, exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus (optional) additional temperature limiter at 43° C
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min

new



35 600 000


chrome

64.00

GROHE Rapido SmartBox

Universal rough-in box, 1/2"

3 outlets 1/2"
 2 inlets below, 1/2"
 installation depth 75-105 mm
 connection unit in DR brass
 pre-mounted flushing plug
 stable build-in box and protective cover
 fixation options for solid walls and dry cladding
 gasket
 without set for final installation



27 865 000


chrome

4,355.00

Rainshower F-Series 20"

Ceiling shower with light

Rain spray
 508 x 508 x 59 mm
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
 this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
 For detailed planning and product information please contact your local GROHE Customer Service.



29 069 000

chrome

131.00

Rainshower F-Series

Cable connection


for ceiling shower with light (27 865 000)
 consisting of:
 2 cable extensions (5 m each)

SHOWERS

GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

36 359 000 chrome 1,220.00



Rainshower F-Series

Light set

127 x 127 mm per module

full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
consisting of:

- 1 light module with two plug connections
- 1 light module with one plug connection

waterproof & corrosion protected

supply voltage: 12 V DC

CE approved

GROHE StarLight chrome finish

requires rough-in set (29 072 000), F-digital Deluxe base unit

box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)

and various cable connections – all to be ordered separately

due to installation situation


this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

For detailed planning and product information please

contact your local GROHE Customer Service.

29 072 000 chrome 233.00



Rainshower F-Series


Rough-in set light set

for use with double light modules (36 359 000)

consisting of:

- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)

36 360 000 chrome 1,046.00



Rainshower F-Series

Sound set

127 x 127 mm per module

full range stereo speaker

consisting of:

- 2 speakers with plug connections

waterproof & corrosion protected

GROHE StarLight chrome finish

requires rough-in set (29 073 000), F-digital Deluxe base unit

box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)


and various cable connections – all to be ordered separately

due to installation situation

For detailed planning and product information please

contact your local GROHE Customer Service.

29 073 000 chrome 233.00



Rainshower F-Series

Rough-in set sound set

for use with double sound modules (36 360 000)

consisting of:

- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece

GROHE F-DIGITAL DELUXE

Ref. No.


Colour

Price netto (€)

27 934 000

chrome

3,030.00




**GROHE F-digital Deluxe
Steam generator 6.6 kW
with steam outlet and temperature sensor**

consisting of:
 steam generator
 415 x 445 x 130 mm
 suitable for steam rooms up to 17 m³
 supply voltage 400 V 3L+N+PE AC, 50 Hz
 power 6.6 kW
 water inlet 3/4"
 operating pressure 1 – 5 bar (above pressure reducer)
 automatic emptying
 water outlet 1/2"
 steam temperature: max. 55° C
 steam outlet 1/2"
 type of protection IP 23
 CE approved
 with connecting plug
steam outlet module with indentation for fragranced oil
 127 x 127 mm
 connection thread 1/2"
temperature sensor module
 60 x 60 x 12 mm
SpeedClean anti-lime system
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit
 box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)
 and various cable connections – all to be ordered separately
 due to installation situation
 For detailed planning and product information please
 contact your local GROHE Customer Service.

36 362 000

chrome

3,030.00




**GROHE F-digital Deluxe
Steam generator 2.2 kW
with steam outlet and temperature sensor**

consisting of:
 steam generator
 415 x 445 x 130 mm
 suitable for steam rooms up to 2.5 m³
 supply voltage 230 V AC, 50 Hz
 power 2.2 kW
 water inlet 3/4"
 operating pressure 1 – 5 bar (above pressure reducer)
 automatic emptying
 water outlet 1/2"
 steam temperature: max. 55° C
 steam outlet 1/2"
 type of protection IP 23
 CE approved
steam outlet module with indentation for fragranced oil
 127 x 127 mm
 connection thread 1/2"
temperature sensor module
 60 x 60 x 12 mm
SpeedClean anti-lime system
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit
 box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)
 and various cable connections – all to be ordered separately
 due to installation situation
 For detailed planning and product information please
 contact your local GROHE Customer Service.

29 074 000

chrome

359.00



**GROHE F-digital Deluxe
Rough-in set steam generator**
 for use with steam module (36 362 000 or 27 934 000)

consisting of:
 - 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
 - 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
 - 1 cable extension temperature sensor, 5 m
 - 1 cable extension steam generator, 5 m

GROHE F-DIGITAL DELUXE

Ref. No.



Colour

Price netto (€)

26 374 000

chrome

979.00



GROHE F-digital Deluxe

Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower
additional light, sound and steam modules can be connected and controlled

consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service


optional: the base unit box can be placed into extra equipment 36 367 000

component has to be ordered separately

36 397 000

chrome

1,423.00



GROHE F-digital Deluxe

Base Unit Box 2.0 Bluetooth (BCU V2.0)

for connecting light, sound and steam modules

consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) or 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved


must be accessible for service

optional: the base unit box can be placed into extra equipment 36 367 000

42 429 000

chrome

105.00



GROHE F-digital Deluxe

Power supply base unit box

power supply for base unit box (26 374 000 or 36 397 000)

each power supply for 2 light/sound modules (36 359 000)

or 1 ceiling shower with integrated light (27 865 000)

total 2 power supplies max (8 devices max.) can be

connected to the base unit box

with one power supply 4 devices (light/sound modules) can be driven

- ceiling shower with integrated light (27 865 000): 4 devices

input voltage: 90-240 V AC, 50-60 Hz

output voltage: 12 V DC

CE approved

GROHE F-DIGITAL DELUXE

Ref. No.

Colour

Price netto (€)

36 371 000

chrome

602.00

GROHE F-digital Deluxe

Bluetooth unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication
combinable with existing 36 365 000 docking station
wall mounted
86 x 73 x 42 mm

Features:

- reset switch
- status indicator (LED)
- stand alone/maximum configuration
- one-to-one connection
- with safety cut-off mechanism (1 user)
- safety shutdown in case of connection loss
- connection cable set for data communication and power supply (5 m each)
- CE approved

bluetooth transmitter power supply: 12 V


bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

requires Base Unit Box 2.0 Bluetooth (36 397 000) – to be ordered separately

bluetooth-enabled device (bluetooth V2.1 or higher) necessary



System requirements

Android

operating system: as of release 2.3.3

pixel density: 160 dpi minimum

display resolution: 320 x 470 pixels per inch

System requirements

Apple

iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**

Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

36 367 000

chrome

277.00

GROHE F-digital Deluxe

Rough-in set base unit box

for use with base unit box (26 374 000 or 36 397 000)

550 x 700 x 110 mm

with removable front panel for installation


with adjustable front frame for installation in wall niches

galvanized and powder coated (RAL 9010, pure white) steel plate

1 mm thick steel plate

with two mounting rails and elbow for power outlets

and mounting materials



47 837 000

chrome

73.00


GROHE F-digital Deluxe

Cable extension steam generator, 5 m

extension between base unit box (26 374 000 or 36 397 000) and

steam generator (36 362 000 or 27 934 000)

cable extension up to 10 m



GROHE F-DIGITAL DELUXE

	Ref. No.	Colour	Price netto (€)
	47 838 000	chrome	73.00
	GROHE F-digital Deluxe Cable extension sound set, 5 m connection between base unit box (26 374 000 or 36 397 000) and sound modules (36 360 000) each music module needs a separate extension cable cable extension up to 10 m		
	47 867 000	chrome	73.00
	GROHE F-digital Deluxe Cable extension light set, 5 m connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m		
	47 910 000	chrome	61.00
	Cable extension light set, 1.65 m		
	47 868 000	chrome	73.00
	GROHE F-digital Deluxe Cable extension for power supply, 5 m connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m		
	47 877 000	chrome	73.00
	GROHE F-digital Deluxe Cable extension temperature sensor, 5 m extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m		

GROHE AQUATUNES




SHOWERS



GROHE AQUATUNES


Ref. No. Colour Price netto (€)

26 268 LV0 white/clear grey 133.00




Aquatunes
Wireless shower speaker
consisting of:
Speaker module for wireless audio streaming via Bluetooth
Anti-slip rail adapter for fixation on rails with \varnothing 20mm-25 mm
induction charging base station with integrated power cord plug type EN50075
Quality Audio Experience by PHILIPS
Output power 2 W RMS
signal to noise ratio > 70dB
works with devices with Bluetooth 4.0 or below
6 keys on speaker module for direct control of:
power on/off, pairing, volume up, volume down, previous track, next track
2 LED indicators for pairing, bluetooth status, power/charging/fully charged
built-in rechargeable battery provides > 8 hours of run time
Speaker modules water resistant rated IPx6 with protected PCB
charging base water resistant rated IPx7
GROHE StarLight finish

26 323 L00 white 21.00



Aquatunes
Rail adapter
anti-slip fixation
fits on rails with \varnothing 20 mm-25 mm

26 324 L00 white 60.00



Aquatunes
Charging base station
With integrated power cord
Induction charging
plug type EN50075
water resistant rated IPx7

GROHE RAINSHOWER SYSTEM SMARTCONTROL



SHOWERS



GROHE
StarLight



GROHE
CoolTouch



GROHE
TurboStat



GROHE
EcoJoy




GROHE
DreamSpray

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.

Colour

Price netto (€)



26 250 000

chrome

1,423.00


Rainshower System SmartControl 360 DUO Shower system with thermostat for wall mounting

consisting of:

- horizontal 500 mm shower arm
- exposed SmartControl thermostat
- allows change between:
 - head shower Rainshower 360 DUO, spray plate chrome
 - GROHE PureRain/GROHE Rain O² spray* and TrioMassage
 - hand shower Power&Soul 115, spray plate white (27 671 LS0)
 - hand shower wall holder (27 055 000)
 - Silverflex shower hose 1750 mm (28 388 000)
 - minimum flow rate 10 l/min.

- GROHE DreamSpray** perfect spray pattern
- GROHE StarLight** chrome finish
- GROHE CoolTouch** no risk of scalding
- GROHE TurboStat** compact cartridge with wax thermoelement
- GROHE EcoJoy** technology for less water and perfect flow
- GROHE SafeStop at 38°C
- GROHE SafeStop Plus** (optional) additional temperature limiter at 43° C
- SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow
- GROHE EasyReach** shower tray
- SpeedClean** anti-lime system
- Inner WaterGuide** for a longer life
- Twistfree** to prevent hose from twisting

* to be decided at first installation; factory default setting: GROHE PureRain



26 250 LS0

moon white

1,233.00

Rainshower System SmartControl 360 DUO Shower system with thermostat for wall mounting

consisting of:

- horizontal 500 mm shower arm
- exposed SmartControl thermostat
- allows change between:
 - head shower Rainshower 360 DUO, spray plate white
 - GROHE PureRain/GROHE Rain O² spray* and TrioMassage
 - hand shower Power&Soul 115, spray plate white (27 671 LS0)
 - hand shower wall holder (27 055 000)
 - Silverflex shower hose 1750 mm (28 388 000)
 - minimum flow rate 10 l/min.

- GROHE DreamSpray** perfect spray pattern
- GROHE StarLight** chrome finish
- GROHE CoolTouch** no risk of scalding
- GROHE TurboStat** compact cartridge with wax thermoelement
- GROHE EcoJoy** technology for less water and perfect flow
- GROHE SafeStop at 38°C
- GROHE SafeStop Plus** (optional) additional temperature limiter at 43° C
- SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow
- GROHE EasyReach** shower tray
- SpeedClean** anti-lime system
- Inner WaterGuide** for a longer life
- Twistfree** to prevent hose from twisting


* to be decided at first installation; factory default setting: GROHE PureRain

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.

Colour

Price netto (€)



26 361 000

chrome

1,205.00

Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat

allows change between:

head shower Rainshower 360 MONO, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional

temperature limiter at 43° C

SmartControl push for ON-OFF, turn for volume

adjustment from EcoJoy to Full Flow


GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default
setting: GROHE PureRain



26 361 LS0

moon white

1,117.00

Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat

allows change between:

head shower Rainshower 360 MONO, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional

temperature limiter at 43° C

SmartControl push for ON-OFF, turn for volume

adjustment from EcoJoy to Full Flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default
setting: GROHE PureRain

SHOWERS

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.


Colour

Price netto (€)

26 443 000

chrome

1,233.00



Rainshower System SmartControl 360 DUO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat
allows change between:

head shower Rainshower 360 DUO with horizontal

450 mm shower arm, spray plate chrome

GROHE PureRain/GROHE Rain O² spray* and TrioMassage

hand shower Power&Soul 115, spray plate white (27 671 LS0)

hand shower wall holder (27 055 000)

Silverflex shower hose 1.500 mm (28 364 000)

minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional

temperature limiter at 43° C

SmartControl push for ON-OFF, turn for volume

adjustment from EcoJoy to Full Flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit


26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain

26 443 LS0

moon white

1,233.00



Rainshower System SmartControl 360 DUO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat
allows change between:

head shower Rainshower 360 DUO with horizontal

450 mm shower arm, spray plate white

GROHE PureRain/GROHE Rain O² spray* and TrioMassage

hand shower Power&Soul 115, spray plate white (27 671 LS0)

hand shower wall holder (27 055 000)

Silverflex shower hose 1.500 mm (28 364 000)

minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional

temperature limiter at 43° C

SmartControl push for ON-OFF, turn for volume

adjustment from EcoJoy to Full Flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit

26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.


Colour

Price netto (€)

26 446 000

chrome

1,117.00



Rainshower System SmartControl 360 MONO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat

allows change between:

head shower Rainshower 360 MONO with horizontal

450 mm shower arm, spray plate chrome

GROHE PureRain/GROHE Rain O² spray*

Power&Soul 130 hand shower, spray plate white (27 673 LS0)

hand shower wall holder (27 055 000)

Silverflex shower hose 1.500 mm (28 364 000)

minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional

temperature limiter at 43° C

SmartControl push for ON-OFF, turn for volume

adjustment from EcoJoy to Full Flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit


26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain

26 446 LS0

moon white

1,117.00



Rainshower System SmartControl 360 MONO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat

allows change between:

head shower Rainshower 360 MONO with horizontal

450 mm shower arm, spray plate white

GROHE PureRain/GROHE Rain O² spray*

Power&Soul 130 hand shower, spray plate white (27 673 LS0)

hand shower wall holder (27 055 000)

Silverflex shower hose 1.500 mm (28 364 000)

minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus (optional) additional

temperature limiter at 43° C

SmartControl push for ON-OFF, turn for volume

adjustment from EcoJoy to Full Flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit


26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain

26 264 001

chrome

92.00



Rainshower 360

Rough-in box for head shower set 26 254 / 26 450

inlets and outlets 1/2"

fixing points for back wall

leakproof housing

removable protection cover with installation information

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.


Colour

Price netto (€)

26 449 000

chrome

114.00




Grotherm SmartControl
Concealed body for exposed/concealed variants
 wall mounted
 2 outlets 1/2"
 installation depth 75 - 105 mm
 flushing plug
 wall sealing
 installation device

48 349 000

chrome

84.00




Rainshower SmartControl
Shower system pipe for retrofitting
 metal
 shower pipe for retrofitting - 15 cm shorter than
 original shower system pipe
 suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

48 350 000

chrome

102.00




Rainshower SmartControl
Shower system pipe for retrofitting
 metal
 shower pipe for retrofitting - 15 cm longer than
 original shower system pipe
 suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
 a mounted system cannot be modified to a longer pipe
 useable with systems as of production date 04/2017, see TPI

26 385 000

chrome

13.50



Rainshower SmartControl
Compensation disc
 for Rainshower SmartControl systems
 26 250, 26 361, 26 379
 stackable

GROHE RAINSHOWER SYSTEM



GROHE
StarLight



GROHE
CoolTouch



GROHE
TurboStat



GROHE
EcoJoy




GROHE
DreamSpray

GROHE RAINSHOWER SYSTEM

Ref. No.

Colour

Price netto (€)



27 174 001

chrome

1,217.00

Rainshower System 400

Shower system with thermostat for wall mounting consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 400 head shower (28 778 000)
with ball joint, rotation angle $\pm 20^\circ$
hand shower Sena (28 034 000)
adjustable in height with gliding element (12 140 000)
shower hose, 1.750 mm
1/2" x 1/2" (28 025 000)

GROHE CoolTouch

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters
from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 472 000

chrome

1,082.00

Rainshower System Veris 300

Shower system with thermostat for wall mounting consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower 310 (27 471 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Ondus (27 185 000)
adjustable in height with gliding element (12 140 000)

GROHE EcoJoy 9.5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

Inner WaterGuide for a longer life

suitable for instantaneous heaters
from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 966 000

chrome

1,082.00

Rainshower System 310

Shower system with thermostat for wall mounting consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Sena (28 034 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

suitable for instantaneous heaters


from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE RAINSHOWER SYSTEM

Ref. No. Colour Price netto (€)



27 968 000 chrome 1,082.00

Rainshower System 310

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 head shower (27 477 000)
with ball joint

rotation angle $\pm 15^\circ$

Hand shower Power&Soul Cosmopolitan 130 (27 664 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge
with wax thermosteement

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight chrome finish


SpeedClean anti-lime system

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 469 000 chrome 1,082.00

Rainshower F-Series System 254

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Rainshower F-Series 254 (27 285 000)

with ball joint, rotation angle $\pm 20^\circ$

hand shower Sena (28 341 000)

adjustable in height with gliding element (12 140 000)

metal shower hose 1750 mm

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat

GROHE CoolTouch

GROHE DreamSpray perfect flow

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.



27 374 000 chrome 1,252.00

Rainshower System 210

Shower system with thermostat and side showers

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

rotation angle $\pm 15^\circ$

hand shower Sena (28 034 000)

4 adjustable side showers

metal shower hose 1750 mm (28 025 000)

GROHE CoolTouch

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 10 l/min

(at separate use of head, hand or side showers)


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SYSTEM

Ref. No.

Colour

Price netto (€)



27 032 001

chrome

941.00

Rainshower System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint, rotation angle $\pm 15^\circ$
hand shower Sena (28 034 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm (27 178 000)

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 967 000

chrome

941.00

Rainshower System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 head shower (28 368 000)
with ball joint
rotation angle $\pm 15^\circ$
Hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 641 000

chrome

1,082.00

Rainshower System 210

Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
with ball joint, rotation angle $\pm 15^\circ$
bath inlet
separate diverter for hand shower Sena (28 341 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm (27 178 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE RAINSHOWER SYSTEM

Ref. No.


Colour

Price netto (€)

27 175 000

chrome

941.00




Rainshower System 400 Shower system with diverter for wall mounting

consisting of:
horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter
Rainshower Cosmopolitan 400 head shower (28 778 000)
with ball joint
rotation angle $\pm 20^\circ$
hand shower Sena (28 034 000)
adjustable in height with gliding element (12 140 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
metal shower hose 1750 mm
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

27 058 000

chrome

821.00



Rainshower System 210 Shower system with diverter for wall mounting

consisting of:
horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Sena (28 034 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
**suitable for instantaneous heaters
from 18 kW/h**
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

SHOWERS

GROHE EUPHORIA XXL SYSTEM



SHOWERS



GROHE
SilkMove



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy




GROHE
DreamSpray

GROHE EUPHORIA XXL SYSTEM

Ref. No. Colour Price netto (€)


26 087 000 chrome 1,214.00



Euphoria Cube XXL System 230
Shower system with thermostatic mixer for wall mounting

consisting of:
shower arm
projection 400 mm
exposed thermostat with
Aquadimmer function
allows change between:
Rainshower Allure head shower (27 479 000)
spray pattern: Rain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria Cube (27 699 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

26 075 000 chrome 799.00
26 075 DC0 supersteel 1,171.00



Euphoria XXL System 310
Shower system with thermostatic mixer for wall mounting


consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
spray pattern: Rain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA XXL SYSTEM

Ref. No.

Colour

Price netto (€)




26 187 000

chrome

734.00

Euphoria XXL 230
Shower system with thermostat for wall mounting

consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
head shower Allure 210 (27 479 000)
spray pattern: Rain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)




26 363 000

chrome

658.00

Euphoria XXL System 210
Shower system with thermostat for wall mounting

consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
spray pattern: Rain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (26 362 LN0)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
min. recommended pressure 1.0 bar



27 964 000

chrome

665.00

Euphoria XXL System 210
Shower system with thermostat for wall mounting


consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
spray pattern: Rain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA XXL SYSTEM

Ref. No.

Colour

Price netto (€)



23 147 001

chrome


1,050.00

Euphoria Cube XXL System 230

Shower system with single lever mixer for wall mounting

consisting of:

shower arm
projection 400 mm
exposed single-lever shower mixer with diverter
allows change between:
spray pattern: Rain
metal head shower Rainshower Allure 230 (27 479 000)
with ball joint
rotation angle $\pm 15^\circ$
spray pattern: Rain
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar



23 058 003

chrome

665.00


Euphoria XXL Eurodisc Cosmopolitan System 210

Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
spray pattern: Rain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria Cosmopolitan Stick (27 400 000)
spray pattern: Rain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

new



26 314 000

chrome

*

Euphoria XXL System 210

Shower system with single lever bath mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed single-lever bath mixer with diverter handle
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
spray pattern: Rain
with ball joint
rotation angle $\pm 15^\circ$
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage (27 221 000)
spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
distance between single-lever mixer and upper bracket: 1011 mm
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM



SHOWERS



GROHE
SilkMove



GROHE
StarLight



GROHE
TurboStat



GROHE
EcoJoy




GROHE
DreamSpray

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



26 186 000

chrome

627.00

Euphoria Power&Soul System 190 Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

Grohtherm 1000 Cosmopolitan exposed

thermostat with Aquadimmer function

allows change between:

head shower Power&Soul 190

4+ spray patterns:

GROHE Rain O², Rain, Bokoma Spray, Jet

with ball joint

rotation angle $\pm 15^\circ$

Hand shower Power&Soul 115 (27 671 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE DreamSpray perfect spray pattern

GROHE One-click showering

spray selection via push of a button

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 273 000

chrome

647.00



Euphoria System 180

Shower system with thermostat for wall mounting

consisting of:

Aquatunes wireless shower speaker (26 268 LV0)

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria Cosmopolitan 180

(27 491 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE TurboStat compact cartridge

with wax thermoelement

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

min. recommended pressure 1.0 bar


optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



27 296 001

chrome

612.00

Euphoria System 180
Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

head shower Euphoria Cosmopolitan 180

(27 491 000), spray pattern: Rain

with ball joint, rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


optional upgrade: **GROHE EasyReach** tray (26 362)

27 615 000

chrome

612.00

ditto, with 9.5 l/min flow limiter



27 420 001

chrome

612.00

Euphoria 180
Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria Cosmopolitan 180

(27 491 000), spray pattern: Rain

with ball joint, rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting


suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)



26 241 000

chrome

*

Euphoria
Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 932 000

chrome

612.00



Euphoria System 150 Shower system with thermostatic mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
head shower Euphoria Cube 150 (27 705 000)
spray pattern: Rain
with ball joint
rotation angle $\pm 12^\circ$
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 418 000

chrome

468.00



Euphoria System 180 E

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
with ergonomic handles
allows change between:
head shower Euphoria Cosmopolitan 180
(27 491 000)
spray pattern: Rain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



26 227 000

chrome

734.00

Euphoria System 190 Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan
with Aquadimmer function

allows change between:

head shower Power&Soul 190 (27 766 000)

4+ spray patterns:

GROHE Rain O², Rain, Bokoma Spray, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

Hand shower Power&Soul 115 (27 671 000)

2 spray patterns:

GROHE Rain O², Rain

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE DreamSpray perfect spray pattern

GROHE One-click showering

spray selection via push of a button

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

27 475 000

chrome

665.00

Euphoria System 180 Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria Cosmopolitan

(27 492 000)

chrome plated spray plate

spray pattern: Rain

with ball joint, rotation angle $\pm 15^\circ$

bath inlet

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



26 243 000

chrome

*

Euphoria Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

separate diverter for hand shower

gliding element

Silverflex shower hose 1750 mm (28 388 000)

distance between thermostat and upper bracket: 1016 mm

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE StarLight chrome finish

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar




GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



27 473 000

chrome

523.00

Euphoria System 180 Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Euphoria Cosmopolitan

(27 492 000)

chrome plated spray plate

with ball joint, rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 239 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



26 240 000

chrome

*

Euphoria Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

minimum flow rate 7 l/min.

suitable for instantaneous heaters

from 18 kW/h

min. recommended pressure 1.0 bar



23 061 001

chrome

513.00

Euphoria Concetto System 180 Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Euphoria Cosmopolitan

(27 492 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

Euphoria Cosmopolitan hand shower (27 400 000)

adjustable in height with gliding element (12 140 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



26 320 000

chrome

*

Euphoria System 180

Shower system with single lever bath mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever bath mixer with diverter handle

allows change between:

head shower Euphoria Cosmopolitan 180

(27 491 000)

chrome plated spray plate

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Euphoria 110 Massage (27 221 000)

spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

distance between single-lever mixer and upper bracket: 1011 mm

GROHE SilkMove 35 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

27 911 000

chrome

523.00



Euphoria Power&Soul System 190

Shower system with diverter

for wall mounting

consisting of

horizontal swivable 450 mm shower arm

change between hand and head shower

by diverter

Power&Soul head shower (27 766 000)

with ball joint

rotation angle $\pm 15^\circ$

Hand shower Power&Soul 115 (27 671 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

Silverflex shower hose 800 mm

connection to water supply with 1/2"-thread of

the 800 mm shower hose to faucet / wall union

GROHE DreamSpray perfect spray pattern

GROHE One-click showering

spray selection via push of a button

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)




27 421 001

chrome

469.00

Euphoria System 180 Shower system with diverter for wall mounting

consisting of:
horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter
head shower Euphoria Cosmopolitan
(27 492 000), spray pattern: Rain
with ball joint, rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage (27 239 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
Inner WaterGuide for a longer life
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar




27 297 001

chrome

469.00

Euphoria System 180 Shower system with diverter for wall mounting

consisting of:
horizontal swivable 390 mm shower arm
change between hand and head shower
by diverter
head shower Euphoria Cosmopolitan
(27 492 000), spray pattern: Rain
with ball joint, rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage (27 239 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
Inner WaterGuide for a longer life
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.



27 696 000

chrome

647.00

Euphoria Cube System 150 Shower system with diverter for wall mounting

consisting of:
shower arm
projection 400 mm
change between hand and head shower
by diverter
head shower Euphoria Cube 152 mm x 152 mm
spray pattern: Rain
with ball joint
rotation angle $\pm 20^\circ$
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

GROHE NEW TEMPESTA SYSTEM



GROHE
StarLight



GROHE
TurboStat




GROHE
DreamSpray

GROHE NEW TEMPESTA SYSTEM

Ref. No.

Colour

Price netto (€)




27 922 000

chrome

508.00

New Tempesta Cosmopolitan 160 Shower system with thermostat for wall mounting

consisting of
horizontal swivable 390 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
head shower 1 spray (28 232 000)
Rain
with ball joint
rotation angle $\pm 15^\circ$
hand shower New Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
**suitable for instantaneous heaters
from 18 kW/h**
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)



26 223 000

chrome

608.00

New Tempesta Cosmopolitan 160 Shower system with bath thermostat for wall mounting

consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan
with Aquadimmer function
allows change between:
head shower Euphoria Cosmopolitan 160
(28 232 000)
spray pattern: Rain
with ball joint
rotation angle $\pm 15^\circ$
bath inlet
separate diverter for hand shower
hand shower New Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
**suitable for instantaneous heaters
from 18 kW/h**
minimum flow rate 7 l/min.


GROHE NEW TEMPESTA SYSTEM

Ref. No.

Colour

Price netto (€)

new



26 381 000

chrome

225.00

Tempesta System 180

Flex shower system with diverter for wall mounting

consisting of:

horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower
or head shower Eco setting

head shower Euphoria Cosmopolitan 180
(27 491 000)

2 spray patterns (via diverter):

Rain, SmartRain

chrome plated spray face
with ball joint

rotation angle $\pm 15^\circ$

hand shower New Tempesta 100 (27 852 000)

spray pattern: Rain

adjustable in height with gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water
supply with 1/2" thread of the 1250 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages
caused by shower falling

**suitable for instantaneous heaters
from 18 kW/h**

minimum flow rate 7 l/min.

SHOWERS

GROHE RETRO-FIT SHOWER SYSTEM



GROHE
StarLight



GROHE
EcoJoy



GROHE
DreamSpray

GROHE RETRO-FIT SHOWER SYSTEM

Ref. No.


Colour

Price netto (€)

26 190 000

chrome

575.00



Retro-fit 180

Shower system with diverter for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

built-in diverter allows change between:

Euphoria Cosmopolitan 180 head shower 1 spray
(27 492 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

Euphoria 110 Massage hand shower 3 sprays (27 221 000)

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1.500 mm (28 364 000)

angle adapter

GROHE EcoJoy technology for less water and perfect flow

GROHE DreamSpray perfect spray pattern

GROHE SprayDimmer (Stepless flow
rate reduction)

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting











**suitable for instantaneous heaters
from 18 kW/h**

min. recommended pressure 1.0 bar

GROHE SHOWER SYSTEM ACCESSORIES



GROHE SHOWER SYSTEM ACCESSORIES


	Ref. No.	Colour	Price netto (€)
 	48 053 000	chrome	90.00
Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm longer than original shower system pipe suitable for all Rainshower and Euphoria shower systems GROHE StarLight chrome finish not suitable for shower systems with bath thermostat not suitable for shower systems with side sprays			
 	48 054 000	chrome	69.00
Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower and Euphoria shower systems GROHE StarLight chrome finish not suitable for shower systems with bath thermostat not suitable for shower systems with side sprays			
 	14 014 000	chrome	48.00
Rainshower Shower arm for shower systems metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for all GROHE shower systems			
 	14 047 000	chrome	43.00
Rainshower Shower arm for shower systems metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for GROHE shower systems with short nipple, see TPI			
 	27 180 000	chrome	39.00
Rainshower Compensation disc for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031			

GROHE SHOWER SYSTEM ACCESSORIES

Ref. No.

Colour

Price netto (€)




27 617 000

chrome

*

Compensation disc
for Rainshower F-Series shower systems
27 469 000 und 27 569 000 (cube brackets)
GROHE StarLight chrome finish



27 933 000

chrome

85.00

**Euphoria Cube
Compensation disc**
for Euphoria Cube shower systems (Cube brackets)
GROHE StarLight chrome finish



26 362 LN0

white

26.00

GROHE EasyReach tray
for Euphoria and New Tempesta shower systems with thermostat
centre distance 150 mm

SHOWERS

GROHE HEAD AND SIDE SHOWERS



GROHE
StarLight



GROHE
CoolTouch










GROHE
EcoJoy













GROHE
DreamSpray











GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 254 000 Rainshower 360 Duo Head shower set 360 mm x 220 mm consisting of: head shower Rainshower 360 DUO, spray plate chrome GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately	chrome	560.00
	26 254 LS0 Rainshower 360 Duo Head shower set 360 mm x 220 mm consisting of: head shower Rainshower 360 DUO, spray plate white GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately	moon white	512.00
	26 450 000 26 450 LS0 Rainshower 360 Mono Head shower set 360 mm x 220 mm consisting of: head shower Rainshower 360 MONO, spray plate chrome GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately	chrome moon white	442.00 442.00
	26 264 001 Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information	chrome	92.00
	26 255 000 Rainshower Cosmopolitan 400 Head shower set 422 mm consisting of: metal head shower Rainshower Cosmopolitan 400 (28 778 000) shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	1,252.00
			













GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 256 000 Rainshower Cosmopolitan 400 Head shower set ceiling 142 mm consisting of: head shower Rainshower Cosmopolitan 400 (28 778 000) shower arm Rainshower ceiling 142 mm (28 724 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater	chrome	1,252.00
 	26 257 000 Rainshower 310 Head shower set 422 mm consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater	chrome	459.00
 	26 066 000 26 066 DC0 Rainshower Cosmopolitan 310 Head shower set 380 mm consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) Shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome supersteel	482.00 700.00
	26 056 000 ditto, with non-restricted flow	chrome	482.00
 	26 067 000 26 067 DC0 Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome supersteel	482.00 700.00
	26 057 000 ditto, with non-restricted flow	chrome	482.00
 	26 170 000 Rainshower Veris 300 x 150 Head shower set 422 mm consisting of: metal head shower Rainshower Veris, spray plate chrome (27 470 000) Rainshower shower arm 422 mm, escutcheon chrome (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure	chrome	484.00











GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
		26 170 LS0 Rainshower Veris 300 x 150 Head shower set 422 mm consisting of: metal head shower Rainshower Veris, spray plate white (27 470 LS0) Rainshower shower arm 422 mm, escutcheon white (26 146 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure	moon white/chrome 590.00
		26 068 000 Rainshower Veris 300 Head shower set 286 mm consisting of: Head shower Rainshower Veris (27 471 000) Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome 435.00
		26 058 000 ditto, with non-restricted flow	chrome 435.00
		26 069 000 Rainshower Veris 300 Head shower set ceiling 142 mm consisting of: Head shower Rainshower Veris (27 471 000) shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome 435.00
		26 059 000 ditto, with non-restricted flow	chrome 435.00
		26 059 LS0 Rainshower Veris 300 Head shower set ceiling 142 mm consisting of: metal head shower Rainshower Veris, spray plate white (27 470 LS0) shower arm Rainshower ceiling 142 mm, escutcheon white (28 724 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater	moon white/chrome 586.00
		26 259 000 Rainshower F-Series 10" 254 x 254 Head shower set 422 mm consisting of: head shower Rainshower F-Series 10" (27 271 000) shower arm Rainshower square 422 mm (26 145 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater	chrome 430.00

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 070 000 Rainshower F-Series 10" 254 x 254 Head shower set 286 mm consisting of: head shower Rainshower F-Series 254 (27 285 000) Shower arm Rainshower 286 mm (27 488 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	435.00
 	26 060 000 ditto, with non-restricted flow	chrome	435.00
 	26 071 000 Rainshower F-Series 10\" Head shower set ceiling 142 mm consisting of: head shower Rainshower F-Series 254 (27 285 000) shower arm Rainshower ceiling 142 mm (27 485 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	435.00
 	26 061 000 ditto, with non-restricted flow	chrome	435.00
 	26 064 000 Rainshower Allure 230 Head shower set 286 mm consisting of: Head shower Rainshower Allure 230 (27 480 000) Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	495.00
 	26 054 000 ditto, with non-restricted flow	chrome	495.00
	26 065 000 Rainshower Allure 230 Head shower set ceiling 154 mm consisting of: Head shower Rainshower Allure 230 (27 480 000) shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	452.00
	26 055 000 ditto, with non-restricted flow	chrome	489.00
	26 171 000 Rainshower Cosmopolitan 210 Head shower set 422 mm consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) Rainshower shower arm 422 mm, escutcheon chrome (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater starting at 0.5 bar flow pressure	chrome	376.00

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 171 LS0	moon white/chrome	507.00
<p>Rainshower Cosmopolitan 210 Head shower set 422 mm consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate white (28 368 LS0) Rainshower shower arm 422 mm, escutcheon white (26 146 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater starting at 0.5 bar flow pressure</p>			
 	26 062 000	chrome	349.00
<p>Rainshower Cosmopolitan 210 Head shower set 286 mm consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure min. recommended pressure 1.0 bar</p>			
<p>26 052 000 chrome 349.00 ditto, with non-restricted flow</p>			
 	26 063 000	chrome	349.00
<p>Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure</p>			
<p>26 053 000 chrome 349.00 ditto, with non-restricted flow</p>			
 	26 053 LS0	moon white/chrome	454.00
<p>Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate white (28 368 LS0) shower arm Rainshower ceiling 142 mm, escutcheon white (28 724 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure</p>			
 	26 172 000	chrome	242.00
<p>Power&Soul Cosmopolitan 190 Head shower set 422 mm consisting of: head shower Power&Soul Cosmopolitan 190, spray plate night time grey (27 765 000) Rainshower shower arm 422 mm, escutcheon chrome (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure</p>			

GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

		<p>26 172 LS0 moon white/chrome 296.00</p> <p>Power&Soul Cosmopolitan 190 Head shower set 422 mm consisting of: head shower Power&Soul Cosmopolitan 190 in moon white (27 764 LS0) Rainshower shower arm 422 mm, escutcheon white (26 146 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure</p>
		<p>26 072 000 chrome 188.00</p> <p>Euphoria Cosmopolitan 180 Head shower set 286 mm consisting of: head shower Euphoria Cosmopolitan (27 492 000) Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>26 073 000 chrome 224.00</p> <p>Euphoria Cube 150 Head shower set 286 mm consisting of: head shower Euphoria Cube 150 (27 705 000) Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>27 870 000 chrome 64.00</p> <p>New Tempesta 100 Head shower set 4 sprays GROHE Rain O², Rain, Massage, Jet Shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9,5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>26 088 000 chrome 59.00</p> <p>New Tempesta 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage shower head Ø 100 mm ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>

SHOWERS

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 869 000	chrome	71.00
	<p>New Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain Massage, Jet Shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	26 090 000	chrome	65.00
	<p>New Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	26 089 000	chrome	62.00
	<p>New Tempesta Rustic 100 Head shower set 4 sprays 4 spray patterns: GROHE Rain O², Rain Massage, Jet shower head Ø 100 mm ball joint ± 15° rotatable escutcheon Shower arm with connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
<div style="background-color: #0070C0; color: white; padding: 2px 5px; display: inline-block;">new</div>  	26 373 001	chrome	18,442.00
	<p>Rainshower F-Series 40'' AquaSymphony Ceiling shower 6+ sprays with light 1016 mm x 762 mm x 145 mm metal minimum flow rate 25 l/min min. recommended pressure 3.0 bar 1 x AquaCurtain 1 x Pure XL spray 1 x 2 cold mist spray 2 x GROHE PureRain spray 400 x 190 mm 2 x XL Waterfall (separately controlled) 1 x 4 Bokoma Spray with adjustment angle 20° and combinations full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved SpeedClean anti-lime system GROHE DreamSpray perfect spray pattern GROHE StarLight finish</p> <p>requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation</p> <p>The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.</p> <p>recommendation: configuration with Grohtherm F or Grohtherm SmartControl</p>		


GROHE HEAD AND SIDE SHOWERS

Ref. No.

Colour

Price netto (€)

new



26 376 001


chrome

1,752.00

Rainshower F-Series 40"
Roughing-in set

for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
waterways: brass
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.




27 865 000

chrome

4,355.00

Rainshower F-Series 20"
Ceiling shower with light

Rain spray
508 x 508 x 59 mm
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.




27 286 000

chrome

1,815.00

Rainshower F-Series 20"
Ceiling shower 1 spray

Rain
508 x 508 mm
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar



27 939 001

chrome

2,956.00


Rainshower F-Series 15"
Ceiling shower 3 sprays

Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 17 mm (height) x 456 mm (depth)
metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-lime system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: approx. 20 l/min
2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
head shower has to be controlled by 4 outlets
recommendation: Grohtherm F thermostatic trim with integrated 2-way diverter 27 618 000, 35 500 000 and triple volume control trim 27 625 000, 35 031 000

GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

27 938 001 **chrome** 2,956.00



Rainshower F-Series 15"
Head shower 3 sprays

Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 60 mm (height) x 677 mm (depth)
metal

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE XL Waterfall extra wide waterfall spray

SpeedClean anti-lime system

flow of single spray at 3 bar:

1 x Rain spray 300 mm: approx. 20 l/min

2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min

4 x Bokoma Spray with adjustment angle 20°: 20 l/min
requires rough-in (26 042 000) – to be ordered separately



head shower has to be controlled by 4 outlets

recommendation: Grohtherm F thermostatic trim with

integrated 2-way diverter 27 618 000, 35 500 000 and

triple volume control trim 27 625 000, 35 031 000

26 042 000 **chrome** 207.00



Rainshower F-Series 15"

Roughing-in set

for use with Rainshower F-Series 15" Multi Spray head shower

295 mm (width) x 121 mm (height) x 181 mm (depth)

max. installation depth: 91 mm

min. wall thickness: not less than 200 mm


minimum screw-in depth of stud bolts: 14 mm

full metal construction

waterways: brass

1/2" connections

27 467 000 **chrome** 568.00



Rainshower F-Series 10" 254 x 254

Ceiling shower 1 spray

Rain

254 x 254 mm

metal

connection thread 1/2"

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

suitable for instantaneous heater

min. recommended pressure 1.0 bar

27 285 000 **chrome** 430.00



Rainshower F-Series 10"

Head shower 1 spray

Rain spray

254 x 254 mm

metal

ball joint ± 20° rotatable

connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

suitable for instantaneous heater

min. recommended pressure 1.0 bar

27 271 000 **chrome** 430.00

ditto, with non-restricted flow



Rainshower F-Series 5"

Side shower 1 spray

Normal spray

including concealed body

127 x 127 mm

Flow straightener with ball joint (± 12.5° rotatable)

connection thread 1/2"

GROHE DreamSpray perfect spray pattern











GROHE StarLight chrome finish

GROHE FlowBalance flow regulating screw











SpeedClean anti-lime system

suitable for instantaneous heater









GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 253 000 Rainshower F-Series 5" Head shower 1 spray Normal spray wall mounted 127 x 127 mm Flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread 1/2" with pre-assembled Teflon sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-lime system	chrome	166.00
 	27 193 000 GROHE Ondus 400 Head shower 1 spray normal (wide) spray starting at 0.5 bar flow pressure \varnothing 400 mm, metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497	chrome	1,586.00
 	27 287 000 GROHE Ondus 210 Head shower 1 spray normal (wide) spray starting at 0.5 bar flow pressure \varnothing 210 mm, metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 497, 28 576, 28 361 or 28 982!	chrome	541.00
 	27 861 000 Rainshower Veris 300 Ceiling shower 1 spray Rain 300 x 150 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater	chrome	601.00
 	27 471 000 Rainshower Veris 300 Head shower 1 spray Rain spray 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	430.00
	27 470 000 ditto, with non-restricted flow	chrome	430.00











GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 470 LS0 Rainshower Veris 300 Head shower 1 spray spray plate white Rain 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	moon white/chrome	573.00
 	27 863 000 Rainshower Allure 230 Ceiling shower 1 spray Rain 230 x 230 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	649.00
 	27 480 000 Rainshower Allure 230 Head shower 1 spray Rain spray 230 x 230 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater	chrome	465.00
	27 479 000 ditto, with non-restricted flow	chrome	465.00
 	28 778 000 Rainshower Cosmopolitan 400 Head shower 1 spray normal (wide) spray starting at 0.5 bar flow pressure Ø 400 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497	chrome	585.00
 	27 478 000 Rainshower Cosmopolitan 310 Head shower 1 spray Rain spray Ø 310 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater	chrome	480.00
	27 477 000 ditto, with non-restricted flow	chrome	480.00

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	28 368 00E	chrome	356.00
	Rainshower Cosmopolitan 210 Head shower 1 spray spray pattern Rain starting at 0.5 bar flow pressure Ø 210 mm metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!		
	28 373 000	chrome	314.00
	28 368 000	chrome	356.00
	ditto, with non-restricted flow		
 	28 368 LS0	moon white	389.00
	Rainshower Cosmopolitan 210 Head shower 1 spray spray plate white Rain starting at 0.5 bar flow pressure Ø 210 mm metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 384, 28 497, 28 576 or 28 724!		
 	27 134 000	chrome	115.00
	Rainshower Cosmopolitan 160 Head shower 4 sprays Rain, Jet, Pure, Champagne spray Ø 160 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 0.5 bar the head shower is suitable for minimum flow rate of 7,5 l/min and a maximum of 25 l/min (DIN EN 1112). Minimum pressure > 1 bar, maximum 5 bar (DIN EN 1112). Recommended for use with Rainshower shower arms.		
 	28 369 000	chrome	347.00
	Rainshower Rustic 210 Head shower 1 spray normal (wide) spray starting at 0.5 bar flow pressure Ø 212 mm metal ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 128 000	chrome	148.00
<p>Rainshower Rustic 160 Head shower 4 sprays Rain, Jet, Pure, Champagne spray ball joint with turning angle 15° ± 15° connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 0.5 bar the head shower is suitable for minimum flow rate of 7,5 l/min and a maximum of 25 l/min (DIN EN 1112). Minimum pressure > 1 bar, maximum 5 bar (DIN EN 1112). Recommended for use with Rainshower shower arms.</p>			
 	27 370 000	chrome	154.00
<p>Rainshower Solo 190 Head shower 1 spray Rain spray ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater</p>			
 	27 373 000	chrome	154.00
<p>Rainshower Icon 190 Head shower 1 spray Rain spray ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater</p>			
 	27 974 000 27 974 IGO	chrome chrome/gold	403.00 524.00
<p>Grandera 210 Head shower 1 spray Rain 221 x 221 mm metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 765 000	chrome	142.00
<p>Power&Soul Cosmopolitan 190 Head shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			

GROHE HEAD AND SIDE SHOWERS

Ref. No.


Colour

Price netto (€)

27 764 LS0

moon white/chrome

158.00



Power&Soul Cosmopolitan 190
Head shower 4+ sprays

GROHE Rain O², Rain, Bokoma Spray, Jet
Ø 190 mm

ball joint with turning angle ± 15°
connection thread 1/2"

GROHE DreamSpray perfect spray pattern

GROHE One-click showering

spray selection via push of a button

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


suitable for instantaneous heater

min. recommended pressure 1.0 bar

27 767 000

chrome

129.00



Power&Soul 190

Head shower 4+ sprays

GROHE Rain O², Rain, Bokoma Spray, Jet
Ø 190 mm

ball joint with turning angle ± 15°
connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE One-click showering

spray selection via push of a button

GROHE StarLight chrome finish

SpeedClean anti-lime system

suitable for instantaneous heater


min. recommended pressure 1.0 bar

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	28 308 000 Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system min. recommended pressure 1.0 bar	chrome	191.00
 	28 513 000 Movario 100 Five Head shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	196.00
 	28 517 000 Movario 70 Side shower 2 sprays Normal, Massage ball-joint GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	145.00
 	27 530 000 Relaxa Deluxe 130 Head shower 4 sprays Normal, Rain, Champagne spray, Champagne spray Deluxe GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life min. recommended pressure 1.0 bar	chrome	432.00
 	27 062 000 Relaxa 100 Five Head shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life minimum flow rate 7,5 l/min. min. recommended pressure 1.0 bar	chrome	196.00


GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)




27 065 000 chrome 157.00

Relaxa 100 Trio
Head shower 3 sprays
 Normal, Jet, Rain
 ball-joint
 installation dependent angle of inclination
 connection thread with pre-assembled
 sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 minimum flow rate 5 l/min.
 min. recommended pressure 1.0 bar



27 067 000 chrome 125.00











Relaxa 65
Side shower 2 sprays
 Normal, Massage
 ball-joint
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 minimum flow rate 4 l/min.
 min. recommended pressure 1.0 bar



27 066 000 chrome 125.00


Relaxa 65
Side shower 2 sprays
 Normal, Eco spray
 ball-joint
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 minimum flow rate 4 l/min.
 min. recommended pressure 1.0 bar

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 492 000	chrome	127.00
	Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater		
	27 491 000	chrome	127.00
	ditto, with non-restricted flow		
 	28 232 000	chrome	87.00
	Euphoria Cosmopolitan 160 Head shower 1 spray Rain ball joint ± 15° rotatable connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater		
 	27 705 000	chrome	142.00
	Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater		
 	27 606 000	chrome	54.00
	New Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain Massage, Jet Ø 100 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 591 000	chrome	59.00
	New Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain Massage, Jet Ø 100 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		

GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)




26 366 000

chrome

42.00

**New Tempesta Cosmopolitan 100
Head shower 1 spray**

Rain
ball joint $\pm 15^\circ$ rotatable
connection thread 1/2"
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar



27 610 000











chrome

54.00





**New Tempesta Rustic 100
Head shower 4 sprays**

GROHE Rain O², Rain
Massage, Jet
ball joint $\pm 15^\circ$ rotatable
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar
blister pack





GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	28 404 000 Relexa Basic 85 Head shower 1 spray brass tin plate 50 mm high connection thread 1/2"	chrome	15.00
 	28 545 000 Relexa Low Aerosol 45 Head shower 1 spray only disassemble with tool flow limiter 9.5 l/min. maximum flow rate at 1 - 6 bar connection thread 1/2" GROHE StarLight chrome finish	chrome	110.00
 	28 190 000 Relexa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing for shower or rather bath GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	121.00
 	28 002 000 Relexa 70 Sports head shower 1 spray low aerosol emission heavy, casted model theft proof connection thread 1/2" projection 58 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suicide-resisting design pipe union plug-in for wall connection min. recommended pressure 1.0 bar	chrome	184.00
 	28 948 000 Relexa Plus 60 Sports head shower 1 spray heavy, casted model theft proof connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	213.00


GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	28 089 000 Relexa Plus 30 Sports head shower 1 spray heavy, casted model theft proof connection thread 1/2" projection 148 mm GROHE StarLight chrome finish adjustable flow rate from 5 till 35 l/min.	chrome	173.00
 	28 286 000 Relexa 50 Side shower 2 sprays Normal, Jet ball-joint GROHE StarLight chrome finish SpeedClean anti-lime system minimum flow rate 4,5 l/min.	chrome	98.00

GROHE SHOWER ARMS

	Ref. No.	Colour	Price netto (€)
 	26 146 000	chrome	80.00
<p>Rainshower Shower arm 422 mm metal connection thread 1/2" with round escutcheon, chrome suitable for all Rainshower head showers GROHE StarLight chrome finish</p>			
 	26 146 LS0	moon white/chrome	103.00
<p>Rainshower Shower arm 422 mm metal connection thread 1/2" with round escutcheon, white suitable for all Rainshower head showers GROHE StarLight chrome finish</p>			
 	28 982 000	chrome	130.00
<p>Rainshower Shower arm 378 mm metal connection thread 1/2" GROHE StarLight chrome finish suitable for all Rainshower head showers</p>			
 	28 361 000	chrome	95.00
<p>Rainshower Shower arm, 380 mm metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish with circle escutcheon</p>			
	28 576 000	chrome	75.00
<p>ditto, projection 286 mm</p>			
 	28 384 000	chrome	166.00
<p>Rainshower Rustic Shower arm 272 mm metal connection thread 1/2" GROHE StarLight chrome finish</p>			
 	26 145 000	chrome	80.00
<p>Rainshower Shower arm 422 mm metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers GROHE StarLight chrome finish</p>			

GROHE SHOWER ARMS

	Ref. No.	Colour	Price netto (€)
 	27 488 000	chrome	75.00
	Rainshower Shower arm 275 mm metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish		
 	27 709 000	chrome	103.00
	Rainshower Shower arm 286 mm metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE StarLight chrome finish		
 	28 497 000	chrome	62.00
	Rainshower Shower arm ceiling 292 mm metal connection thread 1/2" suitable for all Rainshower head showers GROHE StarLight chrome finish		
 	27 484 000	chrome	61.00
	Rainshower Shower arm ceiling 292 mm metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers GROHE StarLight chrome finish		
	27 485 000	chrome	52.00
	ditto, 142 mm length		
 	27 711 000	chrome	
	Rainshower Shower arm ceiling 154 mm metal connection thread 1/2" GROHE StarLight chrome finish		
 	27 986 000 27 986 IGO	chrome/gold	119.00
	Rainshower Grandera Shower arm 285 mm projection 286 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar		

GROHE SHOWER ARMS

	Ref. No.	Colour	Price netto (€)
 	27 982 000	chrome	81.00
	27 982 IGO	chrome/gold	111.00
<p>Rainshower Grandera Shower arm ceiling 292 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar</p>			
 	28 529 000	chrome	139.00
	<p>Movario Shower arm 144 mm shower arm for head shower made of brass connection thread 1/2" GROHE StarLight chrome finish</p>		
 	27 406 000	chrome	47.00
	<p>Relexa Shower arm 218 mm connection thread 1/2" projection 218 mm sliding escutcheon GROHE StarLight chrome finish</p>		
 	28 541 000	chrome	79.00
	<p>Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>		
 	28 429 000	chrome	
	<p>Relexa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>		

GROHE SENA



GROHE
StarLight










GROHE
EcoJoy



GROHE
DreamSpray

GROHE SENA

	Ref. No.	Colour	Price netto (€)
 	28 341 000 Sena Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	131.00
	28 034 000 ditto, with non-restricted flow	chrome	131.00
 	28 581 000 Sena Shower rail set 1 spray metal consisting of: hand shower Sena (28 034 000) shower rail 600 mm (28 580 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) angle adapter (28 389 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar	chrome	453.00
	28 347 000 ditto, 900 mm	chrome	531.00
 	28 348 000 Sena Wall holder set 1 spray metal consisting of: hand shower Sena (28 034 000) wall shower holder (28 690 000) shower hose (28 151 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar	chrome	221.00
 	28 308 000 Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system min. recommended pressure 1.0 bar	chrome	191.00
 	28 690 000 Sena Wall hand shower holder not adjustable metal GROHE StarLight chrome finish	chrome	102.00

GROHE RAINSHOWER



SHOWERS



GROHE
StarLight



GROHE
CoolTouch



GROHE
EcoJoy



GROHE
QuickFix Plus




GROHE
DreamSpray

GROHE RAINSHOWER COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



28 756 000

chrome

115.00

Rainshower Cosmopolitan 160
Hand shower 4 sprays

Rain, Jet, Pure, Champagne spray

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses

suitable for instantaneous heater

minimum flow rate 7,5 l/min.



28 755 000

chrome

117.00

Rainshower Cosmopolitan 130
Hand shower 3 sprays

Rain, Jet, Pure

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses

suitable for instantaneous heater

minimum flow rate 5 l/min.



28 763 001

chrome

236.00

Rainshower Cosmopolitan 160
Shower rail set 4 sprays

consisting of:

hand shower Cosmopolitan (28 756 000)

shower rail, 900 mm (28 819)

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)


GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting



28 762 001

chrome

236.00

Rainshower Cosmopolitan 130
Shower rail set 3 sprays

consisting of:

hand shower Cosmopolitan (28 755 000)

shower rail, 900 mm (28 819)

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets


for adaption to existing drilling holes

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting


GROHE RAINSHOWER CLASSIC

Ref. No. Colour Price netto (€)




28 765 000 chrome 107.00

Rainshower Classic 160
Hand shower 4 sprays
 Rain, Jet, Pure, Champagne spray
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 minimum flow rate 7,5 l/min.




28 764 000 chrome 94.00

Rainshower Classic 130
Hand shower 3 sprays
 Rain, Jet, Pure
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 minimum flow rate 5 l/min.
 min. recommended pressure 1.0 bar



28 770 001 chrome 214.00

Rainshower Classic 160
Shower rail set 4 sprays
 consisting of:
 hand shower Classic (28 765 000)
 shower rail, 900 mm (28 819)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting








28 767 001 chrome 194.00

Rainshower Classic 130
Shower rail set 3 sprays
 consisting of:
 hand shower Classic (28 764 000)
 shower rail, 600 mm (28 797 001)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
GROHE StarLight chrome finish
Twistfree to prevent hose from twisting
GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
 min. recommended pressure 1.0 bar

28 769 001 chrome 212.00
 ditto, 900 mm

SHOWERS

GROHE RAINSHOWER RUSTIC / ICON


	Ref. No.	Colour	Price netto (€)
 	27 127 000	chrome	107.00
	<p>Rainshower Rustic 130 Hand shower 3 sprays Rain, Jet, Pure connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater universal mounting system, fitting all standard shower hoses minimum flow rate 5 l/min. min. recommended pressure 1.0 bar The hand shower is suitable for minimum flow rate of 5l/min and a maximum of 25l/min (DIN EN 1112). Minimum pressure > 0,5 bar, maximum 5 bar (DIN EN 1112).</p>		
 	27 139 000	chrome	244.00
	<p>Rainshower Rustic 130 Shower rail set 3 sprays consisting of: hand shower Rustic 130 (27 127 000) shower rail, 600 mm (28 666 000) Rotaflex shower hose 1.750 mm (28 410 000) soap dish GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar</p>		
 	27 283 000	chrome	108.00
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Ø 150 mm eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
	27 276 000	chrome	79.00
	ditto, with non-restricted flow		
 	27 443 001	red	113.00
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 443 000	red	87.00
	ditto, with non-restricted flow		

GROHE RAINSHOWER ICON

	Ref. No.	Colour	Price netto (€)
 	27 444 001	orange	113.00
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 444 000	orange	87.00
ditto, with non-restricted flow			
 	27 446 001	yellow	113.00
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system GROHE StarLight chrome finish Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 446 000	yellow	87.00
ditto, with non-restricted flow			
 	27 447 001	pink	113.00
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 447 000	pink	87.00
ditto, with non-restricted flow			
 	27 448 001	purple	113.00
	<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 448 000	purple	87.00
ditto, with non-restricted flow			

GROHE RAINSHOWER ICON


Ref. No. Colour Price netto (€)



27 449 001 blue 113.00

Rainshower Icon 150
Hand shower 2 sprays
 Rain, SmartRain
 eco function (reduction of flow rate)
 metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar


27 449 000 blue 87.00
ditto, with non-restricted flow



27 629 000 chrome/natural sandstone 113.00

Rainshower Icon 150
Hand shower 2 sprays
 Rain, SmartRain
 eco function (reduction of flow rate)
 metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar


27 628 000 chrome/natural sandstone 87.00
ditto, with non-restricted flow



27 632 000 chrome/limestone 113.00

Rainshower Icon 150
Hand shower 2 sprays
 Rain, SmartRain
 eco function (reduction of flow rate)
 metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 630 000 chrome/limestone 87.00
ditto, with non-restricted flow




27 634 000 chrome/fired clay 113.00

Rainshower Icon 150
Hand shower 2 sprays
 Rain, SmartRain
 eco function (reduction of flow rate)
 metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 633 000 chrome/fired clay 87.00
ditto, with non-restricted flow

GROHE RAINSHOWER ICON


Ref. No. Colour Price netto (€)



27 636 000 chrome/sheer marble 113.00

Rainshower Icon 150
Hand shower 2 sprays
 Rain, SmartRain
 eco function (reduction of flow rate)
 metal elbow adapter for the combination of
 hand showers with shower hoses
GROHE EcoJoy 9,5 l/min flow limiter
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar


27 635 000 chrome/sheer marble 87.00
 ditto, with non-restricted flow



27 638 000 chrome/misty slate 113.00

Rainshower Icon 150
Hand shower 2 sprays
 Rain, SmartRain
 eco function (reduction of flow rate)
 metal elbow adapter for the combination of
 hand showers with shower hoses
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar


27 637 000 chrome/misty slate 87.00
 ditto, with non-restricted flow



27 640 000 chrome/frosted granite 113.00

Rainshower Icon 150
Hand shower 2 sprays
 Rain, SmartRain
 eco function (reduction of flow rate)
 metal elbow adapter for the combination of
 hand showers with shower hoses
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 639 000 chrome/frosted granite 87.00
 ditto, with non-restricted flow



27 377 000 chrome 61.00


Rainshower Icon 100
Hand shower 1 spray
 Rain
 elbow adapter for the combination of
 hand showers with shower sets
GROHE EcoJoy 9,5 l/min flow limiter
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 375 000 chrome 61.00
 ditto, with non-restricted flow

SHOWERS

GROHE RAINSHOWER ICON

Ref. No. Colour Price netto (€)




26 115 DU0	purple	75.00
26 115 DP0	pink	75.00
26 115 YF0	yellow	75.00
26 115 TY0	blue	75.00

Rainshower Icon 100 Hand shower 1 spray

Rain spray
Ø 100 mm
with white rubber flower
elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 115 YR0	orange	75.00
26 115 DG0	red	75.00
ditto, with yellow rubber flower		




27 402 001	chrome	194.00
------------	--------	--------

Rainshower Icon 150 Shower rail set 2 sprays

consisting of:
Hand shower Icon 150 (27 283 000)
shower rail, 900 mm (28 819)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 277 001	chrome	194.00
ditto, with non-restricted flow		



27 378 000	chrome	162.00
------------	--------	--------

Rainshower Icon 100 Shower rail set 1 spray

consisting of:
hand shower Icon 100 (27 377 000)
shower rail, 600 mm (28 797 001)
Silverflex shower hose 1750 mm (28 388 000)
elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater


27 379 000	chrome	175.00
ditto, 900 mm		

GROHE RAINSHOWER ICON

Ref. No.

Colour

Price netto (€)



27 529 000

chrome

162.00

**Rainshower Icon 100
Shower rail set 1 spray**

consisting of:

Hand shower Icon 100 (27 375 000)
shower rail, 600 mm (28 797 001)
Silverflex shower hose 1750 mm (28 388 000)
elbow adapter for the combination of
hand showers with shower sets

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets


for adaption to existing drilling holes

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater



27 381 000

chrome

113.00

**Rainshower Icon 100
Wall holder set 1 spray**

consisting of:

hand shower Icon 100 (27 377 000)
wall shower holder, adjustable (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

suitable for instantaneous heater



27 383 000

chrome

95.00

**Rainshower Icon 100
Wall holder set 1 spray**

consisting of:

hand shower Icon 100 (27 377 000)
wall shower holder (27 056 000)
Silverflex shower hose 1 250 mm (28 362 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

Twistfree to prevent hose from twisting

suitable for instantaneous heater


GROHE RAINSHOWER SOLO

Ref. No. Colour Price netto (€)




27 272 000 chrome 108.00

Rainshower Solo 150
Hand shower 2 sprays
 eco function (reduction of flow rate)
 elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater




27 376 000 chrome 61.00

Rainshower Solo 100
Hand shower 1 spray
 Rain
 elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy 9,5 l/min flow limiter
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 273 001 chrome 233.00

Rainshower Solo 150
Shower rail set 2 sprays
 consisting of:
 hand shower Solo (27 272)
 shower rail, 900 mm (28 819)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 elbow adapter for the combination of hand showers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater



27 339 000 chrome 162.00


Rainshower Solo 100
Shower rail set 1 spray
 consisting of:
 hand shower Solo 100 (27 376 000)
 shower rail, 600 mm (28 797 001)
 Silverflex shower hose 1750 mm (28 388 000)
 elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater

GROHE RAINSHOWER ECO

Ref. No.

Colour

Price netto (€)



27 274 000


chrome

108.00

Rainshower Eco 120
Hand shower 2 sprays

Rain, SmartRain
eco function (reduction of flow rate)
elbow adapter for the combination of
hand showers with shower sets

GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar



28 549 000

chrome

47.00

Movario
Shelf

acrylic plate, to be fixed at the lower
end of the shower rail
(28 398 / 28 797 / 28 819)

SHOWERS

GROHE POWER&SOUL



SHOWERS



GROHE
StarLight



GROHE
CoolTouch



GROHE
EcoJoy













GROHE
QuickFix Plus



GROHE
DreamSpray

GROHE POWER&SOUL COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)
 	27 668 000	chrome	122.00
<p>Power&Soul Cosmopolitan 160 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 664 000	chrome	113.00
<p>Power&Soul Cosmopolitan 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 663 LS0	moon white/chrome	122.00
<p>Power&Soul Cosmopolitan 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar</p>			
 	27 961 000	chrome	128.00
<p>Power&Soul Cosmopolitan 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet consisting of: Hand shower Power&Soul Cosmopolitan 130 (27 664 000) travellers kit GROHE DreamSpray perfect spray pattern GROHE One-Click Showering spray selection with one click GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 661 000	chrome	100.00
<p>Power&Soul Cosmopolitan 115 Hand shower 2 sprays GROHE Rain O², Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			

GROHE POWER&SOUL COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



27 746 000

chrome

221.00

**Power&Soul Cosmopolitan 160
Shower rail set 4+ sprays**

consisting of:

Hand shower Power&Soul Cosmopolitan 160 (27 668 000)

shower rail, 900 mm (27 785 000)

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets


for adaption to existing drilling holes

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater



27 734 000

chrome

201.00

**Power&Soul Cosmopolitan 130
Shower rail set 4+ sprays**

consisting of:

Hand shower Power&Soul Cosmopolitan 130 (27 664 000)

shower rail, 900 mm (27 785 000)

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets


for adaption to existing drilling holes

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater



27 755 000

chrome

184.00

**Power&Soul Cosmopolitan 115
Shower rail set 2 sprays**

consisting of:

Hand shower Power&Soul Cosmopolitan 115 (27 661 000)

shower rail, 900 mm (27 785 000)

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets


for adaption to existing drilling holes

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar



27 741 000

chrome

150.00

**Power&Soul Cosmopolitan 130
Wall holder set 4+ sprays**

consisting of:

Hand shower Power&Soul Cosmopolitan 130 (27 664 000)

wall shower holder, adjustable (27 055 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life





Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar


SHOWERS

GROHE POWER&SOUL COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
	26 174 000	chrome	168.00
	26 174 L50	moon white/chrome	186.00
	<p>Power&Soul Cosmopolitan Wall holder set 4+ sprays consisting of Hand shower Power&Soul Cosmopolitan 130 (27 664 000) wall shower holder (27 074) shower hose metal 1500 mm (28 143) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 838 000	chrome	122.00
		<p>Power&Soul Cosmopolitan 115 Wall holder set 2 sprays consisting of: Hand shower Power&Soul Cosmopolitan 115 (27 661 000) wall shower holder (27 056 000) Silverflex shower hose 1 250 mm (28 362 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater</p>	


GROHE POWER&SOUL

	Ref. No.	Colour	Price netto (€)
 	27 675 000	chrome	102.00
<p>Power&Soul 160 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 673 000	chrome	88.00
<p>Power&Soul 130 Hand shower 4+ sprays, spray plate night time grey GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 673 LSO	moon white	77.00
<p>Power&Soul 130 Hand shower 4+ sprays, spray plate white GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 672 PV0	chrome/natural sandstone	97.00
	27 672 DR0	chrome/limestone	97.00
	27 672 HF0	chrome/fired clay	97.00
	27 672 TN0	chrome/misty slate	97.00
	27 672 XH0	chrome/frosted granite	97.00
	27 672 MW0	chrome/sheer marble	97.00
	<p>Power&Soul 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	27 962 000	chrome	104.00
<p>Power&Soul 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet consisting of: Hand shower Power&Soul 130 (27 673 000) travellers kit GROHE DreamSpray perfect spray pattern GROHE One-Click Showering spray selection with one click GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			




27 671 000 **chrome** 78.00

Power&Soul 115
Hand shower 2 sprays, spray plate night time grey
 GROHE Rain O², Rain
 GROHE EcoJoy 9,5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE One-click showering
 spray selection via push of a button
 GROHE StarLight chrome finish
 SpeedClean anti-lime system
 Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater




27 671 L50 **moon white** 69.00

Power&Soul 115
Hand shower 2 sprays, spray plate white
 GROHE Rain O², Rain
 GROHE EcoJoy 9,5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE One-click showering
 spray selection via push of a button
 GROHE StarLight chrome finish
 SpeedClean anti-lime system
 Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar




27 750 000 **chrome** 202.00

Power&Soul 160
Shower rail set 4+ sprays
 consisting of:
 Hand shower Power&Soul 160 (27 675 000)
 shower rail, 900 mm (27 785 000)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EcoJoy 9,5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
 SpeedClean anti-lime system
 Inner WaterGuide for a longer life
 Twistfree to prevent hose from twisting
 suitable for instantaneous heater



27 738 000 **chrome** 187.00







Power&Soul 130
Shower rail set 4+ sprays
 consisting of:
 Hand shower Power&Soul 130 (27 673 000)
 shower rail, 900 mm (27 785 000)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EcoJoy 9,5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
 SpeedClean anti-lime system
 Inner WaterGuide for a longer life
 Twistfree to prevent hose from twisting
 suitable for instantaneous heater



27 759 000 **chrome** 176.00

Power&Soul 115
Shower rail set 2 sprays
 consisting of:
 Hand shower Power&Soul 115 (27 671 000)
 shower rail, 900 mm (27 785 000)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
 SpeedClean anti-lime system
 Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

GROHE POWER&SOUL

	Ref. No.	Colour	Price netto (€)
 	27 742 000	chrome	128.00
	Power&Soul 130 Wall holder set 4+ sprays consisting of: Hand shower Power&Soul 130 (27 673 000) wall shower holder, adjustable (27 055 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 839 000	chrome	102.00
	Power&Soul 115 Wall holder set 2 sprays consisting of: Hand shower Power&Soul 115 (27 671 000) wall shower holder (27 056 000) Silverflex shower hose 1 250 mm (28 362 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 785 000	chrome	102.00
	Power&Soul Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (adjustable distance between wall shower holders for adaption to existing drillings) GROHE StarLight chrome finish		
	27 784 000	chrome	97.00
	ditto, 600 mm		

GROHE MOVARIO



SHOWERS



GROHE
StarLight



GROHE
EcoJoy

GROHE MOVARIO

	Ref. No.	Colour	Price netto (€)
 	28 393 000	chrome	158.00
<p>Movario 100 Five Hand shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray Rotahead adjustable shower head system GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater minimum flow rate 7,5 l/min.</p>			
 	28 513 000	chrome	196.00
<p>Movario 100 Five Head shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing GROHE StarLight chrome finish SpeedClean anti-lime system</p>			
 	28 517 000	chrome	145.00
<p>Movario 70 Side shower 2 sprays Normal, Massage ball-joint GROHE StarLight chrome finish SpeedClean anti-lime system</p>			
 	28 529 000	chrome	139.00
<p>Movario Shower arm 144 mm shower arm for head shower made of brass connection thread 1/2" GROHE StarLight chrome finish</p>			
 	28 549 000	chrome	47.00
<p>Movario Shelf acrylic plate, to be fixed at the lower end of the shower rail (28 398 / 28 797 / 28 819)</p>			

GROHE RELEXA




GROHE
StarLight



GROHE
QuickFix Plus




GROHE
DreamSpray




28 796 000 chrome 119.00

Relexa 100 Five
Hand shower 5 sprays
 Normal, Jet, Rain, Massage,
 Champagne spray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 minimum flow rate 7,5 l/min.
 min. recommended pressure 1.0 bar




28 793 000 chrome 75.00

Relexa 100 Trio
Hand shower 3 sprays
 Normal, Jet, Rain
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 minimum flow rate 5 l/min.
 min. recommended pressure 1.0 bar




28 964 001 chrome 220.00

Relexa 100 Five
Shower rail set 5 sprays
 consisting of:
 hand shower Relexa Five (28 796 000)
 shower rail, 600 mm (28 797 000)
 with wall holders made of metal
 Rotaflex shower hose 1.750 mm (28 410 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting



28 942 001 chrome 188.00

Relexa 100 Trio
Shower rail set 3 sprays
 consisting of:
 hand shower Relexa Trio (28 793 000)
 shower rail, 600 mm (28 797 000)
 with wall holders made of metal
 Rotaflex shower hose 1.750 mm (28 410 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting




28 941 001 chrome 239.00

Relexa 100 Five
Shower rail set 5 sprays
 consisting of:
 hand shower Relexa 100 Five (28 796)
 shower rail, 900 mm (28 819)
 with wall holders made of metal
 Rotaflex shower hose 1.750 mm (28 410 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting

Ref. No.

Colour

Price netto (€)



28 831 001

chrome

209.00

Relexa 100 Trio
Shower rail set 3 sprays

consisting of:

hand shower Relexa 100 Trio (28 793 000)

shower rail, 900 mm (28 819)

with wall holders made of metal

Rotaflex shower hose 1.750 mm (28 410 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus installation system

GROHE QuickFix Plus adjustable distance between brackets


for adaption to existing drilling holes

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

Ref. No. Colour Price netto (€)




27 123 000

chrome

119.00

Relaxa Rustic 100
Hand shower 5 sprays
 Normal, Jet, Rain, Massage,
 Champagne spray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 The hand shower is suitable for minimum
 flow rate of 5l/min and a maximum of
 25l/min (DIN EN 1112). Minimum pressure
 > 0,5 bar, maximum 5 bar (DIN EN 1112).



27 141 000

chrome

239.00

Relaxa Rustic 100
Shower rail set 5 sprays
 consisting of:
 hand shower Rustic 100 (27 123)
 shower rail, 600 mm (28 666 000)
 Rotaflex shower hose 1.750 mm (28 410 000)
 soap dish
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting

GROHE EUPHORIA



SHOWERS



GROHE
StarLight



GROHE
CoolTouch



GROHE
EcoJoy




GROHE
QuickFix



GROHE
DreamSpray


GROHE EUPHORIA

	Ref. No.	Colour	Price netto (€)
 	27 222 000 Euphoria 110 Champagne Hand shower 3 sprays Rain, Champagne spray, SmartRain GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater	chrome	56.00
 	27 239 000 27 239 LSO Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome moon white	62.00 49.00
 	27 221 000 ditto, with non-restricted flow	chrome	56.00
 	27 238 000 Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater	chrome	43.00
 	27 220 000 ditto, with non-restricted flow	chrome	40.00
 	27 265 000 Euphoria 110 Mono Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater	chrome	29.00
 	27 232 001 Euphoria 110 Champagne Shower rail set 3 sprays consisting of: hand shower Champagne (27 222 000) shower rail, 600 mm (27 499 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596 000) GROHE SprayDimmer (Stepless flow rate reduction) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting replaces 27 263 000	chrome	105.00




27 243 001 **chrome** 105.00
27 243 LS1 **moon white** 84.00

Euphoria 110 Massage Shower rail set 3 sprays
consisting of:
hand shower Massage (27 239 000)
shower rail, 600 mm (27 499 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
min. recommended pressure 1.0 bar



27 231 001 **chrome** 107.00


Euphoria 110 Massage Shower rail set 3 sprays
consisting of:
hand shower Massage (27 221 000)
shower rail, 600 mm (27 499 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596 000)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
min. recommended pressure 1.0 bar



27 242 001 **chrome** 89.00

Euphoria 110 Duo Shower rail set 2 sprays
consisting of:
hand shower Euphoria 110 Duo (27 238)
shower rail, 600 mm (27 499 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
Inner WaterGuide for a longer life

27 230 001 **chrome** 89.00
ditto, with non-restricted flow











27 266 001 **chrome** 82.00

Euphoria 110 Mono Shower rail set 1 spray
consisting of:
hand shower Mono (27 265 000)
shower rail, 600 mm (27 499 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting









		<p>27 227 001 chrome 107.00</p> <p>Euphoria 110 Champagne Shower rail set 3 sprays consisting of: hand shower Champagne (27 222 000) shower rail 900 mm (27 500 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting</p>
		<p>27 226 001 chrome 107.00 27 226 DC1 supersteel 163.00</p> <p>Euphoria 110 Massage Shower rail set 3 sprays consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting</p>
		<p>27 225 001 chrome 99.00</p> <p>Euphoria 110 Duo Shower rail set 2 sprays consisting of: hand shower Duo (27 220 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar</p>
		<p>27 267 001 chrome 87.00</p> <p>Euphoria 110 Mono Shower rail set 1 spray consisting of: hand shower Mono (27 265 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting</p>
		<p>27 355 000 chrome 94.00</p> <p>Euphoria 110 Champagne Wall holder set 3 sprays consisting of: hand shower Champagne (27 222 000) Wall shower holder 28 401 Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Twistfree to prevent hose from twisting</p>

GROHE EUPHORIA

Ref. No. Colour Price netto (€)

		<p>27 354 000 chrome 51.00</p> <p>Euphoria 110 Mono Wall holder set 1 spray consisting of: hand shower Mono (27 265 000) wall shower holder (27 056 000) Silverflex shower hose 1 250 mm (28 362 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting</p>
		<p>27 499 000 chrome 45.00</p> <p>Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) GROHE StarLight chrome finish</p>
		<p>48 051 000 chrome 6.00</p> <p>Compensation disc for New Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500</p>
		<p>27 596 000 chrome 6.00</p> <p>GROHE EasyReach tray Acrylic for New Tempesta and Euphoria shower rails Ø 22 mm</p>

GROHE EUPHORIA COSMOPOLITAN

		Ref. No.	Colour	Price netto (€)
		27 400 000	chrome	46.00
		27 400 DC0	supersteel	62.00
<p>Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses</p>				
		27 367 000	chrome	46.00
		ditto, with non-restricted flow		
		27 368 000	chrome	162.00
		<p>Euphoria Cosmopolitan Stick Shower rail set 1 spray consisting of: hand shower 27 400 000 shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) soap dish (27 206 000) GROHE StarLight chrome finish GROHE EcoJoy 9,5 l/min flow limiter GROHE QuickFix Plus installation system GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life</p>		
<p>new</p>				
		26 404 000	chrome	62.00
		<p>Euphoria Cosmopolitan Stick Wall holder set 1 spray with integrated wall union 1/2" consisting of: hand shower 27 400 000 shower outlet elbow 1/2" with wall shower holder (28 679 000) male thread protected against backflow Silverflex shower hose 1.500 mm (28 364 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
		27 369 000	chrome	74.00
		<p>Euphoria Cosmopolitan Stick Wall holder set 1 spray consisting of: hand shower 27 400 000 wall shower holder (27 056 000) Silverflex shower hose 1.500 mm (28 364 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 0.5 bar</p>		
		28 232 000	chrome	87.00
		<p>Euphoria Cosmopolitan 160 Head shower 1 spray Rain ball joint ± 15° rotatable connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater</p>		

GROHE EUPHORIA CUBE

Ref. No. Colour Price netto (€)

		<p>27 888 000</p> <p>Euphoria Cube+ Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 87.00</p>
		<p>27 884 001 ditto, with non-restricted flow</p>	<p>chrome 87.00</p>
		<p>27 891 000</p> <p>Euphoria Cube+ Stick Shower rail set 1 spray consisting of: hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 230.00</p>
		<p>27 890 000</p> <p>Euphoria Cube+ Stick Shower rail set 1 spray consisting of: hand shower, metal (27 888 000) shower rail 900 mm (27 841 000) metal shower hose 1750 mm (28 025 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 238.00</p>
		<p>27 889 000</p> <p>Euphoria Cube+ Stick Wall holder set 1 spray consisting of: hand shower, metal (27 888 000) wall shower holder (27 706 000) metal shower hose 1500 mm (28 417) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 120.00</p>


GROHE EUPHORIA CUBE

Ref. No. Colour Price netto (€)

		<p>27 699 000 chrome 44.00</p> <p>Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
		<p>27 698 000 chrome 44.00</p> <p>ditto, with non-restricted flow</p>	
		<p>27 936 000 chrome 196.00</p> <p>Euphoria Cube Shower set consisting of: hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater</p>	
		<p>27 700 000 chrome 206.00</p> <p>Euphoria Cube Stick Shower rail set 1 spray consisting of: hand shower (27 698 000) shower rail 900 mm (27 841 000) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater</p>	
<p>new</p>			<p>26 405 000 chrome 80.00</p> <p>Euphoria Cube Stick Wall holder set 1 spray with integrated wall union 1/2" consisting of: hand shower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370 000) male thread protected against backflow Silverflex shower hose 1 250 mm (28 362 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>

GROHE EUPHORIA CUBE


Ref. No. Colour Price netto (€)



27 703 000 chrome 79.00

**Euphoria Cube Stick
Wall holder set 1 spray**
consisting of:
hand shower (27 699 000)
wall shower holder (27 693 000)
Silverflex shower hose 1 250 mm (28 362 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater


27 702 000 chrome 79.00
ditto, with non-restricted flow



27 892 000 chrome 181.00

**Euphoria Cube
Shower rail, 600 mm**
with wall holders, glide element and swivel holder
GROHE StarLight chrome finish

27 841 000 chrome 190.00
ditto, 900mm



27 845 000 chrome 1.00

**Euphoria Cube
Compensation disc**
for Euphoria Cube shower bars 27 892 000 / 27 841 000

SHOWERS

GROHE NEW TEMPESTA



SHOWERS



GROHE
StarLight



GROHE
CoolTouch




GROHE
EcoJoy



GROHE
DreamSpray


GROHE NEW TEMPESTA RUSTIC

Ref. No. Colour Price netto (€)




27 608 000 chrome 46.00

New Tempesta Rustic 100
Hand shower 4 sprays
 GROHE Rain O², Rain
 Massage, Jet
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater



27 609 000 chrome 89.00








New Tempesta Rustic 100
Shower rail set 4 sprays
 consisting of:
 hand shower (27 608 000)
 shower rail, 600 mm (27 519 000)
 Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)
GROHE EasyReach tray (27 596 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater











27 805 000 chrome 62.00

New Tempesta Rustic 100
Wall holder set 4 sprays
 consisting of:
 hand shower (27 608 000)
 wall shower holder adjustable (27 595 000)
 Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar









GROHE NEW TEMPESTA COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	27 575 001	chrome	42.00
	New Tempesta Cosmopolitan 100 Hand shower 4 sprays GROHE Rain O ² , Rain Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 573 001	chrome	42.00
	ditto, with non-restricted flow		
 	27 574 001	chrome	32.00
	New Tempesta Cosmopolitan 100 Hand shower 3 sprays GROHE Rain O ² , Rain Massage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 572 001	chrome	32.00
	ditto, with non-restricted flow		
 	27 571 10E	chrome	25.00
	New Tempesta Cosmopolitan 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 571 001	chrome	25.00
	ditto, with non-restricted flow		
 	26 082 001	chrome	21.00
	New Tempesta Cosmopolitan 100 Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar		
 	27 577 001	chrome	82.00
	New Tempesta Cosmopolitan 100 Shower rail set 4 sprays consisting of: hand shower (27 575 001) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EasyReach tray (27 596 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		













GROHE NEW TEMPESTA COSMOPOLITAN

		Ref. No.	Colour	Price netto (€)
		27 576 001	chrome	75.00
		New Tempesta Cosmopolitan 100 Shower set 3 sprays consisting of: hand shower (27 574 001) shower rail, 600 mm Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EasyReach tray (27 596 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
		27 929 001	chrome	75.00
		ditto, 3 sprays		
		27 928 001	chrome	67.00
		New Tempesta Cosmopolitan Shower rail set 2 sprays consisting of: hand shower (27 571 001) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EasyReach tray (27 596 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
		26 083 001	chrome	60.00
		New Tempesta Cosmopolitan 100 Shower rail set 1 spray consisting of: hand shower (26 082 001) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EasyReach tray (27 596 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
		27 580 001	chrome	73.00
		New Tempesta Cosmopolitan 100 Shower rail set 4 sprays consisting of: hand shower (27 575 001) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
		27 787 001	chrome	73.00
		ditto, with non-restricted flow		

GROHE NEW TEMPESTA COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)
 	27 579 001	chrome	65.00
	New Tempesta Cosmopolitan 100 Shower rail set 3 sprays consisting of: hand shower (27 574 001) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 786 001	chrome	65.00
	ditto, 3 sprays		
 	27 578 001	chrome	58.00
	New Tempesta Cosmopolitan 100 Shower rail set 2 sprays consisting of: hand shower (27 571 001) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 584 001	chrome	48.00
	New Tempesta Cosmopolitan 100 Shower set 3 sprays consisting of: hand shower (27 574 001) wall shower holder adjustable (27 595 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 588 001	chrome	44.00
	New Tempesta Cosmopolitan 100 Wall holder set 3 sprays consisting of: hand shower (27 574 001) wall shower holder non-adjustable (27 594 000) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		

GROHE NEW TEMPESTA

	Ref. No.	Colour	Price netto (€)
 	28 421 001	chrome	38.00
	<p>New Tempesta 100 Hand shower 4 sprays GROHE Rain O², Rain, Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
 	28 578 001	chrome	38.00
	<p>ditto, with non-restricted flow</p>		
 	28 419 001	chrome	29.00
	<p>New Tempesta 100 Hand shower 3 sprays GROHE Rain O², Rain, Massage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
 	28 261 001	chrome	29.00
	<p>ditto, with non-restricted flow</p>		
 	27 597 00E	chrome	23.00
	<p>New Tempesta 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	26 161 000	chrome	23.00
	27 597 000	chrome	23.00
	<p>ditto, with non-restricted flow</p>		
 	27 923 000	chrome	18.00
	<p>New Tempesta 100 Hand shower 1 spray Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 852 000	chrome	18.00
	<p>ditto, with non-restricted flow</p>		

GROHE NEW TEMPESTA


Ref. No. Colour Price netto (€)



28 436 001 chrome 74.00

**New Tempesta 100
Shower rail set 4 sprays**
consisting of:
handshower (28 421 001)
shower rail, 600 mm (27 523 000)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)
GROHE EasyReach tray (27 596 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages
caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar


28 593 001 chrome 74.00
ditto, with non-restricted flow



27 600 000 chrome 67.00


**New Tempesta 100
Shower rail set 3 sprays**
consisting of:
hand shower (28 419 001)
shower rail, 600 mm (27 523 000)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)
GROHE EasyReach tray (27 596 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages
caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 927 000 chrome 67.00
ditto, with non-restricted flow



27 926 000 chrome 61.00

**New Tempesta 100
Shower rail set 2 sprays**
consisting of:
hand shower (27 597 00E)
shower rail, 600 mm (27 523 000)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)
GROHE EasyReach tray (27 596 000)
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages
caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar











27 645 000 chrome 65.00

**New Tempesta 100
Shower rail set 4 sprays**
consisting of:
handshower (28 421 001)
shower rail, 600 mm (27 523 000)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages
caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar









27 795 000 chrome 65.00
ditto, with non-restricted flow

SHOWERS

GROHE NEW TEMPESTA

	Ref. No.	Colour	Price netto (€)
 	27 644 000	chrome	59.00
	New Tempesta 100 Shower rail set 3 sprays consisting of: hand shower (28 419 001) shower rail, 600 mm (27 523 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 794 000	chrome	59.00
	ditto, with non-restricted flow		
 	27 598 00E	chrome	53.00
	New Tempesta 100 Shower rail set 2 sprays consisting of: hand shower (27 597 00E) shower rail, 600 mm (27 523 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 598 000	chrome	53.00
	ditto, with non-restricted flow		
 	27 924 000	chrome	45.00
	New Tempesta 100 Shower rail set 1 spray consisting of: hand shower (27 923 000) shower rail, 600 mm (27 523 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 853 000	chrome	45.00
	ditto, with non-restricted flow		
 	28 789 001	chrome	65.00
	New Tempesta 100 Shower rail set 3 sprays consisting of: hand shower (28 419 001) shower rail, 900 mm (27 524 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		

GROHE NEW TEMPESTA

	Ref. No.	Colour	Price netto (€)
 	27 601 00E	chrome	38.00
	<p>New Tempesta 100 Wall holder set 2 sprays consisting of: hand shower (27 597 00E) wall shower holder adjustable (27 595 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	27 849 000	chrome	42.00
	<p>New Tempesta 100 Wall holder set 3 sprays consisting of: hand shower (28 261 001) wall shower holder (28 605 000), not adjustable Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000) GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	27 803 00E	chrome	35.00
	<p>New Tempesta 100 Wall holder set 2 sprays consisting of: hand shower (27 597 00E) wall shower holder (28 605 000), not adjustable Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	26 164 000	chrome	33.00
	<p>New Tempesta 100 Wall holder set 2 sprays consisting of: hand shower (26 161 000) wall shower holder (28 605 000) not adjustable Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 799 000	chrome	32.00
	<p>ditto, with non-restricted flow</p>		

GROHE NEW TEMPESTA

Ref. No.

Colour


Price netto (€)

new

26 406 000

chrome

43.00



New Tempesta 100

Wall holder set 2 sprays

with integrated wall union 1/2"

consisting of:

hand shower (27 597 00E)

shower outlet elbow 1/2" with

wall shower holder (28 679 000)

male thread

protected against backflow

Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000)

GROHE EcoJoy 5.7 l/min. flow limiter

GROHE StarLight chrome finish

GROHE DreamSpray perfect spray pattern

SpeedClean anti-lime system

Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages

caused by shower falling

suitable for instantaneous heater

min. recommended pressure 1.0 bar











GROHE TEMPESTA TRIGGER SPRAYS










SHOWERS



GROHE TEMPESTA TRIGGER SPRAYS

		Ref. No.	Colour	Price netto (€)
		27 512 001	chrome	18.00
		Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar		
		28 020 L01	white	13.00
		Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar		
		26 353 000	chrome	33.00
		Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605 000) Silverflex Longlife shower hose 1500 mm (26 346 000) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar		
		27 513 001	chrome	32.00
		ditto, with 1250 mm hose		
		26 352 000	chrome	30.00
		ditto, with 1000 mm hose		
		26 354 000	chrome	37.00
		Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605 000) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar		
		27 812 IL1	chrome/white	26.00
		Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605 000) Silverflex Longlife shower hose 1250 mm (26 335 000) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar		
		26 355 IL0	chrome/white	25.00
		ditto, with 1000 mm hose		









GROHE TEMPESTA TRIGGER SPRAYS

	Ref. No.	Colour	Price netto (€)
 	26 356 ILO	chrome/white	29.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605 000) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar</p>			
 	26 357 000	chrome	65.00
<p>Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605 000) Silverflex Longlife shower hose 1500 mm (26 346 000) angle valve 1/2" (22 958) GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar</p>			
	27 514 001	chrome	64.00
<p>ditto, with 1250 mm hose</p>			
 	26 358 000	chrome	101.00
<p>Tempesta-F Trigger Spray 30 Wall holder set with self-closing angle valve, 1 spray consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333) Silverflex Longlife shower hose 1000 mm (26 334 000) GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar</p>			
 	26 346 000	chrome	26.00
<p>Silverflex Longlife Shower hose 1500 mm 1/2" x 1/2" strengthened model pressure resistance up to 12 bar plastic material with smooth surface flexible, easy cleaning, kink proofing Rotation cone for Twistfree-function GROHE StarLight chrome finish</p>			
	26 335 000	chrome	23.00
<p>ditto, 1.250 mm</p>			
	26 334 000	chrome	23.00
<p>ditto, 1.000 mm</p>			











GROHE SHOWER HOSES



GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)
	28 025 000 Rotaflex Metal Longlife Metal hose 1750 mm 1/2" x 1/2" Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar Rotation cone for Twistfree-function Cone with silicone tape to prevent the turning of the hand shower during the usage GROHE StarLight chrome finish	chrome	52.00
		28 417 000 ditto, 1500 mm	chrome
	28 145 000 Relaxflex Metal Longlife Metal hose 2000 mm 1/2" x 1/2" Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar GROHE StarLight chrome finish	chrome	48.00
	28 143 000 28 143 KS0 ditto, 1500 mm	chrome velvet black	33.00 64.00
	28 142 000 ditto, 1250 mm	chrome	33.00
		28 140 000 Relaxflex Metal Metal hose 2000 mm 1/2" x 1/2" GROHE StarLight chrome finish	chrome
	28 105 000 ditto, 1500 mm	chrome	25.00
		26 346 000 Silverflex Longlife Shower hose 1500 mm 1/2" x 1/2" strengthened model pressure resistance up to 12 bar plastic material with smooth surface flexible, easy cleaning, kink proofing Rotation cone for Twistfree-function GROHE StarLight chrome finish	chrome
	26 335 000 ditto, 1.250 mm	chrome	23.00
	26 334 000 ditto, 1.000 mm	chrome	23.00
			

GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)
 	27 137 000 Silverflex Shower hose 2000 mm 1/2" x 1/2" plastic material with smooth surface flexible, easy cleaning, kink proofing Rotation cone for Twistfree-function GROHE StarLight chrome finish	chrome	32.00
	28 388 000 28 388 DC0 ditto, 1750 mm	chrome supersteel	30.00 52.00
	28 364 000 ditto, 1500 mm	chrome	25.00
	28 362 000 28 362 DC0 ditto, 1250 mm	chrome supersteel	22.00 41.00
 	28 413 000 Rotaflex Shower hose plastic 2.000 mm 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish	chrome	37.00
	28 410 000 ditto, 1750 mm	chrome	33.00
	28 409 000 ditto, 1500 mm	chrome	31.00
 	28 155 000 Relexaflex Shower hose 2000 mm 1/2" x 1/2" GROHE StarLight chrome finish	chrome	27.00
	28 154 000 ditto, 1750 mm	chrome	20.00
	28 151 L00 28 151 000 ditto, 1500 mm	white chrome	43.00 17.00
	28 150 000 ditto, 1250 mm	chrome	17.00
 	28 158 000 Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE StarLight chrome finish	chrome	35.00
 	28 146 000 Metal hose 2000 mm M15 x M15 GROHE StarLight chrome finish	chrome	50.00

GROHE SHOWER HOSES









Ref. No.	Colour	Price netto (€)
45 992 000 Shower hose 1750 mm 1/2" x 1/2" bendproof in units of 10	chrome	16.00
45 973 000 ditto, 1500 mm	chrome	18.00
45 971 000 ditto, 1250 mm	chrome	17.00













GROHE SHOWER ACCESSORIES











GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	27 055 000 Rainshower Wall hand shower holder adjustable GROHE StarLight chrome finish	chrome	42.00
 	28 623 000 Relaxa Wall hand shower holder adjustable GROHE StarLight chrome finish	chrome	27.00
 	27 595 000 New Tempesta Wall hand shower holder adjustable GROHE StarLight chrome finish	chrome	18.00

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	27 188 000	chrome	98.00
<p>GROHE Ondus Hand shower holder wall mounted not adjustable metal GROHE StarLight finish</p>			
 	28 690 000	chrome	102.00
<p>Sena Wall hand shower holder not adjustable metal GROHE StarLight chrome finish</p>			
 	27 056 000	chrome	28.00
<p>Rainshower Wall hand shower holder not adjustable without escutcheon GROHE StarLight chrome finish</p>			
 	27 074 000 27 074 DC0 27 074 LS0	chrome supersteel moon white	32.00 56.00 41.00
<p>Rainshower Wall hand shower holder not adjustable with round escutcheon GROHE StarLight chrome finish</p>			
 	27 075 000	chrome	32.00
<p>Rainshower Wall hand shower holder not adjustable with square escutcheon GROHE StarLight chrome finish</p>			
 	27 706 000	chrome	31.00
<p>Allure Brilliant Wall hand shower holder not adjustable metal GROHE StarLight chrome finish</p>			

GROHE SHOWER ACCESSORIES


	Ref. No.	Colour	Price netto (€)
 	27 693 000	chrome	25.00
<p>Euphoria Cube Wall hand shower holder not adjustable GROHE StarLight chrome finish</p>			
 	28 622 000	chrome	15.00
<p>Relexa Wall hand shower holder not adjustable GROHE StarLight chrome finish</p>			
 	27 594 000	chrome	12.00
<p>New Tempesta Cosmopolitan Wall hand shower holder not adjustable GROHE StarLight chrome finish</p>			
 	28 605 000	chrome	15.00
<p>Relexa Wall hand shower holder not adjustable GROHE StarLight chrome finish</p>			

GROHE SHOWER ACCESSORIES

Ref. No.

Colour

Price netto (€)



27 151 000



chrome

94.00

Lead-through for pull-out showers
for bath rim installation and under
tiled surround

Lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)

**The lead-through can be combined
with all hand showers**
GROHE StarLight chrome finish



27 531 000


chrome

120.00

Lead-through for pull-out showers
for bath rim installation and under
tiled surround

Lead-through for shower hose
with square escutcheon
shower hose 1/2" x 3/8",
2000 mm (28 158 000)

**The lead-through can be combined
with all hand showers**
GROHE StarLight chrome finish



27 930 000

chrome

186.00

Allure F-digital













Lead-through for pull-out showers
for bath rim installation and under
tiled surround

Lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)











**The lead-through can be combined
with all hand showers**
GROHE StarLight chrome finish

SHOWERS













GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	27 190 000 GROHE Ondus Shower outlet elbow connection thread 1/2" external thread metal protected against backflow min. recommended pressure 1.0 bar GROHE StarLight finish	chrome	112.00
 	27 057 000 27 057 DC0 27 057 LS0 Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish	chrome supersteel moon white/chrome	49.00 61.00 61.00
 	27 076 000 Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE StarLight chrome finish	chrome	49.00
 	27 707 000 Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow metal GROHE StarLight chrome finish	chrome	48.00
 	27 704 000 Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE StarLight chrome finish	chrome	28.00
 	26 370 000 Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight finish	chrome	36.00

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	28 671 000	chrome	29.00
	Relexa Shower outlet elbow, 1/2" male thread suitable for the Relexa plus hand sprays Single (28 212) Exquisit (28 215) Duo (28 419) Duo (28 261) Trio (28 421) Trio (28 578) GROHE StarLight chrome finish		
 	28 626 000	chrome	30.00
	Relexa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE StarLight chrome finish with matt chrome cap		
	28 678 000	chrome	51.00
	ditto, protected against backflow		
	28 636 000	chrome	36.00
	ditto, for IG-combination		
 	28 628 000	chrome	30.00
	Relexa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE StarLight chrome finish		
	28 679 000	chrome	50.00
	ditto, protected against backflow		
 	28 797 001	chrome	113.00
	Rainshower Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (adjustable distance between wall shower holders for adaption to existing drillings) suitable for the Relexa hand showers Trio (28 793) Champagne spray (28 794) Massage (28 795) Five (28 796) suitable for the Rainshower hand showers 130 mm Classic (28 764) 160 mm Classic (28 765) 130 mm Cosmopolitan (28 755) 160 mm Cosmopolitan (28 756) GROHE StarLight chrome finish		
	28 819 001	chrome	126.00
	ditto. projection 900 mm		
	27 136 001	chrome	150.00
	ditto, 1150 mm		
 	27 784 000	chrome	97.00
	Power&Soul Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (adjustable distance between wall shower holders for adaption to existing drillings) GROHE StarLight chrome finish		
	27 785 000	chrome	102.00
	ditto, 900 mm		

GROHE SHOWER ACCESSORIES


		Ref. No.	Colour	Price netto (€)
		28 587 000 Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish	chrome	159.00
		27 892 000 Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish	chrome	181.00
		27 841 000 ditto, 900mm	chrome	190.00
		27 499 000 Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) GROHE StarLight chrome finish	chrome	45.00
		27 500 000 ditto, 900 mm	chrome	48.00
		27 519 000 Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish	chrome	49.00
		27 520 000 ditto, 900 mm	chrome	53.00
		27 521 000 New Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish	chrome	49.00
		27 522 000 ditto, 900 mm	chrome	50.00
		27 523 000 New Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish	chrome	43.00
		27 524 000 ditto, 900mm	chrome	47.00

GROHE SHOWER ACCESSORIES

Ref. No.

Colour

Price netto (€)




45 914 XE0

gray night time

12.00

Compensation disc




48 051 000

chrome

6.00

Compensation disc

for New Tempesta shower rails 27 519 / 27 520 /
27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails 27 499 / 27 500



27 845 000


chrome

1.00

Euphoria Cube

Compensation disc

for Euphoria Cube shower bars 27 892 000 / 27 841 000



26 385 000

chrome

13.50





Rainshower SmartControl

Compensation disc

for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable





SHOWERS

GROHE SHOWER ACCESSORIES

Ref. No.	Colour	Price netto (€)
  <p data-bbox="813 275 1084 394"> 27 596 000 GROHE EasyReach tray Acrylic for New Tempesta and Euphoria shower rails Ø 22 mm </p>	chrome	6.00
  <p data-bbox="813 577 1117 719"> 28 549 000 Movario Shelf acrylic plate, to be fixed at the lower end of the shower rail (28 398 / 28 797 / 28 819) </p>	chrome	47.00

GROHE SHOWER ACCESSORIES

Ref. No. Colour Price netto (€)


		<p>27 304 000 Riser pipe 1300 mm shower riser Ø 18 mm union nut 3/4" 1300 mm high projection 330 mm GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>67.00</p>
		<p>28 785 000 28 785 L00 Swivel adaptor 1/2" black (to combine Relexa hand showers with shower rails of other manufacturers)</p>	<p>black white</p>	<p>17.00 23.00</p>
		<p>28 389 000 Sena Adapter 1/2" x 1/2" metal for use with hand shower holder or shower rail GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>71.00</p>
		<p>28 817 000 Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>18.00</p>
		<p>45 304 000 Elbow for shower mixers 1/2" x 1/2" GROHE StarLight chrome finish for bath mixers</p>	<p>chrome</p>	<p>33.00</p>
		<p>28 874 000 T connection, 1/2" for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>50.00</p>

SHOWERS

GROHE SHOWER ACCESSORIES

Ref. No. Colour Price netto (€)

28 988 000 chrome 57.00



Drain Down Valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

GROHE
KITCHEN FITTINGS





Contents

Water systems	GROHE Blue Professional	67
	GROHE Blue Home	68
	GROHE Blue Pure	69
	GROHE Blue accessories	70
	GROHE Red	71
Premium lines	K7	72
	Foot Control	73
	Minta / Minta Touch	74
	Zedra / Zedra Touch	75
	K4	76
	Essence	77
	Eurocube	78
Competence lines	Parkfield	79
	Europlus	80
	Eurodisc Cosmopolitan	81
	Eurodisc	82
	Concetto	83
	Eurostyle Cosmopolitan	84
	Eurosmart Cosmopolitan	85
	Eurosmart	86
	Euroeco / Euroeco Special	87
	Costa	88
	BauEdge	89
	BauLoop	90
	Soap dispensers	91

HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen faucets include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange

The aerator is easy to install and de-install using just a coin.



RealSteel

Made of solid stainless steel, a robust material with anti-bacterial properties.



EasyTouch

Just touch the faucet at any point with your wrist, elbow or just your fingertip to turn the faucet ON and OFF.



FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the faucet ON and OFF.



ProfessionalSpray

Features a 360° spring arm and easy switching between the spray and mousseur.



Pull-Out Dual Spray

Increases operating radius of the faucet and offers easy switching between mousseur and the spray.



Pull-Out Mousseur Spray

Increases operating radius of the faucet and offers different sprays.



Pull-Out Mousseur

Increases the operating radius of your faucet.



EasyDock
Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



SpeedClean
Remove limescale with a single wipe.



OpenWaterHeater
The perfect flow in combination with open water heaters.



StopValve
Includes a dishwasher shut-off valve on the faucet body.



PreWindow
To open the window, just lift up the faucet and lay it flat on the surface.



ComfortHeight
Height of the spout allows easy filling of large pots.



SwivelStop
Limited turn angle prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly from the kitchen faucet – saving time, money and the environment.



ChildLock
Integrated safety mechanism prevents unintentional opening by young children.



Titanium Inside
All boilers in our GROHE Red collection are made from titanium.

GROHE BLUE HOME

WELCOME TO YOUR **PRIVATE** **WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



STILL, MEDIUM OR SPARKLING: THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.



KITCHEN FITTINGS

THE **GROHE BLUE HOME** PRODUCT PORTFOLIO




31 454 000 / 31 454 DC0
GROHE Blue Home
L-spout Starter kit

31 455 000 / 31 455 DC0
GROHE Blue Home
C-spout Starter kit

31 456 000 / 31 456 DC0
GROHE Blue Home
U-spout Starter kit

31 498 000 / 31 498 DC0
GROHE Blue Home
Mono Starter kit

GROHE BLUE HOME CONTAINS:



GROHE BLUE

GROHE BLUE PROFESSIONAL THE PERFECT SOLUTION FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen faucet.

The GROHE Blue Professional water system makes this a reality in your own home. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the faucet.



FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS TO YOUR OFFICE:**

Access to fresh, cool water at any time - still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing



GROHE BLUE PROFESSIONAL DUO

Kitchen faucet and GROHE Blue filtered, chilled and sparkling water in one.

MONO

Water dispenser for GROHE Blue filtered, chilled and sparkling water



KITCHEN FITTINGS



GROHE BLUE PURE DUO

Kitchen faucet and GROHE Blue filtered, water in one.

MONO

Water dispenser for GROHE Blue filtered water.



GROHE RED

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen faucet.

With GROHE Red you still have your standard kitchen mixer, but a second lever provides kettle-hot water on tap.



THE **BENEFITS** ARE CRYSTAL CLEAR

CLEAN, FRESH TASTE

filtered water heated to 100 degrees for an exceptional taste experience

CLEAR YOUR WORKTOP

no need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single faucet

NO MORE WAITING

kettle-hot water is always available at the turn of the lever, so waiting for the kettle or pot to boil is a thing of the past

LESS WASTE

you only take the exact amount of hot water you need, so you save on water and energy consumption



GROHE RED DUO

Kitchen faucet and GROHE Red boiling water in one.

WITH 4-LITER BOILER

WITH 8-LITER COMBI-BOILER

Suitable for kitchens that only have a cold water supply



C SPOUT

U SPOUT



C SPOUT

U SPOUT

GROHE RED MONO

Water dispenser for GROHE Red boiling water.

WITH 4-LITER BOILER

WITH 8-LITER COMBI-BOILER

Suitable for kitchens that only have a cold water supply



C SPOUT

U SPOUT



C SPOUT

U SPOUT

GROHE EASYTOUCH



Simple activation/deactivation of the water flow by touch.



Manual control with the lever.

Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated faucet? We've developed an innovative solution that lets you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE EasyTouch faucets can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your faucet sparkling clean. Change the way you control your kitchen with just a single touch.



GROHE FOOTCONTROL



Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated faucet? We've developed an innovative solution that lets you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE FootControl faucets turn the flow of water On and Off with just a tap of your foot on the base unit. Leave your hands free and keep your faucet sparkling clean. Change the way you control your kitchen with just a single tap.



GROHE NEW PROFESSIONAL SPRAYS

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic silicone hose is not only easy-to-clean but also comes in a choice of colour finishes - matt sheer marble, matt dark brown and matt dark grey - to harmonise with any kitchen sink.



THE COLORFUL WORLD OF **ESSENCE PROFESSIONAL**

Combine your Essence Professional (chrome/supersteel) with a choice of 3 color finishes to make it the perfect fit for your kitchen.



30 294 000 / 30 294 DC0
Essence Professional sink mixer
incl. GROHFlexx kitchen hose spout
black

30 294 000 / 30 294 DC0
Essence Professional sink mixer
+
30 321 HGO
GROHFlexx kitchen hose spout
dark brown

30 294 000 / 30 294 DC0
Essence Professional sink mixer
+
30 321 MWO
GROHFlexx kitchen hose spout
sheer marble

30 294 000 / 30 294 DC0
Essence Professional sink mixer
+
30 321 XCO
GROHFlexx kitchen hose spout
grey

A CYLINDRICAL STATEMENT **CONCETTO PROFESSIONAL**




















Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease - the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



















GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	EASYTOUCH	FOOTCONTROL	CAST SPOUT	TUBE SPOUT	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	SUPERSTEEL	STAINLESS STEEL	SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7				•			•			•			•	•		•			
GROHE ZEDRA TOUCH		•			•		•						•	•				•	
GROHE MINTA TOUCH		•			•			•					•	•		•			
GROHE K7 FOOTCONTROL			•			•							•	•		•			
GROHE ESSENCE FOOTCONTROL			•				•						•	•		•			
GROHE ZEDRA			•		•		•						•		•			•	
GROHE MINTA				•	•		•		•				•	•		•			
GROHE K4					•		•		•				•		•			•	
GROHE ESSENCE			•		•		•						•	•		•			
GROHE EUROCUBE				•									•	•					
GROHE AMBI					•								•			•	•		
GROHE PARKFIELD					•		•						•	•					•
GROHE EUROPLUS				•			•						•				•		
GROHE EURODISC COSMOPOLITAN				•					•				•			•			
					•								•			•			















GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	EASYTOUCH	FOOTCONTROL	CAST SPOUT	TUBE SPOUT	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	SUPERSTEEL	STAINLESS STEEL	SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE EURODISC				●			●						●				●		
					●								●				●		
GROHE CONCEPTO				●									●	●		●			
				●			●		●		●	●	●	●		●			
					●			●	●			●	●	●		●			
					●		●						●	●		●			
GROHE EUROSTYLE COSMOPOLITAN				●									●			●			
				●							●	●	●			●			
					●			●	●				●			●			
GROHE EUROSMART COSMOPOLITAN					●						●	●	●			●			
					●							●	●	●		●			
					●			●					●	●		●			
GROHE EUROSMART				●			●						●	●			●		
					●							●	●	●			●		
					●								●				●		
GROHE BAU				●								●					●		
GROHE COSTA S					●								●				●		
GROHE COSTA L					●								●				●		
					●								●				●		

GROHE BLUE & GROHE RED WATER SYSTEMS

	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	CAST SPOUT	TUBE SPOUT	SIDE SPRAY	CO2-BOTTLE 425 G	FILTER 600 LITRE	FILTERHEAD	BOILER	CHROME	SUPERSTEEL	STAINLESS STEEL	SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE BLUE		●	●	●			●		●	●	●		●	●		●	
		●	●	●			●		●	●	●		●	●		●	
GROHE BLUE MINTA		●	●	●			●		●	●	●		●	●		●	
		●	●	●		●			●	●	●		●	●		●	
GROHE BLUE K7		●	●	●		●			●	●	●		●	●		●	
		●	●	●		●		●	●	●	●		●	●		●	
GROHE BLUE MONO			●	●			●		●	●	●		●	●		●	
		●	●	●			●		●	●	●		●	●		●	
GROHE BLUE HOME		●	●	●			●		●	●	●		●	●		●	
		●	●	●			●		●	●	●		●	●		●	
		●	●	●			●		●	●	●		●	●		●	
			●	●			●		●	●	●		●	●		●	
GROHE BLUE PURE		●	●				●			●	●		●	●		●	
		●	●				●			●	●		●	●		●	
GROHE BLUE MINTA PURE		●	●				●			●	●		●	●		●	
		●	●			●				●	●		●	●		●	
GROHE BLUE K7 PURE		●	●			●				●	●		●	●		●	
		●	●			●		●		●	●		●	●		●	
GROHE BLUE MONO PURE			●				●			●	●		●	●		●	
			●				●			●	●		●	●		●	
GROHE RED DUO		●			●		●					●	●	●		●	
		●			●		●					●	●	●		●	
GROHE RED MONO					●		●					●	●	●		●	
					●		●					●	●	●		●	

GROHE LOW PRESSURE FITTINGS

	DESIGN	EASYTOUCH	FOOTCONTROL	CAST SPOUT	TUBE SPOUT	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	SUPERSTEEL	STAINLESS STEEL	SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE ZEDRA					●		●						●					●	
GROHE MINTA					●				●				●			●			
					●								●			●			
GROHE EUROPLUS				●									●				●		
GROHE EURODISC COSMOPOLITAN				●			●					●	●			●			
					●				●				●			●			
GROHE CONCETTO				●					●		●	●	●			●			
					●				●				●			●			
GROHE EUROSTYLE COSMOPOLITAN				●									●			●			
				●									●			●			
					●								●			●			
GROHE EUROSMART COSMOPOLITAN				●									●	●		●			
					●								●			●			
GROHE COSTA L					●								●				●		

GROHE BLUE PROFESSIONAL



KITCHEN FITTINGS



GROHE
SilkMove



GROHE
StarLight


GROHE BLUE PROFESSIONAL

Ref. No. Colour Price netto (€)

31 323 001 chrome 2,527.00
 31 323 DC1 supersteel 2,653.00

GROHE Blue Professional Starter Kit

consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
 C-spout
 separate handle for 3 filtered and chilled table water still, medium, sparkling
 headpart 1/2"




GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 180°
 separate inner water ways for filtered and non-filtered water
 flexible connection hoses
 GROHE Blue Cube
 270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21
 CE approved
GROHE Blue size S filter, filter head with flexible adjustment
GROHE Blue 425 g CO₂-carbonization bottle
 Min. recommended pressure 2.0 bar
 this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

31 324 001 chrome 2,527.00
 31 324 DC1 supersteel 2,653.00

GROHE Blue Professional Starter Kit

consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
 U - spout
 separate handle for 3 filtered and chilled table water still, medium, sparkling
 headpart 1/2"



GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 180°
 separate inner water ways for filtered and non-filtered water
 flexible connection hoses
 GROHE Blue Cube
 270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21
 CE approved
GROHE Blue size S filter, filter head with flexible adjustment
GROHE Blue 425 g CO₂-carbonization bottle
 Min. recommended pressure 2.0 bar
 this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

GROHE BLUE PROFESSIONAL

Ref. No. Colour Price netto (€)


31 347 002 chrome 2,516.00
31 347 DC2 supersteel 2,639.00

GROHE Blue Minta Professional Starter Kit

consisting of:
GROHE Blue Minta single-lever sink mixer with filter function
single hole installation
separate handle for 3 filtered and chilled table water still, medium, sparkling
headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21

GROHE Blue size S filter, filter head with flexible adjustment
GROHE Blue 425 g CO₂-carbonization bottle
Min. recommended pressure 2.0 bar
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+




31 346 001 chrome 2,601.00
31 346 DC1 supersteel 2,720.00

GROHE Blue K7 Professional Starter Kit

consisting of:
GROHE Blue K7 single-lever sink mixer with filter function
single hole installation
separate handle for 3 filtered and chilled table water still, medium, sparkling
headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

GROHE Blue size S filter, filter head with flexible adjustment
GROHE Blue 425 g CO₂-carbonization bottle
Min. recommended pressure 2.0 bar
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+




31 302 001 chrome 2,326.00
31 302 DC1 supersteel 2,426.00

GROHE Blue Mono Chilled and Sparkling Starter Kit

consisting of:
GROHE Blue Minta Mono faucet with filter function
single hole installation

handle for 3 types of filtered and chilled table water still, medium, sparkling
GROHE StarLight finish
swivel tubular spout
flexible connection hoses
swivel area 140°
GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
GROHE Blue size S filter, filter head with flexible adjustment
GROHE Blue 425 g CO₂-carbonization bottle
Min. recommended pressure 2.0 bar



GROHE BLUE HOME

new



KITCHEN FITTINGS



GROHE
SilkMove




GROHE
StarLight

GROHE BLUE HOME

Ref. No. Colour Price netto (€)


new



31 454 000 **chrome** 1,795.00
31 454 DC0 **supersteel** 2,099.00

GROHE Blue Home L-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and chilled table water still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible water hardness adjustment
GROHE Blue 425 g CO2 bottle


new



31 455 000 **chrome** 1,795.00
31 455 DC0 **supersteel** 2,099.00

GROHE Blue Home C-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and chilled table water still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible water hardness adjustment
GROHE Blue 425 g CO2 bottle

new



31 456 000 **chrome** 1,795.00
31 456 DC0 **supersteel** 2,099.00

GROHE Blue Home U-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
U - spout
push buttons for 3 types of filtered and chilled table water still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible water hardness adjustment
GROHE Blue 425 g CO2 bottle

GROHE BLUE HOME

Ref. No.

Colour


Price netto (€)

new

31 498 000
31 498 DC0

chrome
supersteel

1,732.00
1,996.00



GROHE Blue Home Mono Starter kit

consisting of:
GROHE Blue Home Mono faucet with filter function
single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

swivel tubular spout
swivel area 150°

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with

flexible water hardness adjustment

GROHE Blue 425 g CO2 bottle

GROHE BLUE PURE



KITCHEN FITTINGS



GROHE
SilkMove




GROHE
StarLight

GROHE BLUE PURE


Ref. No. Colour Price netto (€)

33 249 001 chrome 702.00
33 249 DC1 supersteel 829.00




GROHE Blue Pure Starter Kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 180°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit
GROHE Blue size S filter, filter head with flexible adjustment
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

31 299 001 chrome 702.00
31 299 DC1 supersteel 829.00



GROHE Blue Pure Starter Kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
U - spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 180°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit
GROHE Blue size S filter, filter head with flexible adjustment
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

31 345 002 chrome 857.00
31 345 DC2 supersteel 982.00




GROHE Blue Minta Pure Starter Kit
consisting of:
GROHE Blue Minta single-lever sink mixer with filter function
single hole installation
separate handle for filtered water
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit
GROHE Blue size S filter, filter head with flexible adjustment
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

GROHE BLUE PURE

Ref. No. Colour Price netto (€)

31 344 001 chrome 1,064.00
31 344 DC1 supersteel 1,189.00



GROHE Blue K7 Pure Starter Kit

consisting of:
GROHE Blue K7 single-lever sink mixer
with filter function

single hole installation

separate handle for filtered water
headpart 1/2"

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

swivel cast spout

swivel area 140°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

type of protection IP 21

main switching power supply 100 - 240 V AC

50/60 Hz with safety extra-low voltage (SELV)


6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment

this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

31 301 001 chrome 661.00
31 301 DC1 supersteel 722.00



GROHE Blue Mono Pure Starter Kit

consisting of:

GROHE Blue Minta Mono faucet with filter function

single hole installation

handle for filtered table water

GROHE StarLight finish

swivel tubular spout

swivel area 150°

flexible connection hoses

type of protection IP 21

main switching power supply 100 - 240 V AC

50/60 Hz with safety extra-low voltage (SELV)

6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment

GROHE BLUE ACCESSORIES



GROHE BLUE ACCESSORIES

		Ref. No.	Colour	Price netto (€)
		40 848 000 GROHE Blue Drinking bottle Tritan drinking bottle BPA (Bisphenol A) free lid with strap volume 500 ml	chrome	16.00
		40 848 SD0 GROHE Blue Drinking bottle stainless steel drinking bottle double wall lid with strap volume 450 ml	stainless steel	26.00
		40 405 000 GROHE Blue Glass carafe crystal glass with stainless steel plug volume 1.0 l	chrome	64.00
		40 437 000 GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor volume 0.25 l	chrome	63.00
		40 404 001 GROHE Blue Filter S-Size BWT replacement filter for GROHE Blue Capacity 600 L at 15° dKH 5-phases filter	chrome	86.00
		40 430 001 ditto, M-Size, capacity 1500 l at 15° dKh, 376 mm high	chrome	176.00
		40 412 001 ditto, L-Size, capacity 2600 l at 15° dKh, 429 mm high	chrome	233.00
		40 547 001 GROHE Blue Active carbon filter BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° dKH Capacity 3000 L 3-phases filter	chrome	100.00

GROHE BLUE ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 691 001 GROHE Blue Magnesiumfilter BWT replacement filter for GROHE Blue for recharge of the water with magnesium Capacity 400 L at 15° dGH 5-phases filter	chrome	110.00
	64 508 001 GROHE Blue filter head only for use in combination with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001	chrome	44.00
 	40 434 001 GROHE Blue Cleaning cartridge for 100% biological disinfection of the GROHE Blue chiller and filterhead including sprayhead and water test stripes only to use in combination with 40 694 000	chrome	83.00
	40 694 000 GROHE Blue cleaning cartridge adapter for GROHE Blue BWT Filterhead only to use in combination with 40 434 001	chrome	49.00
 	40 422 000 GROHE Blue Starter kit 425 g CO₂ bottles (4 pieces) carbon dioxide from natural sources for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for 75 l of sparkling water for refilling please order 40 687 000	chrome	136.00

GROHE RED



KITCHEN FITTINGS



GROHE
SilkMove



GROHE
StarLight




GROHE
CoolTouch

GROHE RED


Ref. No. Colour Price netto (€)

30 079 000 chrome 1,524.00
 30 079 DC0 supersteel 1,911.00



GROHE Red Duo
Faucet and combi-boiler (8 liter)
 consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation, C-spout
GROHE ChildLock handle for boiling water
 certified safety handle with a pull and turn closure
 headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE CoolTouch
 swivel, insulated tubular spout
 swivel area 180°
 separate water ways
 flexible connection hoses
 protected against backflow
 connection for GROHE Red boiler
GROHE Red combi boiler
 reservoir for boiling and hot water
 6 liter boiling water 100° C or 11 liter hot water 55° C
 with thermostat
 adjustable from 35° - 75° C
 pressure: 1-7 bar
 with flexible connection hoses and
 connection thread for boiling water
 CE approved
 power supply 230 V 50 Hz 30
 power consumption 2100 W
 standby power consumption 15 W
 measurements boiler: 525 x 210 x 300 mm
 Energy efficiency class water heater: B

30 083 000 chrome 1,476.00
 30 083 DC0 supersteel 1,660.00




GROHE Red Duo
Faucet and single-boiler (4 liters)
 consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
 C-spout
GROHE ChildLock handle for boiling water
 certified safety handle with a pull and turn closure
 headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE CoolTouch
 swivel, insulated tubular spout
 swivel area 180°
 separate water ways
 flexible connection hoses
 protected against backflow
 connection for GROHE Red boiler
GROHE Red single boiler
 reservoir for 3 liter boiling water
 pressure: 1-7 bar
 with flexible connection hoses and
 connection thread for boiling water
 CE approved
 power supply 230 V 50 Hz 30
 power consumption 2100 W
 standby power consumption 15 W
 measurements boiler: 325 x 210 x 300 mm

GROHE RED

Ref. No. Colour Price netto (€)

30 156 000 chrome 1,774.00
 30 156 DC0 supersteel 1,911.00


GROHE Red Duo
Faucet and combi-boiler (8 liter)
 consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation, U - spout
GROHE ChildLock handle for boiling water
 certified safety handle with a pull and turn closure
 headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE CoolTouch
 swivel, insulated tubular spout
 swivel area 180°
 separate water ways
 flexible connection hoses
 protected against backflow
 connection for GROHE Red boiler
GROHE Red combi boiler
 reservoir for boiling and hot water
 6 liter boiling water 100° C or 11 liter hot water 55° C
 with thermostat
 adjustable from 35° - 75° C
 pressure: 1-7 bar
 with flexible connection hoses and
 connection thread for boiling water
 CE approved
 power supply 230 V 50 Hz 30
 power consumption 2100 W
 standby power consumption 15 W
 measurements boiler: 525 x 210 x 300 mm
 Energy efficiency class water heater: B





KITCHEN FITTINGS



30 145 000 chrome 1,476.00
 30 145 DC0 supersteel 1,660.00

GROHE Red Duo
Faucet and single-boiler (4 liters)
 consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
 U - spout
GROHE ChildLock handle for boiling water
 certified safety handle with a pull and turn closure
 headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE CoolTouch
 swivel, insulated tubular spout
 swivel area 180°
 separate water ways
 flexible connection hoses
 protected against backflow
 connection for GROHE Red boiler
GROHE Red single boiler
 reservoir for 3 liter boiling water
 pressure: 1-7 bar
 with flexible connection hoses and
 connection thread for boiling water
 CE approved
 power supply 230 V 50 Hz 30
 power consumption 2100 W
 standby power consumption 15 W
 measurements boiler: 325 x 210 x 300 mm



GROHE RED

	Ref. No.	Colour	Price netto (€)
	30 080 000	chrome	1,476.00
	30 080 DC0	supersteel	1,660.00
	<p>GROHE Red Mono Pillar tap and combi-boiler (8 liters) consisting of: GROHE Red Mono pillar tap for boiling water single hole installation C-spout GROHE ChildLock handle for boiling water certified safety handle with a pull and turn closure headpart 1/2" GROHE StarLight finish GROHE CoolTouch swivel, insulated tubular spout stop limiter flexible connection hoses protected against backflow connection for GROHE Red boiler GROHE Red combi boiler reservoir for boiling and hot water 6 liter boiling water 100° C or 11 liter hot water 55° C with thermostat adjustable from 35° - 75° C pressure: 1-7 bar with flexible connection hoses and connection thread for boiling water CE approved power supply 230 V 50 Hz 30 power consumption 2100 W standby power consumption 15 W measurements boiler: 525 x 210 x 300 mm Energy efficiency class water heater: B</p>		


	30 085 000	chrome	1,183.00
	30 085 DC0	supersteel	1,319.00
	<p>GROHE Red Mono Pillar tap and single-boiler (4 liters) consisting of: GROHE Red Mono pillar tap for boiling water single hole installation C-spout GROHE ChildLock handle for boiling water certified safety handle with a pull and turn closure headpart 1/2" GROHE StarLight finish GROHE CoolTouch swivel, insulated tubular spout stop limiter flexible connection hoses protected against backflow connection for GROHE Red boiler GROHE Red single boiler reservoir for 3 liter boiling water pressure: 1-7 bar with flexible connection hoses and connection thread for boiling water CE approved power supply 230 V 50 Hz 30 power consumption 2100 W standby power consumption 15 W measurements boiler: 325 x 210 x 300 mm</p>		

GROHE RED

Ref. No. Colour Price netto (€)


30 157 000 chrome 1,476.00
 30 157 DC0 supersteel 1,660.00

GROHE Red Mono
Pillar tap and combi-boiler (8 liters)
 consisting of:
GROHE Red Mono pillar tap
for boiling water
single hole installation
 U - spout
GROHE ChildLock handle for boiling water
 certified safety handle with a pull and turn closure
 headpart 1/2"
GROHE StarLight finish
GROHE CoolTouch
 swivel, insulated tubular spout
 stop limiter
 flexible connection hoses
 protected against backflow
 connection for GROHE Red boiler
GROHE Red combi boiler
 reservoir for boiling and hot water
 6 liter boiling water 100° C or 11 liter hot water 55° C
 with thermostat
 adjustable from 35° - 75° C
 pressure: 1-7 bar
 with flexible connection hoses and
 connection thread for boiling water
 CE approved
 power supply 230 V 50 Hz 30
 power consumption 2100 W
 standby power consumption 15 W
 measurements boiler: 525 x 210 x 300 mm
 Energy efficiency class water heater: B




30 147 000 chrome 1,183.00
 30 147 DC0 supersteel 1,319.00

GROHE Red Mono
Pillar tap and single-boiler (4 liters)
 consisting of:
GROHE Red Mono pillar tap
for boiling water
single hole installation
 U - spout
GROHE ChildLock handle for boiling water
 certified safety handle with a pull and turn closure
 headpart 1/2"
GROHE StarLight finish
GROHE CoolTouch
 swivel, insulated tubular spout
 stop limiter
 flexible connection hoses
 protected against backflow
 connection for GROHE Red boiler
GROHE Red single boiler
 reservoir for 3 liter boiling water
 pressure: 1-7 bar
 with flexible connection hoses and
 connection thread for boiling water
 CE approved
 power supply 230 V 50 Hz 30
 power consumption 2100 W
 standby power consumption 15 W
 measurements boiler: 325 x 210 x 300 mm



40 438 001 chrome 379.00

GROHE Red
Filter with filter head
 for regions with water hardness higher 12° KH
 turn before GROHE Red boiler
 flexible connection hoses
 filter 600 l



GROHE K7




GROHE
SilkMove



GROHE
StarLight

GROHE K7

Ref. No. Colour Price netto (€)




32 950 000
32 950 DC0

chrome
supersteel

694.00
902.00

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




31 379 000
31 379 DC0

chrome
supersteel

668.00
868.00

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




32 175 000
32 175 DC0

chrome
supersteel

630.00
863.00

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
SpeedClean mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system



32 176 000
32 176 DC0

chrome
supersteel

712.00
926.00

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE FOOT CONTROL



KITCHEN FITTINGS



GROHE
SilkMove




GROHE
StarLight

GROHE FOOT CONTROL

Ref. No.

Colour

Price netto (€)




30 312 000
30 312 DC0

chrome
supersteel

963.00
1,155.00

K7 Foot Control
Electronic single-lever sink mixer 1/2"
medium spout

Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system





30 311 000
30 311 DC0

chrome
supersteel

625.00
714.00

Essence Foot Control
Electronic single-lever sink mixer 1/2"
L-spout

Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 28 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



30 309 000

chrome

326.00

Foot Control
Retro-fit set

Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets

GROHE MINTA / MINTA TOUCH



KITCHEN FITTINGS



GROHE
SilkMove



GROHE
StarLight




GROHE
EcoJoy

GROHE MINTA / MINTA TOUCH

Ref. No.

Colour

Price netto (€)




31 360 001
31 360 DC1

chrome
supersteel

560.00
727.00

Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout

Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




31 358 001
31 358 DC1

chrome
supersteel

573.00
744.00

Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout

Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur spray
diverter: mousseur/**SpeedClean** shower jet
adjustable flow rate limiter
automatic return to mousseur
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




31 375 000
31 375 DC0

chrome
supersteel

235.00
277.00

Minta
Single-lever sink mixer 1/2"
L-spout

single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



32 168 000
32 168 DC0

chrome
supersteel

260.00
324.00


Minta
Single-lever sink mixer 1/2"
L-spout

single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system

GROHE MINTA / MINTA TOUCH


Ref. No. Colour Price netto (€)

30 274 000 chrome 309.00
30 274 DC0 supersteel 400.00




Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray control - switches back and forth between regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 917 000 chrome 219.00
32 917 DC0 supersteel 269.00



Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
connector set 3/8"
rapid installation system
optional temperature limiter ref. no. 46 308 000


32 918 000 chrome 260.00
32 918 DC0 supersteel 347.00



Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 918 00E chrome 263.00
ditto, with GROHE EcoJoy 5.7 l/min. flow limiter

32 321 000 chrome 265.00
32 321 DC0 supersteel 347.00



Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar


KITCHEN FITTINGS

GROHE MINTA / MINTA TOUCH

Ref. No.

Colour

Price netto (€)




32 488 000
32 488 DC0

chrome
supersteel

219.00
263.00

Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area : 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter ref. no. 46 308 000




32 067 000
32 067 DC0

chrome
supersteel

263.00
324.00

Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



32 322 000
32 322 DC0

chrome
supersteel

265.00
347.00

Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE ZEDRA / ZEDRA TOUCH



KITCHEN FITTINGS



GROHE
SilkMove




GROHE
StarLight

GROHE ZEDRA / ZEDRA TOUCH


Ref. No. Colour Price netto (€)

30 219 001 chrome 699.00
30 219 DC1 supersteel 915.00




Zedra Touch
Electronic single-lever sink mixer 1/2"
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

32 294 001 chrome 437.00
32 294 SD1 stainless steel 633.00




Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 553 000 chrome 411.00
32 553 SD0 stainless steel 595.00



Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

32 296 000 chrome 363.00
32 296 SD0 stainless steel 554.00




Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
min. recommended pressure 1.0 bar

GROHE ZEDRA / ZEDRA TOUCH

Ref. No.

Colour

Price netto (€)




31 203 000

chrome

491.00

Zedra
Single-lever sink mixer 1/2"
shut off valve
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur spray
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system



30 026 000
30 026 SD0

chrome
stainless steel

307.00
469.00

Zedra
Pillar tap 1/2"
single hole installation
GROHE StarLight finish
ceramic headpart 1/2", 90°
mousseur
swivel tubular spout
swivel area 360°

GROHE K4



KITCHEN FITTINGS



GROHE
SilkMove




GROHE
StarLight

GROHE K4

Ref. No.

Colour

Price netto (€)




33 782 000

chrome

476.00

K4
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 pull-out dual spray
 diverter: mousseur/**SpeedClean** shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system



33 786 000

chrome

448.00

K4
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 pull out mousseur
 adjustable flow rate limiter
 swivel tubular spout
 integrated non-return valves
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE ESSENCE



KITCHEN FITTINGS



GROHE
SilkMove




GROHE
StarLight

GROHE ESSENCE

Ref. No. Colour Price netto (€)

new



30 294 000 chrome 391.00
30 294 DC0 supersteel 507.00


Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
with integrated temperature limiter
professional spray
with flexible, hygienic GROHflexx kitchen santoprene hose
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
metal spray
GROHE EasyDock M integrated magnet for seamless docking of the spray head
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

new




30 321 XC0 dark grey 92.00
30 321 MW0 chrome/sheer marble 92.00
30 321 HG0 dark brown 96.00
30 321 DG0 red *
30 321 DP0 pink *
30 321 DU0 purple *
30 321 GE0 green *
30 321 TY0 blue *
30 321 YF0 yellow *
30 321 YR0 orange *

GROHflexx kitchen hose spout
hose spout for Essence kitchen faucet
for 30 294 000/30 294 DC0
GROHflexx kitchen flexible, hygienic silicone hose
including fixing parts



30 269 000 chrome 239.00
30 269 DC0 supersteel 323.00

Essence
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter
min. recommended pressure 1.0 bar



30 270 000 chrome 314.00
30 270 DC0 supersteel 415.00

Essence
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
integrated temperature limiter
min. recommended pressure 1.0 bar

GROHE EUROCUBE



GROHE
SilkMove




GROHE
StarLight

GROHE EUROCUBE

Ref. No.

Colour

Price netto (€)




31 395 000
31 395 DC0

chrome
supersteel

590.00
768.00

Eurocube
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
diverter: mousseur/**SpeedClean** shower jet
swivel spout
swivel area 140°
360° maneuverable spring arm
protected against backflow
flexible connection hoses
applicable for under cupboard installation
rapid installation system



31 255 000
31 255 DC0

chrome
supersteel

235.00
307.00

Eurocube
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel cast spout
swivel area 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE PARKFIELD



KITCHEN FITTINGS



GROHE
SilkMove




GROHE
StarLight

GROHE PARKFIELD

Ref. No.

Colour

Price netto (€)



30 215 000
30 215 DC0

chrome
supersteel

326.00
424.00

Parkfield
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE EUROPLUS




KITCHEN FITTINGS



GROHE
SilkMove



GROHE
StarLight




33 930 002

chrome

230.00

Europlus
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
SpeedClean mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system




33 933 002

chrome

314.00

Europlus
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




32 941 002

chrome

230.00

Europlus
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
SpeedClean mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



32 942 002

chrome

314.00

Europlus
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel area 120°
metal lever
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE EURODISC COSMOPOLITAN



KITCHEN FITTINGS



GROHE
SilkMove




GROHE
StarLight

GROHE EURODISC COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




32 259 002

chrome

205.00

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system




31 122 002

chrome

244.00

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur
swivel tubular spout
adjustable flow rate limiter
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




33 770 002

chrome

206.00

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system




32 257 002

chrome

257.00

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



33 312 002

chrome

346.00


Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
non-removable socket height: 30mm
flexible connection hoses

GROHE EURODISC COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



33 772 002

chrome

210.00

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted

GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
projection 211 mm
S-unions

GROHE EURODISC



KITCHEN FITTINGS



GROHE
SilkMove



GROHE
StarLight

GROHE EURODISC

Ref. No.


Colour

Price netto (€)

32 257 001

chrome

288.00



Eurodisc

Single-lever sink mixer 1/2"
single hole installation

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

GROHE EasyDock guarantees easy retraction and

smooth docking back to the starting position

pull-out dual spray

diverter: mousseur/SpeedClean shower jet

adjustable flow rate limiter

swivel cast spout

swivel area 140°

flexible connection hoses

rapid installation system

min. recommended pressure 1.0 bar

GROHE CONCETTO



KITCHEN FITTINGS




GROHE
SilkMove



GROHE
StarLight


GROHE CONCETTO

Ref. No. Colour Price netto (€)




31 491 000 chrome 318.00
31 491 DC0 supersteel 429.00

Concetto
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
with integrated temperature limiter
professional spray
with flexible, hygienic GROHflexx kitchen santoprene hose
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
GROHE EasyDock M integrated magnet for seamless
docking of the spray head
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




32 661 001 chrome 196.00
32 661 DC1 supersteel 240.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
mousseur
flexible connection hoses
rapid installation system



32 663 001 chrome 238.00
32 663 DC1 supersteel 306.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




31 483 001 chrome 240.00
31 483 DC1 supersteel 307.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out mousseur spray
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system


GROHE CONCETTO

Ref. No. Colour Price netto (€)




31 128 001 chrome 196.00
31 128 DC1 supersteel 254.00

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




31 129 001 chrome 238.00
31 129 DC1 supersteel 310.00

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



30 273 001 chrome 261.00
30 273 DC1 supersteel 354.00


Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
integrated non-return valve
flexible connection hoses
rapid installation system



31 209 001 chrome 337.00


Concetto
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

KITCHEN FITTINGS




31 210 001 **chrome** 307.00

Concetto
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
non-removable socket height: 30mm
flexible connection hoses



32 659 001 **chrome** 171.00
32 659 DC1 **supersteel** 223.00

Concetto
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system



32 667 001 **chrome** 164.00

Concetto
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 223 mm
S-unions

GROHE EUROSTYLE COSMOPOLITAN



KITCHEN FITTINGS



GROHE
SilkMove




GROHE
StarLight

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




33 975 002

chrome

181.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system




31 126 002

chrome

215.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




31 482 002

chrome

232.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
single hole installation
high spout
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out mousseur spray
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




30 221 002

chrome

138.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter



31 124 002

chrome

198.00


Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




31 153 002

chrome

315.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
rapid installation system
flexible connection hoses




31 159 002

chrome

295.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
non-removable socket height: 30mm
flexible connection hoses




33 977 002

chrome

133.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system




33 982 002

chrome

165.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
projection 211 mm
S-unions



18 383 002

chrome

33.00

Eurostyle Cosmopolitan
Plastic tray
for 33 590 002
for 32 229 002
for 33 982 002

KITCHEN FITTINGS

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

45 562 000

chrome

31.00



Adapter

To convert to other spouts with screw coupling G3/4
Suitable for several sink mixer wall mount
e.g. 33772001, 33772002, 33982002

GROHE EUROSMART COSMOPOLITAN



KITCHEN FITTINGS



GROHE
SilkMove













GROHE
StarLight



GROHE
EcoJoy

GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)
 	32 843 000	chrome	154.00
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system		
	32 843 00E	chrome	153.00
	ditto, with GROHE Ecojoy mousseur 5.7 l/min		
 	31 481 000	chrome	224.00
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out mousseur spray diverter: mousseur/SpeedClean shower jet automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system		
 	30 193 000 30 193 DC0	chrome supersteel	115.00 151.00
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system min. recommended pressure 1.0 bar		
 	30 195 000	chrome	195.00
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" integrated stop valve medium spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° rapid installation system flexible connection hoses		
 	32 842 000	chrome	125.00
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" low spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system		

GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




31 161 000

chrome

218.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
integrated stop valve

low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system



31 170 000

chrome

234.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for installation in front of window

low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
mousseur
swivel tubular spout
swivel area 140°
non-removable socket height: 30mm
flexible connection hoses

GROHE EUROSMART



KITCHEN FITTINGS



GROHE
SilkMove



GROHE
SilkMove ES




GROHE
StarLight




GROHE
EcoJoy

Ref. No. Colour Price netto (€)



33 202 002 **chrome** **114.00**
33 202 DC2 **supersteel** **131.00**


Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



33 490 002 **chrome** **158.00**


Eurosmart
Single-lever sink mixer 1/2"
integrated stop valve
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system

new



30 305 000 **chrome** **151.00**
30 305 DC0 **supersteel** **198.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
88° swivel radius
separate inner water ways – lead and nickel free
flexible connection hoses
rapid installation system
protected against backflow




33 281 002 **chrome** **109.00**
33 281 DC2 **supersteel** **131.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

33 281 20E **chrome** **109.00**
ditto, with GROHE EcoJoy 5.7 l/min. flow limiter

new




31 478 000

chrome

114.00

Eurosmart
Single-lever sink mixer with angle valves, 1/2"
 consisting of
 Eurosmart single-lever sink mixer, 1/2" (33 281 002)
 low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 with integrated temperature limiter
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 separate inner water ways – lead and nickel free
 mousseur with coin slot for tool free replacement
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar
 Original WAS combination angle valve for
 dishwasher, 1/2" (22 035 000)
 angle valve, 1/2" (22 018 000)




30 260 002

chrome

109.00

Eurosmart
Single-lever sink mixer 1/2"
 low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 separate inner water ways – lead and nickel free
 mousseur with coin slot for tool free replacement
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar




32 482 002

chrome

133.00

Eurosmart
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel area 360°
 swivel tubular spout
 projection 186 mm
 integrated temperature limiter
 S-unions



32 224 002

chrome

133.00


Eurosmart
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 projection 277 mm
 integrated temperature limiter
 S-unions

KITCHEN FITTINGS

Ref. No.

Colour

Price netto (€)




31 391 002

chrome

133.00

Eurosmart
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 projection 217 mm
 integrated temperature limiter
 S-unions



31 509 002

chrome

114.00

Eurosmart
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 projection 150 mm
 integrated temperature limiter
 S-unions

GROHE EUROECO / EUROECO SPECIAL



KITCHEN FITTINGS



GROHE
SilkMove



GROHE
StarLight




GROHE
EcoJoy

GROHE EUROECO / EUROECO SPECIAL

Ref. No.

Colour

Price netto (€)




32 752 000

chrome

94.00

Euroeco
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
metal lever
flexible connection hoses
rapid installation system




32 750 000

chrome

94.00

Euroeco
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system




32 786 000

chrome

146.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min.
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system



32 787 000

chrome

146.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min.
swivel tubular spout
lever length 120 mm
flexible connection hoses

GROHE COSTA




KITCHEN FITTINGS



Ref. No.

Colour

Price netto (€)




31 831 001

chrome

83.00

Costa L
Single-hole sink mixer 1/2"
 metal handles
 heat-insulated
GROHE StarLight finish
 Longlife-headparts
 mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses




31 187 001

chrome

96.00

Costa L
Wall sink mixer, 1/2"
 metal handles
 heat-insulated
GROHE StarLight finish
 Longlife-headparts
 mousseur
 swivel tubular spout
 swivel area 360°
 projection 200 mm
 S-unions



30 484 001

chrome

51.00


Costa L
Bibtap 1/2"
 wall mounted
 metal handle
 heat-insulated
 marking: blue
GROHE StarLight finish
 mousseur
 Longlife-headparts
 swivel tubular spout
 swivel area 360°
 projection 200 mm

GROHE BAUEDGE



KITCHEN FITTINGS





31 367 000

chrome

97.00

BauEdge

Single-lever sink mixer 1/2"

high spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 28 mm ceramic cartridge

spout with mousseur

swivel tubular spout

swivel area 360°

flexible connection hoses

rapid installation system

min. recommended pressure 1.0 bar


GROHE BAULOOP



KITCHEN FITTINGS



GROHE
StarLight

**31 368 000****chrome****97.00****BauLoop****Single-lever sink mixer 1/2"**

high spout

single hole installation**GROHE StarLight** finish**GROHE Longlife 28 mm** ceramic cartridge

spout with mousseur

swivel tubular spout

swivel area 360°

flexible connection hoses

rapid installation system

Min. recommended pressure 0.1 bar

GROHE SOAP DISPENSERS



KITCHEN FITTINGS



GROHE
StarLight

GROHE SOAP DISPENSERS

	Ref. No.	Colour	Price netto (€)
 	40 535 000 40 535 DC0	chrome supersteel	57.00 75.00
Cosmopolitan soap dispenser for liquid soaps, storage bin 0.4 l GROHE StarLight finish			
 	40 536 000 40 536 DC0	chrome supersteel	52.00 70.00
Contemporary soap dispenser for liquid soaps, storage bin 0.4 l GROHE StarLight finish			
 	40 553 000 40 553 DC0	chrome supersteel	73.00 102.00
Ladylux / Zedra soap dispenser for liquid soaps, storage bin 0.4 l GROHE StarLight finish			
 	40 537 000	chrome	66.00
Authentic soap dispenser for liquid soaps, storage bin 0.4 l GROHE StarLight finish			
	13 071 000	chrome	31.00
Tubular spout swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE StarLight chrome finish			

GROHE
SPECIAL FITTINGS






Contents

Electronic fittings	Allure E	92	
	Essence E	93	
	Essence E	94	
	Eurocube E	95	
	Bluetooth monitoring	96	
	Europlus E	97	
	Eurosmart Cosmopolitan E	98	
	Euroeco Cosmopolitan E	99	
	Special thermostats	Grohtherm Ergomix	100
		Grohtherm Special	101
Grohtherm 2000 Special		102	
Automatic 2000		103	
Grohtherm XL		104	
Single-lever mixer	Euroeco Special	105	
	Euroeco Single Sequential	106	
Self-closing fittings	Eurodisc SE	107	
	Eurosmart Cosmopolitan T	108	
	Euroeco Cosmopolitan T	109	
	Contromix	110	

GROHE ALLURE E






36 098 000

chrome

832.00

Allure E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
single hole installation
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
 U - spout
 mousseur
 solenoid valve integrated in housing
 flexible connection hoses
 dirt strainer
 rapid installation system
 multistage battery status display
 automatically safety stop after 60 sec. (factory set)
 additional functions and precise settings
 by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K




36 234 000

chrome

955.00

Allure E
Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set
single hole installation
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
 U - spout
 mousseur
 solenoid valve integrated in housing
 flexible connection hoses
 dirt strainers
 rapid installation system
 multistage battery status display
 automatically safety stop after 60 sec. (factory set)
 additional functions and precise settings
 by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K



36 095 000

chrome


955.00

Allure E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
single hole installation
with plug transformer 230 V, 50 Hz, 3,2 VA
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
 U - spout
 mousseur
 solenoid valve integrated in housing
 flexible connection hoses
 dirt strainers
 rapid installation system
 additional functions and precise settings
 by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

36 097 000

chrome

1,000.00




Allure E
Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set single hole installation with plug transformer 230 V, 50 Hz, 3,2 VA GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter
 U - spout
 mousseur
 solenoid valve integrated in housing
 flexible connection hoses
 dirt strainers
 rapid installation system
 automatically safety stop after 60 sec. (factory set)
 additional functions and precise settings by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

36 235 000

chrome

1,142.00




Allure E
Infra-red electronic basin mixer 1/2" wall mounted
 wall spout
 transformer 230 V AC/12 V DC
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
 IR-electronic with detection in the handwashing area
 mousseur
 automatically safety stop after 60 sec. (factory set)
 additional functions and precise settings by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved

36 264 000

chrome

307.00




Roughing-in set for infra-red electronic
 Allure E 36 235, Europlus E 36 042, Essence E 36 252
 for installation with pre-mixed or cold water
 installation box for water group with protecting block
 installation box for infra-red sensor with protecting block
 connecting box for mains supply 230 V
 water group with stop valve and flush elbow

38 748 001

chrome

510.00




Rapid SL for wash basin
 for wall mounted fittings
 with roughing-in set for infra-red electronic Europlus E 36 042 000, Essence E 36 252 000 and Allure E 36 235 000
1.13 m installation height
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled
 quick adjustment, lockable
 fixing material
 wash basin fixing bolts M10 with fixing device for ceramic
 variable distance of fixing bolts
 HT-outlet bend Ø 50 mm, seal Ø 32 mm
 pre-mounted roughing-in set with protecting block
 fire-proof pipe for laying electronic cables
 installation box with water group, stop valve and flush elbow
 connection with noise protected fitting holder 1/2"
 connecting box for mains supply 230 V
 CE approved
 for installation with pre-mixed or cold water
without accessories for on-the-wall installation

GROHE ALLURE E

Ref. No. Colour Price netto (€)

36 407 001 chrome 289.00



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

36 209 000 chrome 112.00



Hidden mixing device

vandal-proof, covered and pre-adjustable mixer

suitable for single hole mixers

Essence E, Allure E, Europlus E and Eurodisc SE

consisting of:

special mixing device, adjustment by

screwdriver


metallic cap

GROHE StarLight chrome finish

GROHE ESSENCE E



new



36 444 000

chrome

536.00


Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

new



36 445 000

chrome

513.00

Essence E


Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

new



36 446 000

chrome

479.00

Essence E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar


GROHE ESSENCE E

Ref. No.

Colour

Price netto (€)

new



36 447 000

chrome


680.00

Essence E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar spray regulator 5.7 l/min
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

new



36 264 001


chrome

160.00

Concealed mounting box

wall installation
for installation with pre-mixed or cold water suitable for IR-sets for final installation
connection housing for power supply suitable for 36 447 000, 36 442 000

new




38 748 002

chrome

422.00

Rapid SL for wash basin

for wall mounted fittings with roughing-in set for infra-red electronic Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m installation height
for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled for single or series installation
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2" connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
without accessories for on-the-wall installation



36 338 000

chrome

89.00

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE ESSENCE E

Ref. No.


Colour

Price netto (€)

36 407 001

chrome

289.00



Remote control

for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

GROHE ESSENCE E



GROHE ESSENCE E

Ref. No.


Colour

Price netto (€)

36 092 000

chrome

602.00




Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
single hole installation
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
 GROHE EcoJoy 5.0 l/min. flow limiter
 mousseur
 solenoid valve integrated in housing
 flexible connection hoses
 dirt strainers
 rapid installation system
 multistage battery status display
 automatically safety stop after 60 sec. (factory set)
 additional functions and precise settings
 by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

36 093 000

chrome

602.00




Essence E
Infra-red electronic basin tap 1/2" without mixing device
 for cold or premixed water
single hole installation
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
 GROHE EcoJoy 5.0 l/min. flow limiter
 mousseur
 solenoid valve integrated in housing
 flexible connection hose
 dirt strainer
 rapid installation system
 multistage battery status display
 automatically safety stop after 60 sec. (factory set)
 additional functions and precise settings
 by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

36 094 000

chrome

662.00




Essence E
Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set
single hole installation
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
 GROHE EcoJoy 5.0 l/min. flow limiter
 safety shutdown circuit
 mousseur
 solenoid valve integrated in housing
 flexible connection hoses
 dirt strainers
 rapid installation system
 multistage battery status display
 automatically safety stop after 60 sec. (factory set)
 additional functions and precise settings
 by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

GROHE ESSENCE E

Ref. No.

Colour

Price netto (€)




36 088 000

chrome

632.00

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
single hole installation
with plug transformer 230 V, 50 Hz, 3,2 VA
GROHE StarLight chrome finish
 GROHE EcoJoy 5.0 l/min. flow limiter
 mousseur
 solenoid valve integrated in housing
 flexible connection hoses
 dirt strainers
 rapid installation system
 automatically safety stop after 60 sec. (factory set)
 additional functions and precise settings
 by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K




36 091 000

chrome

662.00

Essence E
Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set
single hole installation
with plug transformer 230 V, 50 Hz, 3,2 VA
GROHE StarLight chrome finish
 GROHE EcoJoy 5.0 l/min. flow limiter
 mousseur
 solenoid valve integrated in housing
 flexible connection hoses
 dirt strainers
 rapid installation system
 automatically safety stop after 60 sec. (factory set)
 additional functions and precise settings
 by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K




36 252 000

chrome

924.00

Essence E
Infra-red electronic basin mixer 1/2" wall mounted
 for cold or premixed water
 wall spout
 transformer 230 V AC/12 V DC
GROHE StarLight chrome finish
 GROHE EcoJoy 5.0 l/min. flow limiter
 IR-electronic with detection in the handwashing area
 mousseur
 automatically safety stop after 60 sec. (factory set)
 additional functions and precise settings
 by remote control 36 407
 automatic flushing after 1 or 3 days without use
 thermal disinfection for 3.5 or 11 min
 cleaning mode can be activated for 3 minutes with sensor
 for use with Rapid SL 38 748 001 or
 roughing-in set 36 264 000
 CE approved



36 264 000

chrome

307.00


Roughing-in set for infra-red electronic
 Allure E 36 235, Europlus E 36 042,
 Essence E 36 252
 for installation with pre-mixed or cold water
 installation box for water group with
 protecting block
 installation box for infra-red sensor with
 protecting block
 connecting box for mains supply 230 V
 water group with stop valve and flush elbow

SPECIAL FITTINGS

38 748 001

chrome

510.00



Rapid SL for wash basin

for wall mounted fittings
with roughing-in set for infra-red electronic
Europlus E 36 042 000, Essence E 36 252 000
and Allure E 36 235 000


1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
for single or series installation
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
without accessories for on-the-wall installation

36 407 001

chrome

289.00



Remote control

for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

GROHE EUROCUBE E



GROHE EUROCUBE E

Ref. No.

Colour


Price netto (€)

new

36 441 000

chrome

639.00



Eurocube E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish

laminar spray regulator 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K


min. recommended pressure 1.0 bar

new

36 442 000

chrome

718.00



Eurocube E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar spray regulator 5.7 l/min

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

set for final installation

for use with Rapid SL 38 748 002 or roughing-in set 36 264 001

CE approved

acoustic group I in accordance with DIN 4109


min. recommended pressure 1.0 bar

new

36 264 001

chrome

160.00



Concealed mounting box

wall installation

for installation with pre-mixed or cold water

suitable for IR-sets for final installation

connection housing for power supply

suitable for 36 447 000, 36 442 000


GROHE EUROCUBE E

Ref. No.

Colour

Price netto (€)

new



38 748 002

chrome

422.00

Rapid SL for wash basin

for wall mounted fittings
with roughing-in set for infra-red electronic
Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
for single or series installation
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
without accessories for on-the-wall installation

36 407 001

chrome

289.00

Remote control

for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)


configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply




36 338 000

chrome

89.00

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief



GROHE BLUETOOTH MONITORING



SPECIAL FITTINGS



GROHE BLUETOOTH

BLUETOOTH* MONITORING - SYSTEM REQUIREMENTS



System requirements

Apple

iPhone 5/6/7, iPad 2/3/4/Air/Air 2, iPad mini/2/3
Apple operating system: as of release iOS 8.0 and above (32/64 bit)

Android

min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 411 000

chrome

815.00



Europlus E Bluetooth

Infra-red electronic basin tap 1/2" with mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC rapid installation system

mixing device with adjustable hot water limiter

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

with integrated solenoid valve

integrated non-return valves and dirt strainers

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved


acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

36 413 000

chrome

658.00



Eurosmart Cosmopolitan E Bluetooth

Infra-red electronic basin tap 1/2" with mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring,

configuration and service purpose

with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

rapid installation system

mixing device with adjustable hot water limiter

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

with integrated solenoid valve

integrated non-return valves and dirt strainers

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 409 000

chrome

541.00



**Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" without mixing device**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC rapid installation system

GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
external solenoid valve

dirt strainer
with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection

configuration
detection range and shut off delay
thermal disinfection


auto flush
cleaning mode
2 on/off timers
identification by name

service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 414 000

chrome

894.00



**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

GROHE StarLight finish
GROHE CoolTouch
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
swivel cast spout 219 mm
with swivel stop at 130° or fixed
projection 287 mm
laminar mousseur 9 l/min

S-unions
escutcheon covers for S unions
non-return valve
dirt strainers

power connection cable 3.0 m
for use with connection set
39 383 000

with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection


configuration
detection range and shut off delay
auto flush
thermal disinfection

cleaning mode
2 on/off timers
identification by name

service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K


GROHE BLUETOOTH MONITORING

Ref. No. Colour Price netto (€)




39 383 000 chrome 86.00

**Eurosmart Cosmopolitan E
Thermostatic 230 V connection set**
fitting support
2 fitting connections 1/2"
power supply connector
wall installation
for use with Eurosmart Cosmopolitan E thermostat 230 V




36 410 000 chrome 621.00

**Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap without mixing device**
with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed
fitting box
36 336 000/36 337 000
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
acoustic group I in accordance with DIN 4109



36 337 000 chrome 105.00

**Euroeco Cosmopolitan E
Concealed mounting box**
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000



36 336 000 chrome 297.00

**Eurosmart Cosmopolitan E
Concealed mounting box**
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
suitable for

GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)

36 412 000

chrome

703.00

**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed
fitting box

36 339 000

GROHE StarLight finish

GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.

chrome escutcheon and spout

projection 172 mm

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles


reset to factory or user settings

hard and software version

CE approved

acoustic group I in accordance with DIN 4109

Mobile devices and GROHE IR Remote App*** are not included
in delivery and have to be ordered separately via an authorised
Apple store/store/iTunes or Google Play store.



36 339 000

chrome

193.00

**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**

wall installation

suitable for IR-sets for final installation

2 stop valves


housing with mixing device

non-return valve

connection housing for power supply

suitable for


36 315 000, 36 412 000, 36 376 000



GROHE BLUETOOTH MONITORING

Ref. No. Colour Price netto (€)

36 415 000 chrome 589.00



**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed shower thermostat**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC for concealed installation box 36 416 000

GROHE StarLight finish

chrome escutcheon with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring

password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day / 30 days thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay auto flush

thermal disinfection

cleaning mode


2 on/off timers

identification by name

service

send and save 3 profiles reset to factory or user settings hard and software version CE approved

36 416 000 chrome 567.00




**Eurosmart Cosmopolitan E
Concealed body**

for shower with integrated pre-adjustable thermostatic mixer suitable for IR-set 36 415 000

2 stop valves

Grohtherm Micro integrated non-return valves with filters connection housing for power supply min. recommended pressure 1.0 bar

37 503 000 chrome 785.00



**Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U**

37 338 000

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight finish

flow pressure min 0.5 bar operating pressure max 10 bar with Bluetooth 4.0* for wireless data communication bluetooth transmitter frequency: 2.4 GHz for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring

password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day / 30 days

configuration

detection range and shut off delay auto flush

cleaning mode

2 on/off timers

identification by name

service


send and save 3 profiles reset to factory or user settings CE approved hard and software version

GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)



37 338 000

chrome


124.00

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection

37 505 SD0

stainless steel

785.00




Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
front plate 156 x 197 mm
servo motor
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

37 504 000

chrome

967.00




Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)




36 338 000

chrome

89.00

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief



36 407 001

chrome

289.00

Remote control

for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)


3 x 1.5 V AAA DC battery supply

GROHE EUROPLUS E



SPECIAL FITTINGS






36 207 001 chrome 519.00

**Europlus E
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
 battery lifetime: approx. 7 years (150 actuations a day)
 GROHE EcoJoy mousseur 5.7 l/min
 non-return valve
 dirt strainers
 solenoid valve
 rapid installation system
 multistage battery status display
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

36 208 001 chrome 476.00
ditto, without mixing device



36 236 001 chrome 567.00


**Europlus E
Infra-red electronic basin mixer 1/2" with mixing device,
adjustable temperature limiter and waste set**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
 battery lifetime: approx. 7 years (150 actuations a day)
 GROHE EcoJoy mousseur 5.7 l/min
 non-return valve
 dirt strainers
 solenoid valve
 rapid installation system
 multistage battery status display
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

36 015 001 chrome 589.00

**Europlus E
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
 with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
 GROHE EcoJoy mousseur 5.7 l/min
 non-return valve
 dirt strainers
 solenoid valve
 rapid installation system
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K




36 016 001 chrome 589.00
ditto, without mixing device

GROHE EUROPLUS E

Ref. No. Colour Price netto (€)

36 387 000 chrome 954.00



**Europlus E
Powerbox**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose including Powerbox self-generating power system

single hole installation

GROHE EcoJoy 6.0 l/min mousseur including all flexible connection hoses

- non-return valve
- dirt strainer
- rapid installation system
- Powerbox
- power generator with water turbine
- internal energy saving unit
- with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power
- 7 pre-set programs:
 - auto flush
 - thermal disinfection
 - cleaning mode
- additional functions and precise settings by remote control 36 407
- min. recommended pressure 1.0 bar

36 239 001 chrome 1,235.00

Europlus E

Infrared electronic wash basin thermostat, 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose wall mounted

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day) 3 modi to start mixer: hand-hand, hand-body or body-body reflection temperature scale handle with safety stop

between 35°C and 45°C

laminar flow straightener 9 l/min.

non-return valve

dirt strainers

swivel cast spout

192 mm

projection 264 mm

swivel range stop at 130°, lockable

multistage battery status display

7 pre-set programs:


- auto flush
- thermal disinfection
- cleaning mode
- additional functions and precise settings by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection IP 69K

min. recommended pressure 1.0 bar



36 240 001 chrome 1,183.00
ditto, swivel cast spout 160 mm, projection 232 mm

36 407 001 chrome 289.00

Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home

monitoring

- consumption and usage data
- thermal disinfection cycles (infrared faucets)
- auto flush cycles (infrared faucets)
- cleaning mode cycles (GROHE Blue Home)
- filter and CO₂ capacity (GROHE Blue Home)


configuration

- cleaning mode on/off
- thermal disinfection (infrared faucets)
- detection range
- shut off delay (infrared faucets)
- auto flush (infrared faucets)
- filter capacity (GROHE Blue Home)

service

- send and save profile
- reset to factory or user settings
- filter capacity (GROHE Blue Home)
- demo mode
- error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply




GROHE EUROPLUS E

Ref. No.

Colour

Price netto (€)



36 338 000

chrome

89.00

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE EUROSMART COSMOPOLITAN E



SPECIAL FITTINGS



GROHE EUROSMART COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 327 001

chrome

340.00



**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 331 001

chrome

353.00


ditto, with pop-up waste set 1 1/4"

new

36 422 000

chrome

375.00



Eurosmart Cosmopolitan E

**Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 325 001

chrome

416.00



Eurosmart Cosmopolitan E

**Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour


Price netto (€)

new

36 421 000

chrome

372.00




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
 GROHE EcoJoy mousseur 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K
 min. recommended pressure 1.0 bar

36 330 001

chrome

340.00




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
 battery lifetime: approx. 7 years (150 actuations a day)
 GROHE EcoJoy mousseur 5.7 l/min
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs:
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K
 min. recommended pressure 1.0 bar

36 386 001

chrome

784.00



Eurosmart Cosmopolitan E
Powerbox
 Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and service purpose including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
 including all flexible connection hoses
 non-return valve
 dirt strainer
 rapid installation system
 Powerbox
 power generator with water turbine
 internal energy saving unit
 with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 min. recommended pressure 1.0 bar

SPECIAL FITTINGS

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)

36 332 000

chrome

798.00

Eurosmart Cosmopolitan E

Infra-red electronic wall basin mixer with thermostatic temperature control

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

3 modi to start mixer: hand-hand, hand-body or body-body reflection

laminar mousseur 9 l/min

non-return valve

dirt strainers

temperature scale handle with

GROHE SafeStop at 38°C

swivel cast spout

219 mm

projection 287 mm

swivel range stop at 130°, lockable

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection



cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109



36 333 000

chrome

784.00

ditto, projection 255 mm

36 334 SD0

stainless steel

415.00

Eurosmart Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar mousseur 9 l/min

stainless steel escutcheon

SuperSteel spout

projection 232 mm

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


set for final installation for concealed

fitting box

36 336 000/36 337 000

CE approved

acoustic group I in accordance with DIN 4109



36 335 SD0

stainless steel

400.00

ditto, spout 172 mm

36 337 000

chrome

105.00

Euroeco Cosmopolitan E

Concealed mounting box

wall installation

for installation with pre-mixed or cold water


suitable for IR-sets for final installation

stop valve

connection housing for power supply

suitable for

36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000




GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)




36 336 000

chrome

297.00

**Eurosmart Cosmopolitan E
Concealed mounting box**
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
suitable for




36 315 000

chrome

444.00

**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device
and adjustable temperature limiter**
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar flow straightener 9 l/min.
chrome escutcheon
chrome spout
projection 170 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed
fitting box 36 339 000
CE approved
acoustic group I in accordance with DIN 4109




36 339 000

chrome

193.00

**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000



36 407 001

chrome

289.00

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V AAA DC battery supply


SPECIAL FITTINGS

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 338 000

chrome

89.00

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE EUROECO COSMOPOLITAN E



SPECIAL FITTINGS




GROHE EUROECO COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 271 000

chrome

255.00

Euroeco Cosmopolitan E

Infra-red electronic basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

dirt strainers

external solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode


additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K



36 269 000

chrome

290.00

Euroeco Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

dirt strainers

external solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar



36 384 000

chrome

595.00

Euroeco Cosmopolitan E

Powerbox

infra-red electronic basin tap 1/2"

without mixing device

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
including Powerbox self-generating power system

GROHE EcoJoy 6.0 l/min mousseur

flexible connection hose

dirt strainer

rapid installation system

Powerbox

power generator with water turbine

internal energy saving unit

with use of 60 s/24 h stand-by, 260 s/100 h stand-by

with additional backup power

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


min. recommended pressure 1.0 bar

GROHE EUROECO COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 274 000

chrome

314.00

Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal body

multistage battery status display

7 pre-set programs:

auto flush


thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved



36 273 000

chrome

355.00

Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

chrome spout

projection 172 mm

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


set for final installation for concealed

fitting box

36 336 000/36 337 000

CE approved

acoustic group I in accordance with DIN 4109



36 337 000

chrome

105.00

Euroeco Cosmopolitan E

Concealed mounting box

wall installation

for installation with pre-mixed or cold water


suitable for IR-sets for final installation

stop valve

connection housing for power supply

suitable for

36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000



36 336 000

chrome

297.00

Eurosmart Cosmopolitan E

Concealed mounting box

with integrated pre-adjustable

thermostatic mixer

wall installation

suitable for IR-sets for final installation

2 stop valves

non-return valve

connection housing for power supply

suitable for

GROHE EUROECO COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 407 001

chrome

289.00



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service


send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

36 338 000

chrome

89.00



Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE GROHTHERM ERGOMIX




GROHE GROHTHERM ERGOMIX

Ref. No.

Colour

Price netto (€)




34 018 000

chrome

913.00

Grotherm Ergomix
Thermostatic basin mixer 1/2"
for elbow lever action
wall mounted
metal lever 250 mm
swivel area 100°
metal stop
Ceramic headpart 1/2"
wax thermoelement
temperature scale handle with
pre-adjustable safety stop between
35°C and 45°C
arrangement to make the thermal
disinfection easier
swivel cast spout
laminar flow straightener 9 l/min.
lockable stop ring
built-in non return valves
dirt strainers
projection 238 mm
covered S-unions
GROHE StarLight chrome finish




34 019 000

chrome

913.00

Grotherm Ergomix
Thermostatic basin mixer 1/2"
for elbow lever action
wall mounted
metal lever 170 mm
swivel area 100°
metal stop
Ceramic headpart 1/2"
wax thermoelement
temperature scale handle with
pre-adjustable safety stop between
35°C and 45°C
arrangement to make the thermal
disinfection easier
swivel cast spout
laminar flow straightener 9 l/min.
lockable stop ring
built-in non return valves
dirt strainers
projection 178 mm
covered S-unions
GROHE StarLight chrome finish



34 020 000

chrome


913.00

Grotherm Ergomix
Thermostatic basin mixer 1/2"
for elbow lever action
wall mounted
metal lever 250 mm
swivel area 100°
metal stop
Ceramic headpart 1/2"
wax thermoelement
temperature scale handle with
pre-adjustable safety stop between
35°C and 45°C
arrangement to make the thermal
disinfection easier
swivel cast spout
laminar flow straightener 9 l/min.
lockable stop ring
built-in non return valves
dirt strainers
projection 255 mm
covered S-unions
lockable
GROHE StarLight chrome finish

GROHE GROHTHERM ERGOMIX


Ref. No. Colour Price netto (€)

34 021 000 chrome 913.00



Grohtherm Ergomix
Thermostatic basin mixer 1/2"
 for elbow lever action
 wall mounted
 metal lever 170 mm
 swivel area 100°
 metal stop
 Ceramic headpart 1/2"
 wax thermoelement
 temperature scale handle with
 pre-adjustable safety stop between
 35°C and 45°C
 arrangement to make the thermal
 disinfection easier
 swivel cast spout
 laminar flow straightener 9 l/min.
 lockable stop ring
 built-in non return valves
 dirt strainers
 projection 195 mm
covered S-unions
 lockable
GROHE StarLight chrome finish

13 080 000 chrome 131.00



Spout
 length
 77 mm
GROHE StarLight chrome finish

13 137 000 chrome 139.00
Length 115 mm

13 138 000 chrome 166.00
Length 175 mm

SPECIAL FITTINGS

GROHE GROHTHERM SPECIAL



SPECIAL FITTINGS



GROHE
StarLight



GROHE
CoolTouch



GROHE
TurboStat





GROHE
EcoJoy







GROHE
QuickFix

GROHE GROHTHERM SPECIAL

Ref. No. Colour Price netto (€)

new	 	<p>34 667 000</p> <p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection via optional key 47 994 000 integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers with S-unions and with covers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE SafetyPlus</p>	<p>chrome 293.00</p>
-----	---	--	----------------------

new	 	<p>34 665 000</p> <p>Grotherm Special Thermostatic bath mixer 1/2" wall mounted ergonomic handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection via optional key 47 994 000 shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers with S-unions and with covers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE SafetyPlus</p>	<p>chrome 367.00</p>
-----	--	--	----------------------

new	 	<p>34 681 000</p> <p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection via optional key 47 994 000 integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers without S-unions and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafetyPlus</p>	<p>chrome 327.00</p>
-----	---	---	----------------------


GROHE GROHTHERM SPECIAL

Ref. No.

Colour

Price netto (€)

new



34 671 000



chrome

373.00

**Grotherm Special
Thermostatic bath mixer 1/2"**

wall mounted
ergonomic handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of
non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus

new



34 666 000


chrome

325.00

**Grotherm Special
Thermostatic basin mixer 1/2"**

wall mounted
ergonomic handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
bottom outlet for spouts 13 378 or 13 380
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of
non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

new



13 378 000

chrome

86.00

Cast swivel spout
length 115 mm
swivelling (180 or 90°) and lockable
laminar flow straightener 9 l/min.
GROHE StarLight finish

13 380 000

chrome

97.00


ditto, length 175 mm

SPECIAL FITTINGS

GROHE GROHTHERM SPECIAL

Ref. No. Colour Price netto (€)

new




29 094 000 chrome 224.00

**Grotherm Special
Thermostatic shower mixer**
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic handles
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 chrome 231.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**

new




29 095 000 chrome 228.00

**Grotherm Special
Thermostatic bath mixer**
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 chrome 231.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**

new



29 096 000 chrome 184.00

**Grotherm Special
Central thermostatic mixer**
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handle
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 chrome 231.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**

new




47 994 000 chrome 5.80

**Grotherm Special
Temperature unlocking handle**
unlocking of temperature handle for thermal disinfection


GROHE GROHTHERM SPECIAL

Ref. No. Colour Price netto (€)




12 051 000 **chrome** **51.00**

S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish



28 874 000 **chrome** **50.00**

T connection, 1/2"
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish



28 988 000 **chrome** **57.00**

Drain Down Valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

GROHE GROHTHERM 2000 SPECIAL



GROHE GROHTHERM 2000 SPECIAL

Ref. No.


Colour

Price netto (€)

34 205 000

chrome

391.00



**Grotherm 2000 Special
Thermostatic shower mixer 1/2"**
wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons wing handles, made from metal


GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Carbodur ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C easy thermal disinfection with optional accessory handle 47 764 000 shower bottom outlet 1/2" built-in non return valves dirt strainers

covered S-unions
protected against backflow
GROHE StarLight chrome finish
GROHE ErgoPlus
GROHE SafetyPlus

34 202 000

chrome

443.00



**Grotherm 2000 Special
Thermostatic bath mixer 1/2"**
wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons wing handles, made from metal

GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Carbodur ceramic headpart 1/2", 180° Aquadimmer handle with multiple function - flow control - diverter: bath/shower


Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection with optional accessory handle 47 764 000 shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers

covered S-unions
protected against backflow
GROHE StarLight chrome finish
GROHE ErgoPlus
GROHE SafetyPlus

34 427 000

chrome

331.00











**Grotherm 2000 Special
Thermostatic basin mixer 1/2"**
wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons wing handles, made from metal

GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Carbodur ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C easy thermal disinfection with optional accessory handle 47 764 000 built-in non return valves dirt strainers

covered S-unions
protected against backflow
accessories:
swivel spouts, lockable
13 268 000 projection 77 mm
13 269 000 projection 117 mm
13 270 000 projection 177 mm
13 271 000 projection 245 mm
GROHE StarLight chrome finish
GROHE ErgoPlus
GROHE SafetyPlus

GROHE GROHTHERM 2000 SPECIAL


	Ref. No.	Colour	Price netto (€)
 	13 268 000	chrome	219.00
	Cast swivel spout length 77 mm swivelling and lockable laminar flow straightener 9 l/min. GROHE StarLight chrome finish		
	13 269 000 ditto, length 117 mm	chrome	228.00
	13 270 000 ditto, projection 177 mm	chrome	240.00
	13 271 000 ditto, length 245 mm	chrome	328.00
 	34 203 000	chrome	391.00
	Grotherm 2000 Special Thermostatic mixer 1/2" for multi-way use wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons wing handles, made from metal GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Carbudur ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C easy thermal disinfection with optional accessory handle 47 764 000 shower bottom outlet 3/4" built-in non return valves dirt strainers covered S-unions protected against backflow accessory spout 13 460 (75 mm), 13 461 (115 mm), 13 462 (175 mm) GROHE StarLight chrome finish GROHE ErgoPlus GROHE SafetyPlus		
 	13 460 000	chrome	160.00
	Cast swivel spout length 75 mm swivelling laminar flow straightener 9 l/min. coupling nut 3/4" GROHE StarLight chrome finish		
	13 461 000 ditto, length 115 mm	chrome	187.00
	13 462 000 ditto, projection 175 mm	chrome	207.00
 	19 416 000	chrome	342.00
	Grotherm 2000 Special Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body wing handles, made from metal GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C easy thermal disinfection with optional accessory handle 47 764 000 volume handle with individually adjustable economy stop escutcheon- and shaft-sealing metal escutcheon covered coupling GROHE ErgoPlus GROHE SafetyPlus		
	35 500 000	chrome	231.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation		

SPECIAL FITTINGS

GROHE GROHTHERM 2000 SPECIAL

Ref. No. Colour Price netto (€)


19 417 000 chrome 391.00



Grohtherm 2000 Special
Thermostat with integrated 2-way diverter
for bath or shower with more than one outlet
 set for final installation for, GROHE Rapido T 35 500 000
 without concealed body
 wing handles, made from metal
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
 temperature scale handle with pre-adjustable
 metal safety stop between 35°C and 43°C
 easy thermal disinfection with optional
 accessory handle 47 764 000
 Aquadimmer with multiple function
 shut off and flow control
 diverter for 2 outlets
 escutcheon- and shaft-sealing
 metal escutcheon, covered coupling
 GROHE ErgoPlus
 GROHE SafetyPlus

35 500 000 chrome 231.00
GROHE Rapido T Universal thermostatic
mixer for concealed installation

19 418 000 chrome 308.00



Grohtherm 2000 Special
Central thermostatic mixer
 set for final installation for
 GROHE Rapido T 35 500 000
 without concealed body
 wing handles, made from metal
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
 Temperature scale handle with pre-adjustable
 safety stop between 35°C and 43°C
 easy thermal disinfection with optional
 accessory handle 47 764 000
 escutcheon- and shaft-sealing
 GROHE ErgoPlus
 GROHE SafetyPlus

35 500 000 chrome 231.00
GROHE Rapido T Universal thermostatic
mixer for concealed installation











GROHE AUTOMATIC 2000



SPECIAL FITTINGS



GROHE AUTOMATIC 2000


	Ref. No.	Colour	Price netto (€)	
		34 361 000	chrome	630.00
<p>Automatic 2000 Compact Thermostatic mixer 1/2" wall mounted wax thermoelement outlet 3/4" threaded connector 3/4" temperature scale handle with GROHE SafeStop at 38°C built-in non return valves dirt strainers without connection unions without elbow union GROHE StarLight chrome finish</p>				
		34 364 000	chrome	640.00
<p>Automatic 2000 Compact Thermostatic mixer 1/2" wall mounted wax thermoelement with outlet 3/4" threaded connector 3/4" integrated mixed water shut off Carborundum ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with GROHE SafeStop at 38°C built-in non return valves dirt strainers without connection unions, without elbow union GROHE StarLight chrome finish</p>				
		34 365 000	chrome	581.00
<p>Automatic 2000 Compact Thermostatic mixer 3/4" wall mounted wax thermoelement 1" threaded outlet, fitted above or below temperature scale handle with GROHE SafeStop at 38°C removable temperature end stop 45°C built-in non return valves dirt strainers without connection unions without elbow union GROHE StarLight chrome finish</p>				
		12 419 000	chrome	32.00
<p>Elbow union nut 3/4" x 3/4" male thread for thermostatic 34 361/34 364 GROHE StarLight chrome finish</p>				
		12 407 000	chrome	71.00
<p>Wall union, male 1/2" without thermometer connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon GROHE StarLight chrome finish</p>				

GROHE AUTOMATIC 2000

Ref. No.

Colour

Price netto (€)




45 058 000

chrome

38.00

Set for wall union 200 mm
with compression coupling 3/4"
to outlet elbow 12 407 ,1/2"
GROHE StarLight chrome finish



12 408 000

chrome

224.00

Wall union, male 3/4"
without thermometer
connection pipe Ø 22 mm
connector set 1"
male thread 3/4"
sliding escutcheon
GROHE StarLight chrome finish

SPECIAL FITTINGS















GROHE GROHTHERM XL












SPECIAL FITTINGS



GROHE GROHTHERM XL

	Ref. No.	Colour	Price netto (€)
		35 085 000 Grotherm XL Thermostatic mixer 1" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4" outlet thread 1 1/2" changeable top/bottom outlet without connection unions GROHE StarLight chrome finish min. recommended pressure 1.0 bar	chrome 1,088.00
		35 087 000 Grotherm XL Thermostatic mixer 1 1/4" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2" outlet thread 2" changeable top/bottom outlet without connection unions GROHE StarLight chrome finish min. recommended pressure 1.0 bar	chrome 1,205.00
		12 411 000 S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish in units of 1	chrome 164.00
		12 417 000 Straight union nut 1 1/4" x 1" male thread screw escutcheon (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome 120.00
		12 420 000 ditto, nut, 1 1/2" x 1 1/4", male thread (for Grotherm XL 1 1/4", 35 087/35 088)	chrome 130.00
		12 424 000 Straight union nut 1 1/2" x 1 1/4" male thread (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome 116.00
		12 426 000 ditto, nut, 2" x 1 1/2", external thread (for Grotherm XL 1 1/4", 35 087/35 088)	chrome 121.00

GROHE GROHTHERM XL

	Ref. No.	Colour	Price netto (€)
	12 428 000 Elbow union nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish in units of 2	chrome	138.00
	12 430 000 Elbow union nut, 1 1/2" x 1 1/4", male thread (for Grohtherm XL 1 1/4", 35 087/35 088)	chrome	157.00
	12 432 000 Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome	187.00
	12 434 000 Wall union, male 1 1/2" nut, 2" x 1 1/2", male thread 125 mm projection (for Grohtherm XL 1 1/4", 35 087/35 088)	chrome	250.00
	12 444 000 Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome	216.00
	12 448 000 Wall union, male 1 1/2" with thermometer nut 2" x 1 1/2" male thread projection 90 mm screw escutcheon GROHE StarLight chrome finish	chrome	359.50
	12 436 000 Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome	170.00
	47 569 000 Loose key and shield	chrome	367.00
			

GROHE GROHTHERM XL

Ref. No. Colour Price netto (€)



12 124 000 **chrome** **114.00**

Mixed water circulation connection
consisting of:
flexible connection hose
3/4" x 3/4", 90° angle
connecting nipple M45 x 1.5 x 3/4"
for connection to existing circulation pipe
double nipple 1" male thread x 3/4"
for connection to Grotherm XL
GROHE StarLight chrome finish

GROHE EUROECO SPECIAL



SPECIAL FITTINGS



GROHE
SilkMove











GROHE
StarLight




GROHE
EcoJoy

GROHE EUROECO SPECIAL

	Ref. No.	Colour	Price netto (€)
		32 762 000 Euroeco Special Single-lever basin mixer 1/2" single hole installation smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses	chrome 113.00
	32 763 000 ditto, with pop-up waste set 1 1/4"	chrome 113.00	
		32 765 000 Euroeco Special Single-lever basin mixer 1/2" single hole installation smooth body, high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses	chrome 226.00
	32 766 000 ditto, with pop-up waste set 1 1/4"	chrome 235.00	
		30 208 000 Euroeco Special Single-lever basin mixer 1/2" single hole installation high spout 302 mm smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 5.7 l/min. swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses min. recommended pressure 1.0 bar	chrome 235.00
		32 776 000 Euroeco Special Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 9 l/min. cast spout projection 157 mm metal lever, lever length 120 mm S-unions	chrome 233.00

GROHE EUROECO SPECIAL


Ref. No. Colour Price netto (€)



32 778 000 chrome 234.00

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast spout, projection 205 mm
metal lever, lever length 170 mm
S-unions


32 779 000 chrome 269.00
ditto, with lockable S unions, projection 221 mm



32 770 000 chrome 221.00

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast swivel spout, lockable
projection 157 mm
metal lever, lever length 120 mm
S-unions


32 768 000 chrome 264.00
ditto, with lockable S unions, projection 174 mm



32 767 000 chrome 250.00

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast swivel spout, lockable
projection 197 mm
metal lever, lever length 120 mm
S-unions

32 771 000 chrome 285.00
ditto, with lockable S unions, projection 214 mm



32 773 000 chrome 269.00


Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
cast swivel spout, lockable
laminar flow straightener 9 l/min.
projection 257 mm
metal lever, lever length 170 mm
S-unions

32 775 000 chrome 309.00
ditto, with lockable S unions, projection 342 mm

SPECIAL FITTINGS


GROHE EUROECO SPECIAL

Ref. No. Colour Price netto (€)



32 774 000 **chrome** **296.00**


Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast swivel spout, lockable
projection 274 mm
metal lever, lever length 170 mm
with lockable S-unions



32 780 000 **chrome** **119.00**


Euroeco Special
Single-lever shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate approx. 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve
metal lever, lever length 120 mm
S-unions
protected against backflow
without shower set

32 781 000 **chrome** **149.00**
ditto, with lockable S-unions



32 783 000 **chrome** **140.00**

Euroeco Special
Single-lever bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
automatic diverter:
bath/shower
mousseur
integrated non-return valve
metal lever, lever length 120 mm
temperature limiter, S-unions
protected against backflow
without shower set



32 784 000 **chrome** **118.00**

Euroeco Special
Single-lever shower mixer
set for final installation for
35 501 000
without concealed body
GROHE StarLight chrome finish
metal lever
lever length 120 mm
escutcheon- and shaft-sealing
metal escutcheon
screwed
temperature limiter

35 501 000 **chrome** **97.00**
GROHE Rapido E Universal single-lever
mixer for concealed installation



32 870 000 **chrome** **15.00**

Euroeco Special
Lever 115 mm
for Euroeco Special single-lever mixer
GROHE StarLight chrome finish

32 871 000 **chrome** **22.00**
ditto, length 160 mm









GROHE EUROECO SINGLE SEQUENTIAL



SPECIAL FITTINGS



GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	Price netto (€)
		32 789 000 Euroeco Single Sequential Single-lever basin mixer 1/2" single hole installation smooth body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses,	chrome 208.00
	32 788 000 ditto, with pop-up waste set 1 1/4"	chrome	212.00
		32 790 000 Euroeco Single Sequential Single-lever basin mixer 1/2" single hole installation smooth body, high version GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses min. recommended pressure 1.0 bar	chrome 287.00
		32 795 000 Euroeco Single Sequential Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever, lever length 170 mm S-unions	chrome 357.00
		32 792 000 Euroeco Single Sequential Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever, lever length 120 mm S-unions min. recommended pressure 1.0 bar	chrome 360.00
	32 793 000 ditto, projection 256 mm	chrome	375.00

GROHE EURODISC SE



GROHE EURODISC SE

Ref. No.


Colour

Price netto (€)

36 233 000

chrome

616.00




Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
 flexible connection hoses
 non-return valves with integrated dirt strainers
 rapid installation system
 start-stop function
 electronic control of operating time
 safety stop after 180 sec.
 functions to activate with tip code
 flow time infinitely adjustable from 2-180 sec.
 automatic flushing: 5 min after 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 type of protection faucet IP 59K
 min. recommended pressure 1.0 bar

36 249 000

chrome

578.00




Eurodisc SE
Self-closing basin tap 1/2" without mixing device
6 V lithium-battery, type CR-P2
 for cold or premixed water
 marking: blue
GROHE StarLight chrome finish
 flexible connection hose
 dirt strainer
 rapid installation system
 start-stop function
 electronic control of operating time
 safety stop after 180 sec.
 functions to activate with tip code
 flow time infinitely adjustable from 2-180 sec.
 automatic flushing: 5 min after 3 days without use
 CE approved
 type of protection faucet IP 59K

36 244 000

chrome

1,048.00




Eurodisc SE
Self-closing shower thermostat, 1/2" wall mounted
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE CoolTouch metal housing
 temperature scale handle with safety stop between 35°C and 45°C
 non-return valve
 dirt strainers
 top outlet 3/4"
 start-stop function
 electronic control of operating time
 functions to activate with tip code
flow time adjustable from 2 sec. to 30 min.
 automatic flushing: 5 min after 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 type of protection IP 69K
 min. recommended pressure 1.0 bar

GROHE EURODISC SE


Ref. No. Colour Price netto (€)

36 247 000 chrome 973.00




Eurodisc SE
Self-closing shower thermostat, 1/2"
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermostatic element
temperature scale handle with safety stop
between 35°C and 45°C
non-return valve
dirt strainers
start-stop function
electronic control of operating time
functions to activate with tip code
flow time adjustable from 2 sec. to 30 min.
automatic flushing: 5 min after 3 days
without use
thermal disinfection for 3.5 or 11 min
set for final installation for
36 014 (integrated elastomer fitting box)
or 36 246
CE approved
acoustic group I in accordance with DIN 4109
type of protection IP 55

36 014 000 chrome 180.00



Eurodisc SE
Concealed mounting box 1/2"
wall installation
suitable for final installation set
36 247
elastomere installation box
installation depth adjustable
2 stop valves
type of protection IP 69K
GROHE EcoJoy technology for less water and perfect flow
(in connection with 36 247)

36 210 000 chrome 56.00




Socket
for extension off the outlet height
Essence E, Allure E, Europlus E and Eurodisc SE
suitable for single hole mixers
consisting of:
metal socket 25 mm
mounting-set
GROHE StarLight chrome finish

36 209 000 chrome 112.00



Hidden mixing device
vandal-proof, covered and pre-adjustable
mixer
suitable for single hole mixers
Essence E, Allure E, Europlus E and Eurodisc SE
consisting of:
special mixing device, adjustment by
screwdriver
metallic cap
GROHE StarLight chrome finish

12 407 000 chrome 71.00




Wall union, male 1/2"
without thermometer
connection pipe Ø 18 mm
connector set 3/4"
male thread 1/2"
sliding escutcheon
GROHE StarLight chrome finish

SPECIAL FITTINGS

GROHE EURODISC SE

Ref. No. Colour Price netto (€)

42 133 000 chrome 173.00
Spout for Europlus E thermostat
160 mm



GROHE EUROSMART COSMOPOLITAN T



SPECIAL FITTINGS



GROHE
StarLight



GROHE
CoolTouch




GROHE
EcoJoy

GROHE EUROSMART COSMOPOLITAN T

Ref. No.

Colour

Price netto (€)



36 317 000

chrome

265.00

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter


GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
2 flexible hoses
non-return valve
dirt strainers,

36 318 000

chrome

288.00

ditto, with pop-up waste set 1 1/4"




36 319 000

chrome

475.00

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter

wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min., swivel cast spout 200 mm
swivel range stop at 130°, lockable
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
S-unions, non-return valve
dirt strainers




36 320 000

chrome

415.00

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device
and adjustable temperature limiter

wall mounted
GROHE StarLight chrome finish
mixing device with hot water stop-valve
hose connection G 1/2"
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
S-unions, non-return valve
dirt strainers




36 321 000

chrome

298.00

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device
and adjustable temperature limiter

GROHE StarLight chrome finish
chrome escutcheon
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
dirt strainers
for use with 36 322 000
without concealed body



36 322 000

chrome

111.00

Eurosmart Cosmopolitan T
Concealed mounting box
with mixture

wall installation
suitable for self-closing final installation sets
with adhesive flange for sealing the wall
2 stop valves
housing with mixing device
non-return valve
for use with 36 321 000

GROHE EUROECO COSMOPOLITAN T



SPECIAL FITTINGS




GROHE EUROECO COSMOPOLITAN T

Ref. No.

Colour

Price netto (€)



36 265 000

chrome

122.00


**Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"**

for cold or premixed water
marking: blue/red

GROHE StarLight chrome finish

3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)

min. recommended pressure 1.0 bar



36 266 000

chrome

94.00


**Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"**

wall mounted

marking: blue/red

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow
flow limiter 5.7 l/min
escutcheon



36 316 000


chrome

39.00

**Euroeco Cosmopolitan T
Extension, 42 mm**

for self-closing pillar tap 1/2" (36 266 000)

GROHE StarLight chrome finish



36 268 000

chrome

94.00

**Euroeco Cosmopolitan T
Self-closing gate valve 1/2"**


for concealed installation
for cold or premixed water

marking: blue/red

GROHE StarLight chrome finish

3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)

min. recommended pressure 1.0 bar



36 267 000

chrome

88.00

**Euroeco Cosmopolitan T
Self-closing shower valve 1/2"**

exposed installation

for cold or premixed water

marking: blue/red

GROHE StarLight chrome finish

3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)

escutcheon

min. recommended pressure 1.0 bar

GROHE CONTROMIX



SPECIAL FITTINGS




GROHE CONTROMIX

Ref. No.

Colour

Price netto (€)




36 109 000

chrome

467.00

Contromix Public
Self-closing basin mixer 1/2"
with mixing device
GROHE StarLight chrome finish
economy stop function
temperature limiter
flow time adjustable
5-40 sec.
flexible connection hoses
non-return valve
dirt strainer
min. recommended pressure 1.2 bar




36 121 000

chrome

528.00

Contromix Surf
Self-closing shower mixer 1/2"
with mixture
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
economy stop function
temperature limiter
flow time adjustable
5-40 sec.
escutcheon, plastic chromed
escutcheon- and shaft-sealing
non-return valve
dirt strainers
set for final installation for 36 122
without concealed body
min. recommended pressure 1.5 bar



36 122 000

chrome

230.00

Contromix Surf
Concealed mounting box
(for 36 121/36 123)
without finishing trim set
wall mounting box with adhesive
flange for sealing the wall
installation from top or at the sides
stop valve and flush elbow

GROHE SENSIA
SHOWER TOILETS





Contents

Shower toilet	Sensia IGS	111
	Sensia Arena	112

GROHE SENSIA IGS

Ultimate freshness – completely intuitive.

GROHE Sensia IGS makes a trip to the toilet a pleasant experience. This shower toilet will routinely impress with its elegant design and many high-tech details every day. These include an innovative controller that works by rotation and pressure, as well as the intuitive remote control with touchscreen. Define your individual feelgood programme – say, water temperature and type of spray – and save it. You can reset the functions to suit you at any time. GROHE Sensia IGS also means a shiny clean toilet, thanks to its numerous innovative hygiene functions. For example, the spray arm head is automatically cleaned before and after each use. The spray arm and the warm-air dryer are perfectly positioned for the user, being integrated directly into the ceramic. For total peace of mind, the complete shower system carries out thermal cleansing at regular intervals using water at a temperature of 70°C. An automatic descaling programme is also available. You can't get more thorough than that.



Pure well-being! Enjoy the unique comfort of the GROHE Sensia IGS shower wc! Through contactless cleaning with pleasant tempered water and subsequent drying with soothing warm air, the GROHE Sensia IGS ensures a sense of the absolute cleanliness. The modern design of the shower toilet combined with the high-quality materials underline the pleasant atmosphere of your bath and lead to an all round well-being experience.



GROHE SENSIA ARENA

Intelligent technology meets innovative design. GROHE design – clear and distinct.

The breathtakingly beautiful GROHE Sensia Arena shower toilet integrates GROHE's lozenge design element and combines it with the very best current technical features. This smart, functional toilet in the unmistakable GROHE style was created under the aegis of GROHE Senior Vice President of Design, Paul Flowers. The floor-standing and the wall-mounted toilets are both visually stunning and their perfect ergonomics have been tailored exactly to the needs and requirements of our sophisticated customers. This includes the unique GROHE DreamSpray technology, which allows you to experience an especially gentle cleansing by employing a shower stream enriched with air.



Your bathroom and toilet should feel like the cleanest space in the house!

We know that to feel totally clean you need to have confidence, that your Spalet is pristine and hygienic too. That's why every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing mean the toilet effectively cleans itself, while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function.

Enjoy a wealth of benefits that will fit you like a glove

01 Perfect skin care

With a selection of fully adjustable sprays, anti-bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: SkinClean.

02 Ultimate hygiene clean

With leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms you can be certain of 100% hygiene security: HygieneClean.

03 Personal comfort

With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.





GROHE SENSIA IGS



SHOWER TOILET



GROHE SENSIA IGS

Ref. No. Colour Price netto (€)

39 111 SH0	alpine white	4,789.00
39 111 LP0	alpine white/alpine white	5,007.00
39 111 LD0	alpine white/red	5,007.00
39 111 LK0	alpine white/black	5,007.00

GROHE Sensia IGS

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use

GROHE DreamSpray technology

separate water way for lady spray

aerated shower spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

warm water with adjustable temperature

Other function

warm air dryer with adjustable temperature

odor extraction with filter

Duroplast WC seat and lid with soft close function

push and turn seat control operation

4 programmable user profiles for remote controller

power switch

inside night lighting

hidden water supply and power supply connections

includes:

touchscreen remote control with wall-mounted holder

batteries for remote controller

active carbon filter

fixing and connecting material

flush pipe

installation guide, manual

cable with system plug on device

pressure 0.1 - 1.0 MPa (1 - 10 bar)

nominal voltage 220-240 V AC 1400 W

main frequency 50-60 Hz

type of protection IPX4

complying with EN 1717/13077

CE approved

SH0:

alpine white ceramic, housing, front, seat and lid

LPO:

alpine white ceramic, front, seat and lid

matt chrome housing

LDO:

alpine white ceramic, seat and lid

matt chrome housing


red front

LKO:

alpine white ceramic, seat and lid

matt chrome housing


black front



GROHE SENSIA IGS

Ref. No. Colour Price netto (€)

39 112 001 chrome 251.00



Rapid SL for GROHE Sensia shower WCs
flushing cistern GD 2 with connections for GROHE Sensia shower toilets (Sensia IGS/Sensia Arena)
with small maintenance access
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
2 wall brackets with fixing material
universal water connection for shower toilets Sensia Arena and Sensia IGS
concealed socket for mains supply
positioning help for electrical connection
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

46 884 000 chrome 88.00



Care set for GROHE Sensia IGS shower WC
consisting of:
1 odor filter
descaling agent for 2 applications

46 882 00M chrome 58.00



Descaling agent for GROHE Sensia IGS shower WC
for 4 applications

46 883 00M chrome 107.00



Odor filter for GROHE Sensia IGS shower WC
contains 2 odor filters

SHOWER TOILET

GROHE GROHE SENSIA IGS

Ref. No. Colour Price netto (€)

new



40 899 000 **chrome** **34.00**
Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL installations to
shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

GROHE SENSIA ARENA



GROHE SENSIA ARENA

Ref. No.

Colour

Price netto (€)

39 354 SH0

alpine white

2,736.00

GROHE Sensia Arena

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and anti stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with **GROHE Triple Vortex** flushing technology

GROHE Skin Clean:

- 2 dedicated adjustable spray arms (1 for rear spray, 1 for lady spray)
- separate water way for lady spray
- oscillating spray (automatic forward and reverse motion of the spray)
- pulsating spray for massage
- adjustable spray intensity
- automatic pre- and post-rinsing of spray nozzle with fresh water
- integrated instant heater provides unlimited warm water
- adjustable temperature

Other function

warm air dryer with adjustable temperature

odor extraction with filter

Duroplast WC seat and lid with automatic opening/close function

infra-red user detection

seat control panel operation

power switch

inside bowl night light

hidden water supply and power supply connections

remote control

smart phone app for iOS

includes:

noise protection sheet, mounting bases and washers

manual remote controller with wall-mounted holder

active carbon filter for odour absorption

water supply connection set for concealed cistern

nozzle guard

cable with system plug on device

pressure 0.05 - 1 MPa (0.5 - 10 bar)

nominal voltage 220-240 V AC


main frequency 50-60 Hz

type of protection IPX4

complies with

EN 1717

CE approved




GROHE SENSIA ARENA

Ref. No. Colour Price netto (€)


39 112 001 chrome 251.00

Rapid SL for GROHE Sensia shower WCs
 flushing cistern GD 2 with connections for GROHE Sensia shower toilets (Sensia IGS/Sensia Arena)
 with small maintenance access
1.13 m installation height
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 for dry-cladding, completely pre-assembled
 with fixed connections
 for single or rail installation
 quick adjustment, lockable
 fixing material
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 distance of fixing bolts 180/230 mm
 PP outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
 adjustment ex factory 6 l and 3 l
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
 water supply from back
 low noise (group I acc. to German Noise Specification)
 insulated against condensation
 1/2" water supply connection including integrated angle valve and push fit flexible hose union
 no tools required for the installation of the inspection shaft incl. protection during construction phase
 for vertical or horizontal use
 2 wall brackets with fixing material
 universal water connection for shower toilets Sensia Arena and Sensia IGS
 concealed socket for mains supply
 positioning help for electrical connection
 for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)



46 944 000 chrome 188.00

GROHE Sensia Arena Installation kit for automatic flush
 consisting of:
 servo motor for GD 2
 actuation rod for flushing valve
 cable + blind cap
 flexible hose
 WC actuation plate not included
 CE approved



new

40 899 000 chrome 34.00

Retrofit kit for shower toilets Sensia Arena and IGS
 retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS
 including:
 conduit pipe with locking ring and flat seal
 cable ties
 WC connecting pipe Ø 45 mm
 waste sleeve Ø 90 mm




SHOWER TOILET

GROHE
INSTALLATION SYSTEMS



Contents

Rapid SL	Rapid SL for WC	113
	Rapid SL for urinal	114
	Rapid SL for wash basin and bidet	115
	Rapid SL for the disabled	116
	Rapid SL free-standing installation	117
	Rapid SL fitting supports	118
	Rapid SL accessories	119
Uniset	Uniset frames and accessories	120



GROHE RAPID SL

THE BENEFITS AT A GLANCE


Fast and simple installation for the WC – in individual as well as in-row installation – depends on all components being in perfect harmony with each other. Numerous special technical features and benefits from both product areas are combined to create a time-saving and economical solution.

ELEMENT

- [1] Points for securing the on-the-wall installation accessories, depth adjustment from the front and swivelling wall brackets
- [2] Wall support with quick-adjustment and additional fine adjustment
- [3] Universal for individual and row installation as well as for utilisation in lightweight studded wall partitions
- [4] Powder-coated surface
- [5] Points for securing studded wall partitions and element cladding
- [6] Noise separation of fittings and fixing devices according to DIN 4109
- [7] Load capacity 400 kg for WC, 150 kg for wash basin
- [8] Ø 90 outlet bend with reducer Ø 90/110
- [9] For 50/75 mm deep C profiles and element rails, element installation without fixing on the floor
- [10] 200 mm height adjustment

FLUSHING SYSTEM

- [11] Shaft for the installation of pipes at the back, water inlet from the left/right or back
 - [12] Filler valve, faucets group I, fills a flow volume of six litres in 30 seconds; it can be used with a flow pressure of at least 0.5 bar.
 - [13] ½" water inlet can be installed without tools with angle stop valve, replaceable spindle
 - [14] Depending on the tile pattern or design requirements, the WC actuation plates can be installed either horizontally or vertically with the variable inspection chamber.
 - [15] Tool-free latching of inspection shaft, frame for actuation plate is mounted with two screws only, for vertical oder horizontal use
 - [16] A QR code printed on each GD2 cistern links to information such as product number, spare parts and technical drawings.
 - [17] Pneumatic discharge valve with only one hose connection offering 3 modes of operation:
 - Dual flush
 - Start/stop
 - Single flush
 - [18] SpareFlush eliminates problems when flushing the WC, thanks to a safety flush volume of three litres always being available in addition to the normal flush volume of six litres.
-



GROHE RAPID SL FOR WC



GROHE
StarLight



GROHE
EcoJoy



GROHE
Whisper


GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)

new



39 374 KS0

velvet black

723.00

Rapid SL with glass module

for Rapid SL / Uniset

with flushing cistern GD 2

for connecting shower toilet Sensia Arena

or common wall-hung WCs

for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate

is kept flush with glass cover

HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection


for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

set for noise protection

including accessory for mounting glass plate and WC ceramic

new



39 374 LS0

moon white

723.00

Rapid SL with glass module

for Rapid SL / Uniset

with flushing cistern GD 2

for connecting shower toilet Sensia Arena

or common wall-hung WCs

for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate

is kept flush with glass cover

HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection

for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

set for noise protection

including accessory for mounting glass plate and WC ceramic

38 827 000

chrome

365.00

Rapid SL 5-in-1 set for WC

flushing cistern GD 2

with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

for single or rail installation

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

with GROHE Fresh retrofit set

for chlorine-free tabs only

including wall plate Skate Cosmopolitan

for dual flush or start & stop actuation


vertical and horizontal installation

156 x 197 mm, chrome

made of ABS

GROHE StarLight chrome finish

WC set for noise protection



GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 750 001

chrome

311.00



Rapid SL 4-in-1 set for WC flushing cistern GD 2

with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

for single or rail installation

quick adjustment, lockable, fixing material
TUV approved

2 WC fixing bolts, fixing device for ceramic

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm, depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

including wall plate Skate Air

for dual flush or start & stop actuation

vertical installation

156 x 197 mm, chrome, made of ABS


GROHE StarLight chrome finish

WC set for noise protection

38 775 001

chrome

322.00



Rapid SL 4-in-1 set for WC flushing cistern GD 2

with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

for single or rail installation

quick adjustment, lockable, fixing material
TUV approved

2 WC fixing bolts, fixing device for ceramic

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm, depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

including wall plate Skate Cosmopolitan

for dual flush or start & stop actuation

vertical and horizontal installation

156 x 197 mm, chrome, made of ABS

GROHE StarLight chrome finish

WC set for noise protection

INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 813 001

chrome

310.00



Rapid SL 4-in-1 set for WC flushing cistern GD 2

with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

for single or rail installation

quick adjustment, lockable, fixing material
TUV approved

2 WC fixing bolts, fixing device for ceramic

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm, depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

including wall plate Nova Cosmopolitan

for dual flush or start & stop actuation

for pneumatic discharge valve AV1

vertical and horizontal installation

156 x 197 mm, made of ABS

GROHE StarLight chrome finish


GROHE EcoJoy technology for less water and perfect flow

WC set for noise protection

38 929 000

chrome

279.00



Rapid SL 4-in-1 set for WC flushing cistern GD 2

with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

for single or rail installation

quick adjustment, lockable, fixing material
TUV approved

2 WC fixing bolts, fixing device for ceramic

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm, depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

including wall plate Arena Cosmopolitan

for dual flush or start & stop actuation

vertical and horizontal installation

156 x 197 mm, chrome, made of ABS

GROHE StarLight chrome finish

WC set for noise protection

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 722 001

alpine white

261.00



Rapid SL 3-in-1 set for WC flushing cistern GD 2

with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm, depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

including wall plate Skate Air

for dual flush or start & stop actuation


vertical installation, 156 x 197 mm

alpine white, made of ABS

38 772 001

chrome

302.00



Rapid SL 3-in-1 set for WC flushing cistern GD 2

with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled

with fixed connections, for single or rail installation

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts, fixing device for ceramic

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm, depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

including wall plate Skate Cosmopolitan

for dual flush or start & stop actuation

vertical and horizontal installation

vertical installation, 156 x 197 mm

chrome, made of ABS

GROHE StarLight chrome finish

INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 528 001

chrome

234.00




Rapid SL for WC flushing cistern GD 2
with small maintenance access
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
without accessories for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 539 001

chrome

215.00



Rapid SL for WC flushing cistern GD 2
with small maintenance access
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
accessories for on-the-wall installation
WC set for noise protection
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

39 002 000

chrome

324.00



Rapid SL for WC flushing cistern GD 2

with flush pipe for external odour extraction
with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

for single or rail installation
quick adjustment, lockable
fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

flush pipe with connection for odor extraction 50 mm

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

without accessories for on-the-wall installation


for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)

38 897 000

chrome

327.00



Rapid SL for WC

with vertical support for WC bowls
with a bearing area of less than 20 cm

flushing cistern GD 2

with small maintenance access

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

for single or rail installation

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

without accessories for on-the-wall installation

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

39 112 001

chrome

251.00



Rapid SL for GROHE Sensia shower WCs

flushing cistern GD 2 with connections for GROHE Sensia shower toilets (Sensia IGS/Sensia Arena) with small maintenance access

1.13 m installation height

for on-the-wall installations or studed walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections

for single or rail installation quick adjustment, lockable fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush water supply from back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

2 wall brackets with fixing material

universal water connection for shower toilets

Sensia Arena and Sensia IGS

concealed socket for mains supply

positioning help for electrical connection


for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)

38 675 001

chrome

333.00



Rapid SL for WC

flushing cistern 6 l

1.13 m installation height

for the disabled

for WC bowls 70 cm projection

for on-the-wall installations or studed walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled

with fixed connections

for single or rail installation

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

without accessories for on-the-wall installation

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 994 000

chrome

307.00



Rapid SL for WC

for small, narrow bathrooms
flushing cistern 80 mm
with small maintenance access

1.13 m installation height

element width 0.62 m

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single installation
quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from top or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

water supply 1/2" and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical use

accessories for on-the-wall installation

GROHE EcoJoy technology for less water and perfect flow

38 995 000

chrome

384.00

Rapid SL for WC

for small, narrow bathrooms
flushing cistern 80 mm
with small maintenance access

1.13 m installation height

variable element width 0.70 – 1.20 m

for on-the-wall installation

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

for single installation

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from top

low noise (group I acc. to

German Noise Specification)

insulated against condensation

water supply 1/2" and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection


during construction phase

for vertical use

accessories for on-the-wall installation

GROHE EcoJoy technology for less water and perfect flow

remember Scandinavian adapter 38 338 000



INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 525 001

chrome

294.00



**Rapid SL for WC
with flushing cistern 6 - 9 l
1.00 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l

pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation

water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
Shortable inspection shaft incl. protection
during construction phase


**without accessories for on-the-wall installation
without wall plate/actuation**

GROHE EcoJoy technology for less water and perfect flow

38 526 000

chrome

316.00



**Rapid SL for WC
with flushing cistern 6 - 9 l
0.82 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic

distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l

pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation

water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
Shortable inspection shaft incl. protection
during construction phase

**without accessories for on-the-wall installation
without wall plate/actuation**

GROHE EcoJoy technology for less water and perfect flow

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 519 001

chrome

385.00



Rapid SL for WC

flush valve 6 - 9 l

for manual / electronic actuation

1.13 m installation height

for on-the-wall installations or studded walls

steel frame with foil coating/hot galvanized,

self-supporting

for dry-cladding, completely pre-assembled

quick adjustment, lockable

for single or rail installation

fixing material

TÜV approved

2 WC fixing bolts

distance of fixing bolts 180/230 mm

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

manual/electronic actuation

adjustable

low noise (group I acc. to

German Noise Specification)

¾"

stop valve

6 l flush

flush bend

flow rate adjustment

without accessories for on-the-wall installation

new

40 899 000

chrome

34.00



Retrofit kit for shower toilets Sensia Arena and IGS

retrofit of existing Rapid SL installations to

shower toilets Sensia Arena or IGS

including:

conduit pipe with locking ring and flat seal

and cable ties


WC connecting pipe Ø 45 mm

waste sleeve Ø 90 mm

38 558 00M

chrome

21.00



Rapid SL Wall bracket

for on-the-wall installations

for fixing the elements at the brick-wall

or in front of the studded wall

steady vertical adjustment from

130 - 230 mm

cladding for single or series installation


fixing material

2 pieces

42 333 000

chrome

18.00



4,5 l Adapter for GD2

GROHE RAPID SL FOR WC

Ref. No.

Colour


Price netto (€)

42 327 000

chrome

15.00

PP-outlet bend Ø 90 mm
variable depth adjustment



GROHE RAPID SL FOR URINAL



GROHE RAPID SL FOR URINAL

Ref. No.


Colour

Price netto (€)

38 786 001

chrome

268.00




Rapid SL for urinal
with GROHE Rapido U
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
Shortable inspection shaft incl. protection
during construction phase for sets for final
installation with dimensions 116 x 144 mm
without accessories for on-the-wall installation

39 376 000

chrome

272.00




Rapid SL for urinal
with roughing-in set for T sensor
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and flush elbow
without tiling set
without installation set for T sensor electronic
(39 368 000 or 39 369 000)
without accessories for on-the-wall installation

38 517 001

chrome

207.00




Rapid SL for urinal
without fitting
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
without accessories for on-the-wall installation

38 558 00M

chrome

21.00



Rapid SL Wall bracket
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

GROHE RAPID SL FOR WASH BASIN AND BIDET




GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)



38 554 001


chrome

139.00

Rapid SL for wash basin
for single hole installation
1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"

without accessories for on-the-wall installation



39 052 000

chrome


159.00

Rapid SL
for wash basin
height adjustable

for single hole installation
1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"

without accessories for on-the-wall installation



38 557 001

chrome

106.00

Rapid SL for wash basin
for single hole installation
1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"


without accessories for on-the-wall installation

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)




38 625 001

chrome

272.00

Rapid SL for wash basin
for single hole installation or
wall mounted fittings
1.13 m installation height
with concealed trap
Ø 50 mm

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
single installation or fitting to a rail
quick adjustment, lockable
fixing material
TUV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
2 noise protected fitting connections 1/2"
concealed syphon
for concealed wall installation
including wall plate, stainless steel
including adjustable brass outlet bend
chrome plated
height adjustable
without accessories for on-the-wall installation



38 748 001

chrome


510.00

Rapid SL for wash basin

for wall mounted fittings
with roughing-in set for infra-red electronic
Europlus E 36 042 000, Essence E 36 252 000
and Allure E 36 235 000

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
for single or series installation
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
without accessories for on-the-wall installation



38 546 000

chrome

129.00

Rapid SL for wash basin

for wall mounted fittings
1.30 m installation height


for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TUV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
without accessories for on-the-wall installation

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)



38 541 000


chrome

137.00

Rapid SL for wash basin
for single hole installation
1.00 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"

without accessories for on-the-wall installation



38 544 000



chrome

258.00

Rapid SL for sink
for wall mounted fittings
1.30 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
waterproof plywood
HT-outlet bend Ø 50 mm
2 noise protected fitting connections 1/2"

without accessories for on-the-wall installation



38 553 001


chrome

244.00

Rapid SL for bidet
1.13 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"

without accessories for on-the-wall installation



38 545 000

chrome

291.00

Rapid SL for bidet
1.00 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"

without accessories for on-the-wall installation

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.



Colour

Price netto (€)

38 543 000

chrome

270.00



Rapid SL for bidet

0.82 m installation height


powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet

without accessories for on-the-wall installation

38 558 00M

chrome

21.00



Rapid SL Wall bracket

for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

GROHE RAPID SL FOR THE DISABLED



GROHE RAPID SL FOR THE DISABLED

Ref. No.


Colour

Price netto (€)

38 675 001

chrome

333.00




Rapid SL for WC
flushing cistern 6 l
1.13 m installation height
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
for single or rail installation
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
without accessories for on-the-wall installation

39 140 000

chrome

611.00



A	1080
B	230
C	310
D	950
E	1010
F	410

Rapid SL for WC
flushing cistern GD 2
with small maintenance access
1.13 m installation height
with fixing element for back support and bars
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
4 wall brackets
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR THE DISABLED

Ref. No.


Colour

Price netto (€)

38 759 SD0

stainless steel

809.00




Radio electronic

for WC
receiver modul 868,4 MHz
for support rails for the disabled with radio transmitter of HEWI, Keuco, Normbau, (more on request)
for flushing cistern GD 2, for flushing cistern 6 l
concealed installation, front plate 156 x 197 mm
servo motor
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
adjustable flush volume
adjustable flow time
72 h flushing can be activated
with extension cable, 3.00 m length,
for connecting transformer and electronic
CE approved

38 934 SD0

stainless steel

526.00




WC control

for manual remote actuation for concealed flushing cisterns, 6 - 9 l
for connecting one or more potential-free actuation buttons via cable
suitable for support rails for the disabled with integrated actuation button
from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
stainless steel wall plate 156 x 197 mm
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 4.0 VA
servo motor
3 m connecting cable
for the connection of transformer and electronic
3 m connection cable with plug
CE approved
delivery range without actuation button/support rails

39 141 000

chrome

551.00




Radio electronic

for WC with flushing cistern GD2
receiver modul 868,4 MHz
for wall sender 39 142 000 or radio transmitter 38 758 000
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
servo motor
integrated battery box for 4 x 1.5 V Mono D (LR20)
adjustable flush volume
72 h flushing can be activated
Dual Flush possible (6/3 or 9/4.5 l)
WC actuation plate and batteries are not included
CE approved

39 142 000

chrome

221.00



Radio transmitter

for WC receiver module 39 141 000, 38 759 SD0
frequency 868.4 MHz
with option for Dual Flush
can be integrated into a standard electricity box
(measurements according to DIN 49073)
CE approved


INSTALLATION
SYSTEMS

GROHE RAPID SL FOR THE DISABLED

Ref. No.

Colour

Price netto (€)




38 625 001

chrome

272.00

Rapid SL for wash basin
for single hole installation or
wall mounted fittings
1.13 m installation height
with concealed trap
Ø 50 mm

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
single installation or fitting to a rail
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
2 noise protected fitting connections 1/2"
concealed syphon
for concealed wall installation
including wall plate, stainless steel
including adjustable brass outlet bend
chrome plated
height adjustable
without accessories for on-the-wall installation




38 541 000

chrome

137.00

Rapid SL for wash basin
for single hole installation
1.00 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

for single or rail installation
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
without accessories for on-the-wall installation



38 559 001

chrome

182.00

Rapid SL Fixing element
to fix **support** for the disabled in
lightweight studded wall partitions
or on-the-wall installations
1.13 m installation height
0.31 m wide
powder coated steel frame
waterproof plywood
fixing material
without accessories for on-the-wall installation

GROHE RAPID SL FREE-STANDING INSTALLATION



INSTALLATION
SYSTEMS



GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.


Colour

Price netto (€)

38 584 001

chrome

394.00




Rapid SL for WC flushing cistern GD 2
with small maintenance access
1.13 m installation height
for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
for single installation
lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
without accessories for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 586 001

chrome

580.00



Rapid SL for WC with flushing cistern 6 - 9 l
1.00 m installation height
for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
for single installation
lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern 6 - 9 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
Shortable inspection shaft incl. protection during construction phase
without accessories for on-the-wall installation
without wall plate/actuation

GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.

Colour

Price netto (€)

38 587 000

chrome

463.00

**Rapid SL for WC
with flushing cistern 6 - 9 I
0.82 m installation height**

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections for single installation

lockable

TÜV approved

fixing material

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 6 - 9 I

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

front or top actuation

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation

1/2" water supply connection including integrated angle valve and push fit


flexible hose union

Shortable inspection shaft incl. protection during construction phase

without accessories for on-the-wall installation

GROHE EcoJoy technology for less water and perfect flow

without wall plate/actuation



38 581 001

chrome

447.00

**Rapid SL for bidet
1.13 m installation height**

for free-standing installation, for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

pre-assembled height adjustable fitting connections

for single installation

lockable

TÜV approved

fixing material

bidet fixing bolts


HT-outlet bend Ø 50 mm

seal Ø 32 mm

2 noise protected fitting connections 1/2"

fixing material for bidet

without accessories for on-the-wall installation



38 548 001

chrome

117.00

**Rapid SL empty element
1.13 m installation height**

for the installation of fitting holders

or to cover the distance between


two elements (60 - 170 cm)

for installation back to back with free-standing

elements

TÜV approved

without accessories for on-the-wall installation



INSTALLATION
SYSTEMS

GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.


Colour

Price netto (€)

38 558 00M

chrome

21.00



Rapid SL Wall bracket

for on-the-wall installations

for fixing the elements at the brick-wall

or in front of the studded wall

steady vertical adjustment from

130 - 230 mm

cladding for single or series installation









fixing material

2 pieces

GROHE RAPID SL FITTING SUPPORTS



GROHE RAPID SL FITTING SUPPORTS

	Ref. No.	Colour	Price netto (€)
 	37 998 000	chrome	96.00
<p>Rapid SL fitting support for exposed fittings for studded walls for empty frames 2 noise protected fitting connections 1/2" fixing material</p>			
 	38 652 000	chrome	119.00
<p>Rapid SL mounting plate for fixing concealed fittings and room ventilation for studded walls for empty frames for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation fixing material</p>			
 	38 437 000	chrome	104.00
<p>Rapid SL fitting support for sink for studded walls 2 noise protected fitting connections 1/2" HT-outlet bend Ø 50 mm seal Ø 40 mm fixing material</p>			
 	38 548 001	chrome	117.00
<p>Rapid SL empty element 1.13 m installation height for the installation of fitting holders or to cover the distance between two elements (60 - 170 cm) for installation back to back with free-standing elements TÜV approved without accessories for on-the-wall installation</p>			

GROHE RAPID SL ACCESSORIES




GROHE RAPID SL ACCESSORIES

Ref. No.

Colour

Price netto (€)



38 636 001


chrome

72.00

Rapid SL Cladding
for wall mounted WC

1.13 m installation height

gypsum fibre boards 1190 x 480 x 12.5 mm
with all cut-outs
self-tapping screws
2 zinc coated support angles with
fixing screws



38 630 001


chrome

62.00

Rapid SL Cladding
for bidet, urinal elements or between
elements

1.13 m installation height

gypsum fibre boards 1190 x 480 x 12.5 mm
without cut-outs
self-tapping screws
2 zinc coated support angles with
fixing screws





38 558 00M

chrome

21.00

Rapid SL Wall bracket

for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces




38 548 001

chrome

117.00

Rapid SL empty element
1.13 m installation height

for the installation of fitting holders
or to cover the distance between
two elements (60 - 170 cm)
for installation back to back with free-standing
elements
TÜV approved
without accessories for on-the-wall installation



38 629 000













chrome

50.00

Rapid SL extension

for floor constructions from 200 up to 350 mm
fixing material
not suitable for project elements

GROHE RAPID SL ACCESSORIES


	Ref. No.	Colour	Price netto (€)
 	38 550 000	chrome	73.00
<p>Rapid SL Support element 0.82/1.00 m installation height to fill out a distance between two elements of 60 - 120 cm without accessories for on-the-wall installation</p>			
 	37 220 001	chrome	20.00
<p>Rapid SL Wall bracket for Rapid SL, to fix claddings to side walls and intermediate plates to the masonry 1.13 m, 1.00 m and 0.82 m installation height dimension 50 x 25 mm</p>			
 	38 733 000	chrome	27.00
<p>Rapid SL mounting angle for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces</p>			
 	38 562 001	chrome	93.00
<p>Rapid SL Set for corner installation for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets 1.13 m 135°</p>			
 	38 563 000	chrome	9.00
<p>Extension set for Rapid SL for max. distance to the wall 330 mm 2 threaded bolts with sleeves</p>			
 	38 779 000	chrome	98.00
<p>Rapid SL Accessory for WC bowls with a bearing area of less than 20 cm vertical traverse for ceramics with small bearing area (< 205 mm)</p>			

GROHE RAPID SL ACCESSORIES

Ref. No.

Colour

Price netto (€)




37 131 000

chrome

12.00

Set for noise protection
for WC
sound insulation
2 rubber pipes



43 617 000

chrome

83.00

Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
for installation of infra-red electronic

GROHE UNISSET FRAMES AND ACCESSORIES



INSTALLATION
SYSTEMS



GROHE
StarLight



GROHE
EcoJoy

GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.


Colour

Price netto (€)

38 643 001

chrome

192.00




Uniset for WC flushing cistern GD 2
with small maintenance access
sound-insulating EPS module for masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing for single or rail installation
wall rail with fixing accessories for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
for vertical or horizontal use
no tools required for the installation of the inspection shaft incl. protection during construction phase
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

new

38 723 001

chrome

188.00



Uniset 2-in-1 set for WC flushing cistern GD 2
with small maintenance access
sound-insulating EPS module for masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing for single or rail installation
wall rail with fixing accessories for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
including wall plate Skate Air
for dual flush or start & stop actuation
vertical installation
156 x 197 mm
chrome
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.


Colour

Price netto (€)

38 415 001

chrome

275.00




Uniset for WC
0.82 m installation height
with flushing cistern 6 - 9 l
front or top actuation
 sound-insulating EPS module for masonry-in
 rail adaptors for modular fixing for single or rail installation
 wall rail with fixing accessories for single installation
 2 WC fixing bolts
 distance of fixing bolts 180/230 mm
 fixing device for ceramic
 outlet bend Ø 90 mm
 depth adjustable
 inlet and outlet connecting set
flushing cistern 6 - 9 l
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
 water supply from left/right or top
 low noise (group I acc. to German Noise Specification)
 insulated against condensation
 1/2" water supply connection
 angle valve 1/2"
 Shortable inspection shaft incl. protection during construction phase
without wall plate/actuation

38 785 000

chrome

220.00




Uniset for urinal
 with GROHE Rapido U roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
 sound-insulating EPS module for masonry-in with closed surface
 rail adaptors for modular fixing for single or series installation
 fixing accessories for single installation
 height adjustable fitting connections
 inlet connection and inlet connecting set
 HT-outlet bend Ø 50 mm
 threaded bolts M8
 fixing material for urinal bowl
 water group with stop valve
 flow pressure min 0.5 bar
 operating pressure max 10 bar
 flush aid
 functional unit checked ex factory
 water supply connections 1/2" outer thread
 connecting box for mains supply 230 V
 installation box with gasket
 Shortable inspection shaft incl. protection during construction phase for sets for final installation with dimensions 116 x 144 mm

37 576 000

chrome

137.00



Uniset for wash basin
 for single hole installation
 sound-insulating EPS module for masonry-in with closed surface
 rail adaptors for modular fixing for single or series installation
 fixing accessories for single installation
 height adjustable fitting and outlet connections
 wash basin fixing bolts
 distance of fixing bolts 280 mm
 HT-outlet bend Ø 50 mm
 seal Ø 32 mm
 2 fitting connections 1/2"
 fixing material for wash basin
without support feet



INSTALLATION SYSTEMS

GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.

Colour

Price netto (€)




37 578 001

chrome

186.00

Uniset for bidet

sound-insulating EPS module for masonry-in with closed surface rail adaptors for modular fixing for single or series installation wall rail with fixing accessories for single installation bidet fixing bolts height adjustable fitting and outlet connections HT-outlet bend Ø 50 mm seal Ø 32 mm 2 variable fitting connections fixing material for bidet
without support feet



37 304 000

chrome

38.00

Uniset support feet

matching **Uniset for WC and bidet** made of hot galvanized steel fixing material
for on-the-wall installations

GROHE
FLUSHING SYSTEMS





Contents

WC	Flushing cisterns	121
	Accessories for flushing cisterns	122
	WC flush valves	123
	Electronic actuations for WC	124
Urinal	Electronic actuations for urinal	125
	Urinal flush valves	126

GROHE FLUSHING CISTERNS



FLUSHING
SYSTEMS




GROHE FLUSHING CISTERNS

Ref. No.

Colour

Price netto (€)




37 355 SH0

alpine white

85.00

Flushing cistern for WC

6 l flush
 exposed installation
 interruptible flush cycle
 servo actuation
 low level
 made of ABS
 low noise (group I acc. to German Noise Specification)
 insulated against condensation
 angle valve 1/2"
 copper pipe
 mounting template
 flush pipe bend
 WC inlet connector




38 661 000

chrome

152.00

Flushing cistern GD 2

6 l flush
 adjustment ex factory 6 l and 3 l
 with small maintenance access
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
 water supply from left/right/back or top
 low noise (group I acc. to German Noise Specification)
 insulated against condensation
 1/2" water supply connection including integrated angle valve and push fit flexible hose union
 no tools required for the installation of the inspection shaft incl. protection during construction phase
 for vertical or horizontal use
 flush pipe insulated against condensation
 fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow
 for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)




38 863 000

chrome

106.00

Flushing cistern for WC 80 mm

6 l flush
 with small maintenance access
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
 water supply connection from top
 low noise (group I acc. to German Noise Specification)
 with plaster base coating made of vinyl fleece
 with push fit flexible hose union
 angle valve 1/2"
 Shortable inspection shaft incl. protection during construction phase,
 for vertical use
 fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow



38 422 000

chrome

189.00












Flushing cistern for WC

6 l flush
 concealed installation
0.82 m installation height
 dual flush discharge valve, pneumatic
front or top actuation
 water supply from left/right or top
 low noise (group I acc. to German Noise Specification)
 insulated against condensation
 415 x 410 x 360 mm
 1/2" water supply connection
 fixing brackets
 flush pipe
 Shortable inspection shaft incl. protection during construction phase
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow

GROHE ACCESSORIES FOR FLUSHING CISTERNS











GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 095 000 Filling valve 3/8" universal application without adapter for the pipe connection cap, restrictor **) max. shortening 100 mm	chrome	30.00
	42 253 000 Discharge Valve, DF	chrome	50.00
 	38 735 000 Retro-fit set for flushing cistern 6 l concealed installation dual flush discharge valve AV1 including valve seat for 6 l or 3 l angle valve 1/2" guiding pipe for screws without wall plate GROHE EcoJoy technology for less water and perfect flow	chrome	52.00
 	38 736 000 Retro-fit set dual flush for flushing cistern GD 2 6 l flush dual flush discharge valve AV1 including valve seat without wall plate/actuation GROHE EcoJoy technology for less water and perfect flow	chrome	39.00
 	42 320 000 Dual Flush discharge valve AV1 AV1 complete with pipe extension 6 l flush without valve seat without actuation	chrome	39.00
 	43 486 000 Servo discharge valve 50 pieces per carton	chrome	20.00

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	42 774 000 Waste pneumatic	chrome	52.00
	42 233 000 Tube	chrome	13.00
 	43 908 000 Flush pipe, concealed complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm	chrome	17.00
 	37 311 K00 WC inlet and outlet connecting set for wall hung WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm 150 mm long cover for WC fixing bolts	black	26.00
 	37 105 K00 Extension for concealed flush pipe length 300 mm	black	29.00
 	42 327 000 PP-outlet bend Ø 90 mm variable depth adjustment	chrome	15.00

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	42 333 000 4,5 l Adapter for GD2	chrome	18.00
 	42 946 000 Elbow made of PE Ø 80/100 mm	chrome	21.00
 	37 131 000 Set for noise protection for WC sound insulation 2 rubber pipes	chrome	12.00
 	38 714 000 Extension set 70 mm for wall plates/actuators for flushing cistern GD 2, 6 - 9 l with pneumatic discharge valve	chrome	17.00

GROHE WC FLUSH VALVES




FLUSHING
SYSTEMS




GROHE WC FLUSH VALVES

Ref. No. Colour Price netto (€)




37 347 000 **chrome** **206.00**

Rondo A.S.
Flush valve for WC
3/4"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 l flush
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to
German Noise Specification)




37 349 000 **chrome** **225.00**

Rondo A.S.
Flush valve for WC
3/4"
brass
integrated stop valve
GROHE StarLight chrome finish
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 l flush
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to
German Noise Specification)




37 141 000 **chrome** **87.00**

DAL-Full-automatic flush valve for WC
3/4"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with automatic flow rate
flow pressure range from 1.2 - 5.0 bar
low noise (group II according to
German noise specification)



37 139 000 **chrome** **92.00**

DAL-Automatic flush valve for WC
3/4"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with flow rate adjustment



37 132 000 **chrome** **17.00**


Fixing device
hidden fixing screws
for flush pipes Ø 28 mm
for distance to the wall from 15 - 85 mm

GROHE WC FLUSH VALVES

Ref. No.

Colour

Price netto (€)



38 251 000

chrome

54.00


Flush pipe
for WC flush valve
Ø 28 x 1 mm
700 x 250 mm
straight
brass
flush pipe fixing device
for distance to the wall from 15 - 85 mm
connector

GROHE WC FLUSH VALVES

Ref. No.

Colour

Price netto (€)



37 153 000

chrome

252.00

Flush valve for WC
concealed installation
3/4"

stop valve

6 l flush

flow pressure range from 1.2 - 5.0 bar


with flow rate adjustment

box for concealed installation with
flush elbow

flush pipe adjustable in length

without wall plate/actuation

low noise (group I acc. to
German Noise Specification)



37 157 000

chrome

220.00

Flush valve for WC
concealed installation
3/4"

stop valve

6 - 14 l adjustable

for **low pressure**

for wash-down and wash-out bowls

flow pressure range from 0.6 - 3.0 bar

(min. static pressure 1.5 bar)


with flow rate adjustment

box for concealed installation with
flush elbow

flush pipe adjustable in length

without wall plate/actuation

volume needed: 1.6 l/sec



37 048 000

chrome

394.00

Flush valve for WC
concealed installation
3/4"

with **connection** to solenoid valve

stop valve

6 l flush

flow pressure range from 1.2 - 5.0 bar


with flow rate adjustment

2 m connecting cable

box for concealed installation with
flush elbow

concealed flush pipe

without electronic actuation



37 102 SH0

alpine white

24.00

Inlet set

connecting pipe from flush pipe of


concealed flush valve 6 to 9l and

concealed flushing cistern to

pedestal WC

connector

escutcheon



37 131 000

chrome

12.00

Set for noise protection

for WC

sound insulation

2 rubber pipes

GROHE ELECTRONIC ACTUATIONS FOR WC



FLUSHING
SYSTEMS




GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

Colour

Price netto (€)



38 698 SD1

stainless steel

577.00


Tectron Skate

Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor
concealed installation
front plate 156 x 197 mm

infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



38 699 001

chrome

567.00

Tectron Surf


Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight chrome finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor
concealed installation
front plate 156 x 197 mm

infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



37 419 000

chrome

776.00

37 419 SD0

stainless steel

776.00

Tectron Skate

Infra-red electronic for WC flushing cistern


with additional manual actuation
with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC

for single flush actuation

for flushing cistern GD 2

servo motor
concealed installation
hidden fixing screws
front plate 156 x 197 mm

7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



38 393 SD1

stainless steel

577.00

Tectron Skate









Infra-red electronic for WC flush valve

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

concealed installation
front plate 156 x 197 mm

infra-red control
solenoid valve
7 pre-set programs:
CE approved

GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	Price netto (€)
 	43 617 000	chrome	83.00
<p>Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 for installation of infra-red electronic</p>			
 	38 759 SD0	stainless steel	809.00
<p>Radio electronic for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of HEWI, Keuco, Normbau, (more on request) for flushing cistern GD 2, for flushing cistern 6 l concealed installation, front plate 156 x 197 mm servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic CE approved</p>			
 	38 778 000	chrome	652.00
<p>Radio electronic for an additional wall plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of HEWI, Keuco, Normbau, (more on request) for flushing cistern GD 2, for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic</p>			
 	39 141 000	chrome	551.00
<p>Radio electronic for WC with flushing cistern GD2 receiver modul 868,4 MHz for wall sender 39 142 000 or radio transmitter 38 758 000 for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB servo motor integrated battery box for 4 x 1.5 V Mono D (LR20) adjustable flush volume 72 h flushing can be activated Dual Flush possible (6/3 or 9/4,5 l) WC actuation plate and batteries are not included CE approved</p>			
 	39 142 000	chrome	221.00
<p>Radio transmitter for WC receiver module 39 141 000, 38 759 SD0 frequency 868.4 MHz with option for Dual Flush can be integrated into a standard electricity box (measurements according to DIN 49073) CE approved</p>			

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.


Colour

Price netto (€)

38 934 SD0

stainless steel

526.00



WC control

for manual remote actuation for concealed flushing cisterns, 6 - 9 l
suitable for support rails for the disabled with integrated actuation button
from Hewi, Keuco, Lehen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
stainless steel wall plate 156 x 197 mm
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 4.0 VA
servo motor
3 m connecting cable
for the connection of transformer and electronic
3 m connection cable with plug
CE approved
delivery range without actuation button/support rails

GROHE PNEUMATIC ACTUATIONS FOR WC

Ref. No.


Colour

Price netto (€)

43 977 000

chrome

203.00




Pneumatic actuation
GROHE StarLight chrome finish
 remote **hand**-actuation for
institutional requirements
 push button with escutcheon Ø 100 mm
 for walls of 80 - 240 mm thickness
 actuation stop
 pneumatic hose 1.50 m

37 059 000

chrome

170.00




Pneumatic actuation
GROHE StarLight chrome finish
 remote hand actuation
 push button actuation with
 escutcheon Ø 100 mm
 vertical and horizontal installation
 wall plate Surf 156 x 197 mm
 pneumatic hose 1.50 m

37 060 000

chrome

105.00




Pneumatic actuation
GROHE StarLight chrome finish
 push button actuation with
 escutcheon Ø 100 mm
 pneumatic hose 1.50 m
without wall plate

36 407 001

chrome

289.00



Remote control
 for all GROHE one eye infra-red products as of 06/2015
 and GROHE Blue Home
monitoring
 consumption and usage data
 thermal disinfection cycles (infrared faucets)
 auto flush cycles (infrared faucets)
 cleaning mode cycles (GROHE Blue Home)
 filter and CO₂ capacity (GROHE Blue Home)
configuration
 cleaning mode on/off
 thermal disinfection (infrared faucets)
 detection range
 shut off delay (infrared faucets)
 auto flush (infrared faucets)
 filter capacity (GROHE Blue Home)
service
 send and save profile
 reset to factory or user settings
 filter capacity (GROHE Blue Home)
 demo mode
 error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

GROHE ELECTRONIC ACTUATIONS FOR URINAL



GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 421 000

chrome

441.00



Tectron Rondo

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

flow pressure min 0.5 bar

operating pressure max 10 bar

G 1/2

with **integrated stop valve**

flush pipe with rubber connector

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407


adjustable flow time by hand or remote

CE approved

37 427 000

chrome

320.00



Tectron retro-fit unit 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

for urinal flush valve 37 021 and variants

flow pressure min 0.5 bar

operating pressure max 10 bar

with piston

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407


adjustable flow time by hand or remote

CE approved

37 428 000

chrome

307.00



Tectron retro-fit unit 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

for urinal flush valve 37 339 000 and variants

flow pressure min 0.5 bar

operating pressure max 10 bar

with piston

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 336 001

chrome

513.00



Tectron Surf


Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U
CE approved

37 337 001

chrome

513.00



Tectron Surf

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U or Rapido UMB
CE approved

37 321 001

chrome

514.00

37 321 SH1


alpine white

514.00

37 321 SD1

stainless steel

514.00



Tectron Skate

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U
CE approved

FLUSHING
SYSTEMS

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 324 001
37 324 SD1

chrome
stainless steel

514.00
514.00



Tectron Skate

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

cartridge with solenoid valve and dirt strainer

front plate 116 x 144 mm

flow pressure min 0.5 bar

operating pressure max 10 bar

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

set for final installation


for Rapido U or Rapido UMB

CE approved

37 751 001

chrome

442.00



Tectron

Retro-fit unit

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

exposed installation

for concealed urinal flush valve 37 017

and DAL 509

metal housing 145 x 90 x 45 mm

solenoid valve with dirt strainer

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407


adjustable flow time by hand or remote

CE approved

37 338 000

chrome

124.00



GROHE Rapido U

roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

connecting box for mains supply

installation box with gasket


fixing points for dry cladding and masonry-in

shortable inspection shaft incl. protection

38 787 000

chrome

99.00



GROHE Rapido UMB

roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

installation box with gasket

fixing points for dry cladding and masonry-in

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

36 407 001

chrome

289.00



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service


send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

39 368 000

chrome

593.00



Temperature sensor for urinal

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

can be used with 39 376 000
siphon with temperature sensor
cartridge with solenoid valve
and dirt strainer

flow pressure min 0.5 bar
operating pressure max 10 bar


7 pre-set programs:

auto flush
cleaning mode
pre-flush on/off
CE approved

39 367 000

chrome

593.00



**Temperature sensor for urinal
6 V lithium-battery, type CR-P2**

with water connection set and stop valve

siphon with temperature sensor
cartridge with solenoid valve
and dirt strainer

flow pressure min 0.5 bar
operating pressure max 10 bar

7 pre-set programs:

auto flush
cleaning mode
pre-flush on/off
CE approved

only for certain urinal ceramics, check online TPI

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.

Colour

Price netto (€)

39 369 000

chrome

788.00

Temperature sensor with Bluetooth for urinal

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
siphon with temperature sensor
cartridge with solenoid valve
and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication
for monitoring, configuration and service purpose
with Bluetooth 4.0* for wireless data communication
bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
for Apple** and Android devices

monitoring

password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days

configuration

- shut-off delay

auto flush
cleaning mode
2 on/off timers
identification by name

service

send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

System requirements

Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3

Apple operating system: as of release iOS 8.0 and above (32/64 bit)

System requirements

Android


min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE URINAL FLUSH VALVES



FLUSHING
SYSTEMS




GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)




37 339 000

chrome

117.00

Rondo
Flush valve for urinal
1/2"
brass
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 342 000

chrome

141.00

Rondo
Flush valve for urinal
1/2", brass
vandal proof by metal actuation knob
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 346 000

chrome

91.00

Rondo
Flush valve for urinal
1/2"
brass
without stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 044 000

chrome

16.00

Inlet connecting set 1/2"
for urinal bowls with inlet from back
connector Ø 33.5 - 38 mm



37 036 000

chrome

17.00









Urinal flush pipe
Ø 18 mm
200 mm
brass
chrome plated
offset 10 mm

37 037 000
Offset 20 mm

chrome

20.00

GROHE URINAL FLUSH VALVES


	Ref. No.	Colour	Price netto (€)
 	37 038 000 Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 30 mm	chrome	22.00
	37 039 000 ditto, offset 40 mm	chrome	23.00
 	37 040 000 Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 50 mm	chrome	25.00
 	37 043 000 Urinal flush pipe Ø 18 mm 400 mm brass straight	chrome	33.00
 	37 042 000 Flush pipe extension Ø 16 mm 200 mm brass	chrome	16.00

GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)



37 338 000

chrome

124.00

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection





38 787 000

chrome

99.00

GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and
masonry-in




38 896 000

chrome

57.00

Extension-set, 50 mm
for Rapido U or Rapido UMB
shaft extension with fixing material



43 040 000

chrome

22.00

Converter set
for wall plate Surf
for manual urinal flush valve
concealed installation
for installation on model 509.
without wall plate/actuation

GROHE
ACTUATIONS





























Contents












WC	Wall plates for WC	127
	GROHE Fresh	128
	Wall plates for WC flush valves	129
Urinal	Wall plates for urinal	130

Manual actuation
Dual flush and start & stop














										
38 732 SD0 vertical installation	38 915 vertical and horizontal installation	38 766 vertical and horizontal installation	38 809 vertical and horizontal installation	38 847 vertical and horizontal installation	38 847 XG0 vertical and horizontal installation	38 765 vertical and horizontal installation	38 844 vertical installation 38 858 horizontal installation	38 505 vertical installation 38 506 horizontal installation	38 861 vertical and horizontal installation	38 862 vertical and horizontal installation 38 862 SD0 vertical and horizontal installation
38 776 SD0 horizontal installation		38 766 horizontal installation	38 809 horizontal installation	38 847 horizontal installation	38 847 XG0 horizontal installation	38 765 horizontal installation	38 858 horizontal installation	38 506 horizontal installation	38 861 horizontal installation	38 862 horizontal installation

GROHE WC & URINAL ACTUATIONS SELECTION GUIDE

WC	Manual actuation Start & stop				Manual/ electronic	Infra-red electronic	Radio electronic	Pneumatic actuation	Push button	
										
 38 528 001 38 643 001 38 661 000	38 564 vertical installation 38 565 horizontal installation	38 672 SD0 vertical installation	38 573 vertical and horizontal installation	38 574 vertical and horizontal installation	37 419 vertical installation	38 699 001 vertical installation	39 141 000	38 759 SD1 vertical installation	37 059 37 060	38 934 SD0 vertical installation
 38 525 001 38 415 001 38 422 000	38 565 horizontal installation		38 573 horizontal installation	38 574 horizontal installation					37 060	
 38 519 001 37 153 000		38 445 SD0 vertical installation	38 547 vertical installation	37 063 vertical installation						

Urinal	Manual actuation					Infra-red electronic		Temperature sensor
								
 39 376 000 Temperature sensor								39 369 000 Temperature sensor with Bluetooth 39 368 000 Temperature sensor
 38 787 000 GROHE Rapido UMB manual / 6 V	38 846	38 857	38 784	38 804	38 808	37 337 001	37 324 001	
 38 786 001 37 785 000 37 338 000 manuel / 230 V / 6 V	38 846	38 857	38 784	38 804	38 808	37 336 001/ 37 337 001	37 321 001/ 37 324 001	

GROHE ACTUATIONS FOR FLUSHING CISTERNS DUAL FLUSH & START/STOP

Selection guide for Dual Flush and Start/Stop Actuators									
	Skate Cosmo- politan S	Nova Cosmo- politan S	Arena Cosmo- politan S	GROHE Ondus® Digitecture Light	Nova Cosmo- politan Light	Nova Cosmo- politan	Skate Cosmopolitan		
									
									
Rapid SL	37 535 000 37 535 P00 37 535 DC0 37 535 SH0	37 601 000 37 601 P00 37 601 DC0 37 601 SH0	37 624 000 37 624 P00 37 624 DC0 37 624 SH0	38 915 KSO 38 915 LSO	38 809 000	38 765 000 38 765 P00 38 765 SH0	38 732 000 38 732 P00 38 732 SH0 38 732 BRO	38 732 SD0 38 821 000	38 776 SD0
38 528 001	v	v	v	●	●	●	●	v	h
38 536 001	v	v	v	●	●	●	●	v	h
39 002 000	v	v	v	●	●	●	●	v	h
38 584 001	v	v	v	●	●	●	●	v	h
38 713 001					v	v	v	v	
38 675 001					v	v	v	v	
38 525 001					h	h	h		h
38 586 001					h	h	h		h
38 526 000					h	h	h		h
38 994 000					v	v	v	v	
38 995 000					v	v	v	v	
38 587 001					h	h	h		h
Uniset									
38 643 001	v	v	v	●	●	●	●	v	h
38 729 000					●	●	●	v	
38 415 000					h	h	h		h
Flushing cistern									
38 661 000	v	v	v	●	●	●	●	v	h
38 863 000					●	●	●	v	

● vertical and horizontal **v** vertical **h** horizontal

GROHE ACTUATIONS FOR FLUSHING CISTERNS












































































DUAL FLUSH & START/STOP


Selection guide for Dual Flush and Start/Stop Actuators									
			Arena Cosmopolitan		Skate Air		Skate		Surf
38 845 MF0 38 845 LS0 38 845 KS0	38 849 HP0 38 849 HR0	38 916 OA0	38 844 000 38 844 P00 38 844 SH0	38 858 000 38 858 P00 38 858 SH0	38 505 000 38 505 P00 38 505 SH0	38 506 000 38 506 P00 38 506 SH0	38 862 000 38 862 P00 38 862 SH0	38 862 SD0	38 861 000
●	●	●	v	h	v	h	●	v	●
●	●	●	v	h	v	h	●	v	●
●	●	●	v	h	v	h	●	v	●
●	●	v	v		v	h	●	v	v
v	v	v	v		v	h	●	v	v
v	v	h	v	h		h			h
h	h	h		h		h			h
h	h	h		h		h			h
h	h	h		h		h			h
v	v	v	v						
v	v	v	v						
h	h	h		h					
●	●	●	v	h	v	h	●	v	●
●	●	●	v		v		●	v	●
h	h	h		h		h			h
●	●	●	v	h	v	h	●	v	●
●	●	●	v		v		●	v	●

GROHE ACTUATIONS FOR FLUSHING CISTERNS DUAL FLUSH & START/STOP

Selection guide for Dual Flush and Start/Stop Actuators	
	<p>GROHE Fresh</p>  <p>38 805 000</p>
Rapid SL	
38 528 001	●
38 536 001	●
39 002 000	●
38 584 001	●
38 713 001	v
38 675 001	v
38 525 001	h
38 586 001	h
38 526 000	h
38 587 000	h
Uniset	
38 643 001	●
38 729 000	●
38 415 000	h
Flushing cistern	
38 661 000	●
38 863 000	●

GROHE SINGLE FLUSH ACTUATIONS FOR FLUSHING CISTERNS / FLUSH VALVES

Selection guide for Dual Flush / Start & Stop, pneumatic/electronic actuations										
	Skate Air		Skate		Surf		Skate		Surf brass chrome plated	Stainless steel act.
										
										
Rapid SL	38 564 000 38 564 SH0	38 565 000 38 565 SH0	38 573 000 38 573 P00 38 573 SH0	38 672 SD0	38 574 000	37 063 000 37 063 SH0	37 547 000 37 547 SH0 37 547 P00	38 445 SD0	37 069 000	43 193 000
38 528 001										
38 536 001										
39 002 000										
38 584 001										
38 713 001										
38 675 001										
38 525 001										
38 586 001										
38 526 000										
38 587 000										
Uniset										
38 643 001										
38 729 000										
38 415 000										
Flushing cistern										
38 661 000										
38 863 000										



vertical and horizontal



vertical


























horizontal

GROHE SINGLE FLUSH ACTUATIONS FOR FLUSHING CISTERNS / FLUSH VALVES

Selection guide for Dual Flush / Start & Stop, pneumatic/electronic actuations										
Electronic actuations							Pneumatic actuations			GROHE Fresh retro-fit set
37 419 000 37 419 SD0	38 698 SD1	38 699 001	38 934 SD0	38 759 SD0	38 778 000	38 393 SD1	37 059 000	37 060 000 38 222 000	43 977 000	38 796 000
v	v	v	v	v	v		●	●		●
v	v	v	v	v	v		●	●		●
v	v	v	v	v	v		●	●		●
v	v	v	v	v	v		●	●		●
v	v	v	v	v	v		v	●		v
v	v	v	v	v	v		v	●		v
							h	●		h
							h	●		h
							h	●		h
							h	●		h
v	v	v	v	v	v		●	●		●
v	v	v	v	v	v		●	●		●
							h	●		h
v	v	v	v	v	v		v	●	●	v
v	v	v	v	v	v		v	●	●	v

GROHE WC FLUSH VALVES

Model overview actuations for concealed WC flush valves









	Surf	Skate		Surf brass, chrome plated	Stainless steel actuation	Infra-red electronic
						
	37 063 000 37 063 SH0	37 547 000 37 547 SH0 37 547 P00	38 445 SD0	37 069 000	43 193 000	38 393 SD1
Flush valves						
38 519 001						
37 153 000						
37 157 000						
37 048 000						












GROHE WALL PLATES FOR WC



GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	37 535 000	chrome	63.00
	37 535 P00	matt chrome	63.00
	37 535 SH0	alpine white	52.00
	37 535 DC0	supersteel	86.00
	Skate Cosmopolitan S Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small shaft 40 911 000 sold separately		
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	37 601 000	chrome	77.00
	37 601 P00	matt chrome	77.00
	37 601 SH0	alpine white	63.00
	37 601 DC0	supersteel	104.00
	Nova Cosmopolitan S Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small shaft 40 911 000 sold separately		
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	37 624 000	chrome	77.00
	37 624 P00	matt chrome	77.00
	37 624 SH0	alpine white	63.00
	37 624 DC0	supersteel	104.00
	Arena Cosmopolitan S Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small shaft 40 911 000 sold separately		
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	40 911 000	chrome	12.00
	Revision shaft for small flush plates for combination with Rapid SL and Uniset GD 2 cisterns		

GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
	38 915 KSO	velvet black	872.00
	38 915 LSO	moon white	872.00
	<p>GROHE Ondus Digitecture Light Wall plate for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE EcoJoy technology for less water and perfect flow</p>		
	38 809 000	chrome	560.00
	<p>Nova Cosmopolitan Light Wall plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation operating voltage 230 V AC 50/60 Hz, 2.0 VA, this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic discharge valve AV1 vertical and horizontal installation, 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
	38 765 000	chrome	59.00
	38 765 SH0	alpine white	59.00
	38 765 P00	mat chrome	66.00
	<p>Nova Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
	38 847 KI0	black/chrome	95.00
	38 847 LI0	White/Chrome	95.00
	38 847 XG0	black graphics	95.00
	<p>Nova Cosmopolitan Wall plate with printed graphics for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE EcoJoy technology for less water and perfect flow</p>		
	38 766 000	chrome	171.00
	<p>GROHE Ondus Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
			







GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
	38 845 KS0	velvet black	229.00
	38 845 LS0	moon white	229.00
	38 845 MF0	chrome/ daVinci satin	229.00
	<p>Skate Cosmopolitan Wall plate with glass surface for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set not suitable for flushing cistern 6 l GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow</p>		
	38 916 0A0	mirror glass	279.00
	<p>Skate Cosmopolitan Wall plate with mirror surface plastic actuation buttons, titanium for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE EcoJoy technology for less water and perfect flow</p>		
	38 957 000	chrome	99.00
	<p>Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness for vertical or horizontal use protection plate dismantling tool for wall plate fixing material</p>		
	38 958 000	chrome	89.00
	<p>Covering frame for wall-aligned installation of Skate Cosmopolitan with glass surface chrome plated plastic for covering wide tile joints 8 mm frame coverage</p>		
	38 849 HP0	american walnut/ chrome	207.00
	38 849 HR0	macassar/chrome	207.00
	<p>Skate Cosmopolitan Wall plate with wood surface frame and actuation buttons made of plastic, chrome/mat chrome plated for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm fixing frame with mounting-set not suitable for flushing cistern 6 l GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow</p>		
	<p>Skate Cosmopolitan Wall plate with wood surface frame and actuation buttons made of plastic, chrome/mat chrome plated for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm fixing frame with mounting-set not suitable for flushing cistern 6 l GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow</p>		















GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
 	38 821 000	chrome	229.00
	Skate Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of brass GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
 	38 732 SD0	stainless steel	148.00
	Skate Cosmopolitan Wall plate, stainless steel for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm plastic fixing frame hidden fixing screws not suitable for GROHE Fresh GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow		
	38 776 SD0	stainless steel	150.00
	ditto, horizontal installation		
 	38 732 000 38 732 SH0 38 732 P00	chrome alpine white matt chrome	70.00 59.00 55.00
	Skate Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	38 732 BR0	titanium	114.00
	ditto, with anti-fingerprint surface		
 	38 859 XG0	black graphics	97.00
	Skate Cosmopolitan Wall plate with printed graphics for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow		
 	38 844 000 38 844 SH0 38 844 P00	chrome alpine white matt chrome	66.00 58.00 66.00
	Arena Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of ABS GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish		
	38 858 000	chrome	66.00
	38 858 SH0	alpine white	58.00
	38 858 P00	matt chrome	66.00
	ditto, horizontal installation		

GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
 	38 505 000	chrome	62.00
	38 505 P00	matt chrome	71.00
	Skate Air Wall plate		
	for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of ABS		
	GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	38 506 000	chrome	71.00
	38 506 SH0	alpine white	65.00
	38 506 P00	matt chrome	71.00
	ditto, horizontal installation		
 	38 862 000	chrome	63.00
	38 862 SH0	alpine white	56.00
	38 862 P00	matt chrome	63.00
	38 862 SD0	stainless steel	117.00
	Skate Wall plate		
for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS			
GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
 	38 861 000	chrome	69.00
	Surf Wall plate		
for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS			
GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			

GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
	38 564 000	chrome	71.00
	38 564 SH0	alpine white	63.00
	Skate Air Wall plate for single flush actuation for pneumatic discharge valve vertical installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	38 565 000	chrome	66.00
	38 565 SH0	alpine white	63.00
	ditto, horizontal installation		
	38 573 000	chrome	71.00
	38 573 SH0	alpine white	63.00
	38 573 P00	matt chrome	71.00
	Skate Wall plate for single flush actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	38 672 SD0	stainless steel	117.00
		Skate Wall plate, stainless steel for single flush actuation for pneumatic discharge valve vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws GROHE EcoJoy technology for less water and perfect flow	
	38 574 000	chrome	71.00
		Surf Wall plate for single flush actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow	
	37 059 000	chrome	170.00
		Pneumatic actuation GROHE StarLight chrome finish remote hand actuation push button actuation with escutcheon Ø 100 mm vertical and horizontal installation wall plate Surf 156 x 197 mm pneumatic hose 1.50 m	
	43 977 000	chrome	203.00
		Pneumatic actuation GROHE StarLight chrome finish remote hand-actuation for institutional requirements push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1.50 m	

GROHE WALL PLATES FOR WC

Ref. No.


Colour

Price netto (€)

37 060 000

chrome

105.00





Pneumatic actuation
GROHE StarLight chrome finish
push button actuation with
escutcheon Ø 100 mm
pneumatic hose 1.50 m
without wall plate

38 714 000

chrome

17.00



Extension set 70 mm
for wall plates/actuators for flushing
cistern GD 2, 6 - 9 l
with pneumatic discharge valve

GROHE FRESH




GROHE FRESH

Ref. No.

Colour

Price netto (€)



38 805 000

chrome


125.00

**Skate Cosmopolitan Set Fresh
Wall plate**

for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
with box for support of aromatic tabs
for chlorine-free tabs only
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow



38 796 000

chrome

67.00

GROHE Fresh retro-fit set

for GROHE flushing cisterns with
pneumatic discharge valve and small
inspection shaft
not suitable for Skate Cosmopolitan with
wood or glass or metal surface
fixing frame with opening function
with box for support of aromatic tabs
for chlorine-free tabs only
for all GROHE wall plates
156 x 197 mm

GROHE WALL PLATES FOR WC FLUSH VALVES











GROHE WALL PLATES FOR WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
		37 547 000	51.00
		37 547 SH0	63.00
	37 547 P00	65.00	
	Skate Wall plate vertical installation 156 x 197 mm manual activation push button actuation made of ABS GROHE StarLight chrome finish		
		38 445 SD0	98.00
		Skate Wall plate, stainless steel vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws	
		37 063 000	34.00
		37 063 SH0	48.00
	Surf Wall plate vertical installation 156 x 197 mm manual activation push button actuation made of ABS GROHE StarLight chrome finish		
		37 069 000	159.00
		Surf Wall plate vertical installation 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws GROHE StarLight chrome finish	

GROHE WALL PLATES FOR URINAL




GROHE WALL PLATES FOR URINAL

	Ref. No.	Colour	Price netto (€)
	38 846 MF0	chrome/ daVinci satin	291.00
	38 846 LS0	moon white	291.00
	38 846 KS0	velvet black	291.00
	Skate Cosmopolitan Actuation plate with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated set for final installation for Rapido U or Rapido UMB fixing frame with mounting-set 116 x 144 mm, mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable, low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	38 784 000	chrome	111.00
	38 784 SH0	alpine white	108.00
38 784 P00	matt chrome	111.00	
	Skate Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		
			
	38 784 SD0	stainless steel	172.00
	Skate Cosmopolitan Wall plate, stainless steel manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws		
			
	38 804 000	chrome	111.00
38 804 SH0	alpine white	108.00	
	Nova Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		
			


GROHE WALL PLATES FOR URINAL

Ref. No. Colour Price netto (€)



38 857 000	chrome	111.00
38 857 SH0	alpine white	102.00
38 857 P00	matt chrome	111.00

Arena Cosmopolitan
Actuation plate
manual activation for urinal
set for final installation
for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
GROHE StarLight chrome finish



38 808 000	chrome	97.00
38 808 SH0	alpine white	95.00
38 808 P00	matt chrome	102.00

Surf
Actuation plate
manual activation for urinal
set for final installation
for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
GROHE StarLight chrome finish

GROHE
CONNECTION AND SECURITY TECHNOLOGY





Contents

Angle valves

131

WAS valves

132






Safety systems

133











GROHE ANGLE VALVES



GROHE ANGLE VALVES

	Ref. No.	Colour	Price netto (€)
 	22 051 000	chrome	7.50
<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with dirt protection cap water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm</p>			
 	22 039 000	chrome	8.00
<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>			
 	22 049 000	chrome	7.00
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with dirt protection cap water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm</p>			
 	22 037 000	chrome	7.00
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>			
 	22 048 00M	chrome	57.00
<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with dirt protection cap water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm 10 pieces</p>			

GROHE ANGLE VALVES


	Ref. No.	Colour	Price netto (€)
 	22 023 00M	chrome	57.00
	<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm sales unit 10 pieces GROHE StarLight finish</p>		
	22 023 000	chrome	6.50
ditto, 1 piece			
 	22 047 00M	chrome	50.00
	<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with dirt protection cap water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm 10 pieces</p>		
 	22 018 00M	chrome	46.00
	<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm 10 pieces GROHE StarLight finish</p>		
	22 018 000	chrome	5.00
ditto, 1 piece			
 	22 017 00M	chrome	49.00
	<p>Universal angle valve 1/2" with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal 10 pieces GROHE StarLight finish</p>		
 	22 939 000	chrome	23.00
	<p>Angle valve 1/2" connector set 3/8" for copper pipe Ø 10 mm TDL handle marking: neutral sliding escutcheon GROHE StarLight finish</p>		

GROHE ANGLE VALVES

Ref. No.

Colour

Price netto (€)



41 263 000

chrome

20.00

Eggemann
EGAPLUS service valve 1/2"
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
Cartridge headpart
ergonomic handle
marking: neutral
metal push-on escutcheon


GROHE WAS VALVES



GROHE
StarLight

GROHE WAS VALVES

Ref. No. Colour Price netto (€)




22 036 000 chrome 27.00

Original WAS combination service valve 1/2"

self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
outlet 3/4"
with hose connection
grease chamber headpart
non-return valve
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm


22 035 000 chrome 23.00
ditto, non self-sealing



41 073 000 chrome 26.00

Original WAS combination service valve 1/2"


wall mounted
Cartridge headpart for closable
copper pipe connection
Grease chamber headpart 3/8" for closable
hose connection with non-return valve
protected against backflow
GROHE StarLight finish



41 070 000 chrome 29.00

Original WAS combination service valve 3/8"


wall mounted
Cartridge headpart for closable
copper pipe connection
Grease chamber headpart 3/8" for closable
hose connection with non-return valve
protected against backflow
GROHE StarLight chrome finish



41 030 000 chrome 25.00

Eggemann Original WAS valve „Eckfix“ 3/8"

Installation on service valve
Axis dimension 60 mm
Grease chamber headpart 3/8" for closable
hose connection with non-return valve
protected against backflow
GROHE StarLight chrome finish















41 033 000 chrome 38.00

Eggemann Original WAS valve „Eckfix“ 3/8"


Installation on service valve
Axis dimension 60 mm
Grease chamber headpart 3/8" for closable
hose connection with non-return valve
Pipe-ventilating valve of type HB
construction
protected against backflow
GROHE StarLight chrome finish

GROHE WAS VALVES

	Ref. No.	Colour	Price netto (€)
 	41 010 000	chrome	26.00
<p>Eggemann Original WAS connecting valve 1/2" wall mounted grease chamber headpart 1/2" for closable hose connection with non-return valve protected against backflow GROHE StarLight finish</p>			
	41 015 000	chrome	38.00
<p>ditto, 1/2", with pipe ventilating valve</p>			
 	41 190 000	chrome	32.00
<p>Eggemann Fitting combination 1/2" wall mounted grease chamber headpart 1/2" for closable hose connection with non-return valve Pipe-ventilating valve of type HB construction protected against backflow GROHE StarLight chrome finish</p>			
 	41 154 000	chrome	36.00
<p>Eggemann Fitting combination 1/2" wall mounted grease chamber headpart 1/2" for closable hose connection with non-return valve Pipe-ventilating valve of type HB construction protected against backflow GROHE StarLight chrome finish</p>			
 	41 043 000	chrome	43.00
<p>Eggemann Original WAS valve „Mixer“ 3/4" wall mounted for wall mixers 1/2" right-hand connection grease chamber headpart 1/2" for closable hose connection with non-return valve, Spacer protected against backflow GROHE StarLight chrome finish</p>			
 	41 091 000	chrome	32.00
<p>Eggemann Original WAS valve „Simple“ 1/2" wall mounted grease chamber headpart 1/2" for closable hose connection with non-return valve protected against backflow GROHE StarLight chrome finish</p>			
 	41 050 000	chrome	47.00
<p>Eggemann Original WAS under-basin valve 1/2" Sink installation adjustable up to 50 mm grease chamber headpart 1/2" for closable hose connection with non-return valve protected against backflow GROHE StarLight finish</p>			

GROHE WAS VALVES

Ref. No. Colour Price netto (€)




41 130 000

chrome

36.00

Eggemann
Original WAS connection adapter 1/2"
Sink installation
adjustable up to 70 mm
coupling nut 3/4"
Connecting pipe diameter 12 mm
GROHE StarLight chrome finish




41 007 000

chrome

16.00

Eggemann
Original WAS T-piece 3/8"
for service valve
connector set 3/8"
GROHE StarLight chrome finish




41 020 000

chrome

65.00

Eggemann
Original WAS double valve „Simple“ 1/2"
wall mounted
grease chamber headparts 1/2" for closable
hose connection with non-return valve
female thread 1/2"
protected against backflow
GROHE StarLight chrome finish



41 022 000

chrome

50.00

Eggemann
Original WAS double valve „Simple“ 1/2"
wall mounted
grease chamber headparts 1/2" for closable
hose connection with non-return valve
protected against backflow
GROHE StarLight chrome finish

GROHE SAFETY SYSTEMS



GROHE SAFETY SYSTEMS

	Ref. No.	Colour	Price netto (€)
 	41 230 000 Eggemann Pipe-ventilating valve 1/2" safety unit type HB vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717	chrome	31.00
	41 231 000 ditto, 3/4"	chrome	25.00
 	41 270 000 Eggemann Non-return valve 3/8" for service valve connector set Ø 10 mm (3/8") coupling nut 3/8" safety unit type EB Vertical or horizontal installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717	chrome	31.00
 	41 126 000 Eggemann Original WAS hose-connecting elbow 1/2" wall mounted Pipe-ventilating valve of type HB construction protected against backflow GROHE StarLight chrome finish	chrome	29.00
	41 125 000 ditto, without pipe ventilating valve	chrome	17.00
 	41 001 000 Eggemann Original WAS hose-burst protection 3/4" for 1/2" hoses female thread 3/4" male thread 3/4" GROHE StarLight chrome finish	chrome	13.00
 	41 275 000 Eggemann Original WAS inclined filter 3/4" suitable for cold and warm water up to + 80° C Transparent cap mesh width 315 µm stainless steel filter insert GROHE StarLight chrome finish	chrome	36.00

GROHE
SPARE PARTS





Contents

Spare parts and accessories

134

GROHE SPARE PARTS AND ACCESSORIES



GROHE
SilkMove



GROHE
StarLight









GROHE
TurboStat









GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	46 580 000 Cartridge 28 mm GROHE SilkMove with ceramic sealing system with temperature limiter for single lever mixers	chrome	51.00
	46 374 000 Cartridge 35 mm GROHE SilkMove with ceramic sealing system with temperature limiter adjustable flow rate limiter for single lever mixers	chrome	45.00
	46 048 000 Cartridge 46 mm GROHE SilkMove with ceramic sealing system adjustable flow rate limiter for single lever mixers	chrome	50.00
	46 308 000 Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media	chrome	17.00
	46 375 000 Temperature limiter for cartridge 46 374 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media	chrome	13.00
	47 450 000 Thermo-element 1/2" wax element with slider made of stainless steel to avoid corrosion	chrome	96.00













GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	47 310 000 Thermo-element 3/4" wax element	chrome	160.00
	47 217 000 Thermo-element 1/2" wax element with non-rising spindle	chrome	89.00
	47 010 000 Thermo-element 1/2" bimetal for Grohmix thermostats	chrome	182.00
	47 019 000 Thermo-element 3/4" bimetal for Grohmix thermostats	chrome	360.00
	47 439 000 Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement	chrome	92.00
	47 175 000 ditto, for inverted waterways, 1/2"	chrome	122.00
	47 483 000 Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement	chrome	57.00

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	47 364 000 Aquadimmer for thermostatic mixers	chrome	80.00
	12 433 000 Aquadimmer for exposed fittings	chrome	47.00
	45 346 000 Ceramic headpart, 1/2" with ceramic sealing discs rotation angle 180° stop: right-hand	chrome	32.00
	45 978 000 ditto, packaging unit 20	chrome	27.00
	45 342 000 Ceramic headpart, 1/2" with ceramic sealing discs rotation angle 180° stop: left-hand	chrome	27.00
	45 885 000 Ceramic headpart 3/4" with ceramic sealing discs rotation angle 180° stop: right-hand	chrome	44.00
	45 202 000 Extension-set, 80 mm for GROHE concealed valves, 1/2", 3/4", 1"	chrome	9.00
	45 203 000 ditto, 200 mm	chrome	17.00
			













GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	12 001 000	chrome	17.00
	S-union 1/2" x 3/4" adjustment range 7.5 mm screw escutcheon in dispense of 2 piece at 00M GROHE StarLight chrome finish		
 	12 050 000	chrome	37.00
	S-union 3/8" x 3/4" adjustment range 17 mm screw escutcheon in dispense of 2 piece at 00M GROHE StarLight chrome finish		
	12 004 000	chrome	28.00
	ditto, 1/2" x 1/2", adjustment range 10 mm		
 	12 051 000	chrome	51.00
	S-union, lockable 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish		
 	12 465 000	chrome	62.00
	S-union male thread screw escutcheon 1/2" x 3/4" adjustment range 55 mm GROHE StarLight chrome finish		
	12 482 000	chrome	145.00
	ditto, 3/4" x 1", adjustment range 65 mm		
 	12 411 000	chrome	164.00
	S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish in units of 1		
 	12 013 000	chrome	28.00
	Wall union male thread 3/4" x 1/2" GROHE StarLight chrome finish		

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	12 015 000	chrome	30.00
<p>Wall unions male thread 3/4" x 1/2" GROHE StarLight chrome finish</p>			
 	12 030 000	chrome	55.00
<p>Pillar union 1/2" for all series with 3/4" visible nuts angle 3/4" x 1/2" mounting set 1/2" projection 47 mm GROHE StarLight chrome finish</p>			
 	12 011 000	chrome	118.00
<p>Wall union, male 1/2" connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon GROHE StarLight chrome finish</p>			
 	12 407 000	chrome	71.00
<p>Wall union, male 1/2" without thermometer connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon GROHE StarLight chrome finish</p>			
 	12 408 000	chrome	224.00
<p>Wall union, male 3/4" without thermometer connection pipe Ø 22 mm connector set 1" male thread 3/4" sliding escutcheon GROHE StarLight chrome finish</p>			
 	12 901 00M	chrome	12.00
<p>Coupling nut 1/2" drilling 10.5 mm nickel-plated in dispense of 2 piece at 00M GROHE StarLight chrome finish</p>			










GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	13 005 000	chrome	33.00
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout projection 150 mm mousseur coupling nut 3/4" DR-brass GROHE StarLight chrome finish		
	13 084 000	chrome	33.00
	ditto, projection 200 mm		
	13 017 000	chrome	43.00
	ditto, projection 300 mm		
 	13 051 000	chrome	34.00
	Tubular spout for kitchen wall mixer swivelling mousseur coupling nut M 22 x 1 projection 200 mm DR-brass GROHE StarLight chrome finish		
	13 052 000	chrome	33.00
	ditto, projection 150 mm		
 	13 028 000	chrome	33.00
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass GROHE StarLight finish		
	13 034 000	chrome	34.00
	ditto, projection 300 mm		
 	13 076 000	chrome	30.00
	Tubular spout swivelling with stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE StarLight chrome finish		
	13 071 000	chrome	31.00
	ditto, without stop		
 	13 072 000	chrome	31.00
	Tubular spout swivelling mousseur coupling nut M 22 x 1 projection 140 mm DR-brass GROHE StarLight chrome finish		
 	13 073 000	chrome	36.00
	Tubular swivel spout for kitchen pillar mixers, 1/2" tubular spout mousseur projection 185 mm DR-brass GROHE StarLight chrome finish		










* price upon request

134.07


GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	13 070 000 Tubular spout for kitchen pillar mixers, 1/2" mousseur coupling nut 3/4" projection 185 mm without stop DR-brass GROHE StarLight chrome finish	chrome	37.00
	13 077 000 ditto, projection 235 mm	chrome	41.00
	48 189 000 Watersaving Set includes two supply adapters incl. flow regulator and one mousseur insert connection size G 3/8"	chrome	17.00
	48 190 000 Watersaving Set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8"	chrome	17.00
	48 191 000 Watersaving Set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8"	chrome	17.00
 	36 133 000 Mousseur external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly-key theft proof GROHE StarLight finish	chrome	21.00
 	28 910 000 28 910 L00 Waste set 1 1/4" for wash basins with overflow for basin/bidet fittings complete GROHE StarLight chrome finish	chrome white	52.00 152.00

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	40 565 000	chrome	77.00
 	65 808 000	chrome	48.00
 	40 824 000	chrome	18.00
	07 182 L00	white	34.00
 	28 947 000	chrome	28.00
 	28 961 000	chrome	38.00

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	28 946 000	chrome	44.00
<p>P-trap 1 1/4" for bidet wall connection sliding escutcheon wall support 250 - 265 mm GROHE StarLight chrome finish</p>			
 	28 920 000	chrome	38.00
<p>Trap 1 1/4" for basins with fixed dip tube wall connection sliding escutcheon GROHE StarLight chrome finish</p>			
 	40 564 000	chrome	245.00
<p>Bottle trap for wash basin GROHE StarLight chrome finish brass body</p>			
 	28 912 000	chrome	214.00
<p>Trap 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish</p>			
	14 116 00M	chrome	48.00
<p>Non-return valve 1/2" multi-packaging: 2 pieces</p>			
	42 229 000	chrome	131.00
<p>Solenoid valve for Europlus E</p>			

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	48 021 000 Disassembling key for Grohtherm 1000 after 2006 (M 22 x 1, M 24 x 1, M 28 x 1) for integrated mousseurs: M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1 sales unit 10 pieces	chrome	7.00
	45 937 000 Grohe Special grease 25 g sales unit 15 pieces	chrome	7.50
	48 166 000 Grohclean Detergent for fittings and bathrooms 500 ml spray bottle in display box sales unit 10 pieces	chrome	15.00

VISIT US ONLINE

Follow us



PLEASE CONTACT OUR LOCAL OFFICES BELOW:

Grohe AG
Representative Office in Bulgaria
1404 Sofia
Bulgaria Blvd. 81 B, floor 8, office 21
Bulgaria
Tel.: +359 2 971 99 59
Fax: +359 2 971 24 22
grohe-bulgaria@grohe.com
www.grohe.bg

Grohe ČR s.r.o.
Antala Staška 510/38
140 00 Praha 4
Czech Republic
Tel.: +420 277 004 190
Fax: +420 277 004 199
grohe-cz@grohe.com
www.grohe.cz
www.grohe.sk

Grohe AG Reprezentanță
Strada Nicolae Iorga nr. 13,
Corp B, etaj 2
RO - 010432 București
Romania
Tel.: +40 21 212 50 50
Fax: +40 21 212 50 48
info-ro@grohe.com
www.grohe.ro

Grohe AG
Feldmühleplatz 15
D - 40545 Düsseldorf
Germany

Grohe Hungary Kft.
Montevideo u 3/A
HU - 1037 Budapest
Hungary
Tel.: +36 (06)1 23 88 045
Fax: +36 (06)1 23 80 713
Info-hu@grohe.com
www.grohe.hu

Grohe Adria d.o.o.
Štefanovečka 10
HR - 10000 Zagreb
Croatia
Tel.: +385 (0)1 29 11 470
Fax: +385 (0)1 29 10 962
adria-hr@grohe.com
www.grohe.hr
www.grohe.si
www.grohe.rs

Grohe Polska Sp. z o. o.
ul. Puławska 182
02-670 Warszawa
Poland
Tel.: +48 22 54 32 640
Fax: +48 22 54 32 650
biuro@grohe.com
www.grohe.pl

Grohe AG
Representative office in Caucasus
Caspian Plaza, 13th floor
Jafar Jabbarly str., 40,
AZ1065, Baku, Azerbaijan
Tel.: +99 412 497 09 74
Fax: +99 412 497 09 74
info-az@grohe.com
www.grohe.az

Representative office of GROHE AG
in Kazakhstan
Al-Farabi Avenue # 17, block 4B,
office # 402
050059 Almaty,
Business Center „Nurly-Tau“
Tel.: +7 (727) 311 07 39/40/42
Fax: +7 (727) 311 01 22
info-CAC@grohe.com
www.grohe.kz

Grohe AG in Ukraine
Ivana Franka Str. 18 A
01030 Kiev, Ukraine
Tel.: +38 044 537 5273
After Sales Support +38 044 590 01 82
info-ua@grohe.com
www.grohe.ua